
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.





UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH SERVICE

SERVICE AND REGULATORY ANNOUNCEMENTS

LIST OF INTERCEPTED PLANT PESTS, 1952

(List of Pests Recorded from July 1, 1951, through June 30, 1952, as Intercepted in, on, or with Plants and Plant Products Entering United States Territory.)

Compiled by
JUDITH HUNT
Plant Quarantine Aid

INTRODUCTION

This report summarizes the records of insect pests, plant pathogens, and certain other organisms found in, on, or with plants and plant products (1) imported, (2) offered for but refused entry, (3) held as ships' stores, etc., and hence not offered for entry through customs, (4) offered for entry for immediate transportation and exportation in bond, and (5) in domestic shipments between both Hawaii and Puerto Rico and the mainland. It covers the thirty-ninth year for which interception lists have been issued.

Because of the large number of collections involved, an effort has been made to restrict this list to those insects and plant diseases of known or potential plant quarantine importance. Intercepted plant pests that are known to be widely distributed throughout the United

States are not included unless they are of particular interest.

Some collections made late in the year are included in the report for the following year, since determinations cannot be obtained immediately for all of them. Occasionally determinations are delayed for longer periods. The data for this list were obtained from routine reports by personnel of this Bureau, supplemented by information supplied by State and Customs officials. The States of California and Florida maintain staffs of specialists who identify a large proportion of the material collected at their ports. Specialists of the Bureau of Plant Industry, Soils, and Agricultural Engineering determine many of the difficult or unusual pathogens collected at the ports.

All scientific names are reviewed by appropriate specialists in the Department to assure conformance to the international rules of

nomenclature.

Although every effort is made to give the correct origin for all collections listed, the alleged origin of all host-plant materials cannot be verified. Questionable items are therefore omitted or the origin is listed as unknown.

From many parts of the world have come importations of various seeds, fruits, bulbs, corms, rhizomes, plants, and plant products. An increasing number of arrivals by air bring added plant pathogens and pests, of which the golden nematode and the fruit flies continue to be most important.

INTERCEPTIONS FROM AIR-BORNE MATERIAL

Frequent interceptions of air-borne plant pests have been made in baggage, express, freight, mail, and stores. During the year 2,436 interceptions were made of insects on imported plant parts or as stowaways, and 329 interceptions of plant diseases. Slightly less than one-third of the diseases were determined as to genus only, but from the evidence offered little or no risk to the United States. Occasionally pests unknown to this country but known to cause disease in the country of origin were intercepted. Some of the most injurious insects intercepted during the year arrived in, on, or with fruits and plant material coming in by plane.

Some important insects found in air-borne material were:

Acalypta parvula in forest litter, moss, and soil used as packing material in baggage from Spain.

Adoxophes orana on cut flowers of lilac in cargo from the Netherlands.

The citrus blackfly (Aleurocanthus woglumi) on leaves of sour lime in baggage from Cuba and Mexico, on Citrus sp. leaves in baggage from Jamaica, Mexico, and Panama.

The Mexican fruit fly (Anastrepha ludens) in mango in baggage from Guatemala and Mexico; in orange in baggage from Mexico, in orange in stores from Guatemala; the West Indian fruit fly (A. mombin praeoptans) in mango in baggage from the Bahamas, Colombia, Guatemala, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, and Salvador, in yellow mombin in baggage from Costa Rica, Guatemala, Nicaragua, and Salvador, in yellow mombin in stores from Salvador, in unidentified fruit in baggage from Salvador; A. serpentina in mamey in baggage from Colombia, in sapodilla in baggage from Ecuador, in sapote (Calocarpum sapota) in baggage from Nicaragua; A. suspensa in guava in baggage from Cuba and Mexico.

Brachycerus albidentatus in garlic in cargo from Italy.

The black vine weevil (Brachyrhinus sulcatus) in grape in stores from Belgium. The Mediterranean fruit fly (Ceratitis capitata) in Annona sp. in baggage from Portugal, in apple in stores from France, in cactus in baggage from Italy, in fig in baggage from Italy, in grape in stores from France, in guava in baggage from the Azores, in lemon in baggage from the Madeira Islands, in Mandarin orange in baggage from Italy, in Mandarin orange in stores from Portugal and Spain, in mango in baggage from the Madeira Islands, in orange in baggage from Portugal and Spain, in orange in stores from Spain, in peach in baggage from France, Italy, Portugal, and Tripoli, in peach in quarters from Italy, in peach in stores from the Azores, France, Israel, Italy, and Portugal, in pear in baggage from Greece, in pear in stores from France, in pomegranate in baggage from Greece, Italy, and Lebanon, in pricklypear in baggage from Italy; C. capitata (?) in coffee berry in baggage from Hawaii.

Ceroplastes sinensis on stem of Feijoa sp. in baggage from New Zealand.

Cylas formicarius in sweetpotato in stores from India.

An adult of the oriental fruit fly (Dacus dorsalis) in preflight inspection of an airplane departing from Hawaii for the mainland.

The olive fruit fly (D. oleae) in olive in baggage from the Azores, Greece, Italy,

Lebanon, and Palestine.

The oriental fruit moth (*Grapholitha molesta*) in peach in baggage from Korea. *Laspeyresia strobilella* in spruce cone in baggage from Germany.

Palaeopus costicollis in yam in baggage from Jamaica.

The pink bollworm (*Pectinophora gossypiella*) in cotton boll in baggage from the Bahamas, Greece, Hawaii, and Jamaica, in okra in baggage from Brazil and Trinidad.

Prodenia litura on gladiolus in cargo from Israel.

Rhagoletis cerasi in cherry in baggage from France, Italy, and Switzerland, in cherry in cargo from Switzerland, in cherry in stores from the Azores, Italy, and Portugal.

Tephritis arnicae on dry cut flowers in baggage from Switzerland.

The papaya fruit fly (Toxotrypana curvicauda) in papaya in baggage from Trinidad.

Air-borne plant material was found to carry some important plant pathogens not believed to be established in the United States. Among these were the following:

Cercospora coffeicola on coffee leaves in baggage from Brazil.

"Chrysanthemum virus Q" on a chrysanthemum plant in cargo from Denmark.

Chrysomyxa rhododendri on Rhododendron spp. in baggage from Germany,

Hungary, and Switzerland, and on Rhododendron sp. in mail from Switzerland.

Coniothyrium laburnophilum on Laburnum sp. in mail from Denmark.

Elsinoe australis on orange in stores from Argentina and Brazil.

"Leprosis" on orange in stores from an unknown source.

Leptosphaeria citricola on Mandarin orange in baggage from Japan. Phleospora pistaciae on pistache leaf in baggage from Turkey.

Phoma citricarpa on Mandarin orange in baggage from China and Japan, on orange in baggage from Japan, and on citrus peel in baggage from China; P. gypsophila on Gypsophila sp. in cargo from Japan.

Phomopsis hellebori on Christmas-rose in cargo from the Netherlands.

Phyllosticta philodendri on warty philodendron in cargo from Costa Rica.

Pythium butleri on ginger in cargo from Guam.

Septoria unedonis on Arbutus unedo in baggage from Greece.

Sphenospora kevorkianii on Schomburgkia sp., an orchid, in cargo from Pamana. "Tomato aspermy virus" on chrysanthemum plant in cargo from Denmark. Uredo oncidii on Oncidium varicosum rogersi, an orchid, in express from Brazil and on Oncidium sp. in cargo from Guatemala; U. scabies on Vanilla planifolia, an orchid, in cargo from the Canal Zone.

Xanthomonas citri on lime in baggage from India.

Intercepted plant diseases of limited distribution in the United States or new to the country of origin and found on air-borne material were:

Heterosporium iridis on German iris in cargo from New Zealand.

Leptosphaeria heterospora on monarch iris in mail and on Iris spp. in cargo from New Zealand, Palestine, and Turkey.

Papulaspora coprophila on gladiolus corms in cargo from Japan.

Phoma iridina on German iris in cargo from New Zealand.

Phyllosticta camelliae on camellia in mail from Japan; P. dracaenae on Banks dracaena in cargo from New Zealand; P. hedericola on Fatshedera sp. in cargo from Belgium and on English ivy in baggage from Ireland; P. maculiformis on chestnut in baggage from Italy.

Scirrhodothis bambusae on Bambuseae stem in cargo from Japan.

Septoria chrysanthemi on chrysanthemum in mail from Japan. S. dianthi on carnation in baggage from the Azores.

Nematodes were also found in air-borne material as follows:

Heterodera punctata in soil with strawberry plants in cargo from Scotland, in soil on chrysanthemum plants in express from England, in soil on picka-back plants in quarters from Germany, and in soil on lupine plants in baggage from England; the golden nematode (H. rostochiensis) in soil with various plants from England, France, Germany, Ireland, and Scotland.

Meloidogyne hapla with roots of clematis in cargo from the Netherlands; M.

incognita in Asparagus myriocladus in express from Japan.

NOTES ON INSECTS INTERCEPTED

FRUIT FLIES

The following fruit flies were intercepted:

The Mexican fruit fly (Anastrepha ludens) in grapefruit in baggage from Mexico, in Mandarin orange in quarters and stores from Mexico, in mango in baggage from Guatemala and Mexico, in mango peel in an empty boxcar from Mexico, in pulp attached to mango seed in the bed of a truck from Mexico, in orange in quarters and stores from Guatemala, in orange in baggage, quarters, and stores from Mexico, in pear in baggage from Mexico, in ponderosa lemon in baggage from Mexico, in sour orange in quarters and stores from Mexico, in sweet lime in baggage and cargo from Mexico, and an adult in the bed of a truck from Mexico; A. ludens (?) in avocado in baggage from Mexico; the West Indian fruit fly (A. mombinpraeoptans) in unidentified fruit in baggage from Salvador, in mango in baggage from the Bahamas, Colombia, Guatemala, Jamaica, Mexico, Nicaragua, Panama, Puerto Rico, Salvador, and the Virgin Islands, in mango in mail from Nicaragua, in mango in quarters from Honduras, Mexico, Puerto Rico, and Trinidad, in mango in stores

from Honduras and Jamaica, in Spondias sp. in baggage from Mexico, in yellow mombin in baggage from Costa Rica, Guatamela, Mexico, Nicaragua, and Salvador, in yellow mombin in mail from Nicaragua, in yellow mombin in stores from Salvador; A. serpentina in mamey in baggage from Colombia and Mexico, in sapodilla in baggage from Ecuador, in sapote in baggage from Mexico and Nicaragua; A. striata in guava in baggage from Mexico; A. suspensa in guava in baggage from Cuba and Puerto Rico.

The Mediterranean fruit fly (Ceratitis capitata) in Annona sp. in baggage from Portugal, in apple in baggage from Italy, in apple in stores from France and Portugal, in apricot in stores from Algeria, in cactus in baggage from Italy, in coffee in baggage and quarters from Hawaii, in fig in baggage from Greece and Italy, in grape in stores from France, in grapefruit in quarters from France, in grapefruit in stores from Algeria, France, Israel, Lebanon, and Spain, in guava in baggage from the Azores, in lemon in baggage from the Madeira Islands, in Mandarin orange in baggage from Africa and Italy, in Mandarin orange in stores from Italy, Portugal, and Spain, in mango in baggage from the Madeira Islands, in Opuntia sp. in baggage from Italy, in orange in baggage from Italy, Portugal, and Spain, in orange in quarters from Israel and Spain, in orange in stores from Egypt, Israel, Italy, Morocco, and Spain, in peach in baggage from France, Italy, Portugal and Tripolising and Italy, Portugal, and Tripoli, in peach in quarters from Italy, in peach in stores from the Azores, France, Israel, Italy, Portugal, and Spain, in pear in baggage from Greece and Italy, in pear in stores from France, in pomegranate in baggage from Greece, Italy, and Lebanon, in prickly pear in baggage and cargo from Italy, in quince in baggage and cargo from Italy; C. capitata (?) in coffee in baggage and mail from Hawaii, in mango in mail from Hawaii, in olive in baggage from the Azores.

The melon fly (Dacus cucurbitae) in cucumber in cargo and stores from Hawaii, in pepper in stores from Hawaii, in string bean in cargo from Hawaii, in tomato in stores from Hawaii; the Oriental fruit fly (D. dorsalis) in banana in quarters from Hawaii, in Malay-apple in baggage from Hawaii, in mango in mail and quarters from Hawaii, an adult in preflight inspection of an airplane leaving Hawaii for the mainland; D. dorsalis (?) in bell pepper in stores from Hawaii, in guamachil in baggage from Hawaii, in tomato in stores from Hawaii; the olive fruit fly (D. oleae) in olive in baggage from the Azores, Greece, Italy, Lebanon, Libya, and Palestine, in olive in cargo from Italy, in olive in mail from Italy and Turkey.

Rhagoletis cerasi in cherry in baggage from France, Italy, Portugal, and Switzerland, in cherry in cargo from Switzerland, in cherry in stores from the Azores, France, Italy, and Portugal; the walnut husk fly (R. completa) in walnut in baggage from Mexico; R. juglandis in black walnut in baggage from Mexico; the apple maggot (R. pomonella) in baggage from Mexico; R. pomonella (?) in apple in stores from Sweden; R. striatella in husk tomato in baggage from Mexico.

The papaya fruit fly (Toxotrypana curvicauda) in papaya in baggage from Trinidad, in papaya in cargo from Mexico, and on the floor of a truck previously used to transport papayas from Mexico.

INSECTS OTHER THAN FRUIT FLIES

The following miscellaneous insects of interest were intercepted:

A curculionid, Alcidodes dentipes, in sweet potato in stores from Sierra Leone. The citrus blackfly (Aleurocanthus woglumi) on leaves of Citrus sp. in baggage and cargo from Mexico, on coffee leaves in baggage from Mexico, on leaves of lemon, Mandarin orange, and orange in baggage from Mexico, on leaves of sour

lime in baggage from Cuba, Jamaica, and Panama, on leaves of sour lime in baggage and cargo from Mexico.

A bruchid, Bruchus lentis, in lentil in baggage by air from Italy.

Cacoecia pronubana (Tortricidae) in pomegranate in baggage from Italy and

A phycitid, Cryptoblabes gnidiella, in chestnut and pomegranate in baggage from Italy, in pomegranate in baggage by air from Italy, in lemon in stores by air from Italy, in papaya in baggage by air from Bermuda, in seagrape berry in cargo by air from Bermuda.

The mango weevil (Cryptorhynchus mangiferae) in mango in baggage and quart-

ers from Hawaii, in mango in baggage by air from India.

A curculionid, Curculio elephas, in chestnut in baggage, cargo, and mail from Italy, in chestnut in baggage by air from Italy, in chestnut in stores from Portugal. Cylas puncticollis (Curculionidae) in sweetpotato in stores from British West Africa, Gold Coast, and Sierra Leone.

A pyraustid, Evergestis forficalis, in cabbage and cauliflower in stores from

France, in cabbage in baggage by air from Ireland.

Hemimene juliana (Olethreutidae) in chestnut in baggage by air from Italy, in chestnut in baggage from Greece, in Macedonian oak seed in mail from Italy.

An elaterid, Hypolithus riparius, in grass sod used as ballast from Scotland. An olethreutid, Laspeyresia leguminis, in string bean in stores from Peru. Leucinodes orbonalis (Pyraustidae) in eggplant in stores from Indonesia.

A phalaenid, Mamestra brassicae, in cabbage in baggage by air from Ireland, in cabbage in stores from Italy, in celery in stores from Denmark, in rutabaga in

stores from England, in cabbage and parsley in stores from France.

A bean pod borer, Maruca testulalis, in string beans in baggage, cargo, mail, and stores from Hawaii, in string beans in stores from Japan and Netherlands Guiana.

An adult scarabaeid, Melolontha melolontha, host unknown, in baggage by air from Germany.

Parlatoria chinensis (Coccidae) on a stem of Pyrus sp. in baggage from Japan. An adult *Phloeotribus scarabaeoides* (Scolytidae) with olive branch in baggage from Italy.

A scolytid, Pityogenes chalcographus, in pine and spruce in cargo from Sweden,

in bark on crate slats from Sweden.

A chrysomelid, Psylliodes chrysocephala, in radish in stores from Italy. Polychrosis botrana (Olethreutidae) in grape in baggage from Italy. Prays oleellus (Hyponomeutidae) in olive in baggage from Italy.

Sesamia cretica (Phalaenidae) in broomcorn in cargo from Greece and Italy,

in corn in baggage from Italy.

A curculionid, Sitona lineata, on chrysanthemum in cargo by air from Denmark, on chrysanthemum in baggage by air from Portugal, on lilac in cargo from the Netherlands, and in beet in stores from England.

A curculionid, Strophosoma melanogrammum, in soil and woods moss with

rosaceous plants in mail from Germany.

SNAILS

The giant African snail (Achatina fulica) was taken at San Francisco, and San Pedro, Calif., three times each on returned military equipment coming from Formosa, Guam, and the Philippines. Two interceptions of this species were made at San Pedro on scrap tires and a second-hand generator from Guam, and one

interception at Houston, Tex., on scrap metal from the South Pacific.

Bradybaena similaris, an injurious snail not established in the United States, was intercepted at Honolulu, Hawaii, in a box with Vanda leis during preflight inspection of a cargo shipment to the mainland. Another injurious snail, Deroceras reticulatum, known to be in some of our States was taken at New York, N. Y., with cabbage in cargo from the Netherlands; at Boston, Mass., with carnations and calla lilies in baggage by air from the Azores; at Boston, Mass., with lettuce in stores by air from Lebanon; and at Washington, D. C., with clumps of selloa pampasgrass in mail from New Zealand.

NOTES ON DISEASES INTERCEPTED

Japan again contributed the greatest number of interceptions (55) of citrus canker (Xanthomonas citri), 32 of which were on oranges, 16 on lemons, 6 on grapefruits, and 1 on sour lime. China contributed 16 interceptions, 13 of which were on oranges, 2 on Mandarin oranges, and 1 on citrus peel. India contributed 1 each on lime, sour lime, pomelo, and grapefruit. From Formosa (?) and Ceylon came 1 each on orange; Malaysia and the Philippines had 1 each on sour lime; and Thailand had 2 on pummelo. Cancrosis "B" (Xanthomonas sp. (?)), another bacterial disease of citrus producing symptoms similar to citrus canker, was intercepted 6 times on lemons and once on grapefruit from Argentina.

Chrysomyxa rhododendri, a spruce and rhododendron rust, was intercepted 5 times on Rhododendron ferrugineum from Switzerland and once from Hungary, once each on R. hirsutum from England and Germany, and 4 times on Rhodo-

dendron sp. from Switzerland.

The sweet orange fruit scab (Elsinoe australis) was intercepted many times from South America. Of these interceptions 76 were from Brazil, 57 from Argentina, and 1 each from Uruguay and an unknown origin, probably South America, on lemon, Mandarin orange, orange, sour lime, and sour orange.

"Leprosis", a recently reported disease, was intercepted once on Mandarin orange, 8 times on orange from Mexico, and once each on orange from Egypt, Haiti, Panama, and an unknown origin.

Other interceptions were:

Cercospora purpurea on avocado in baggage from Mexico.

Coniothyrium cytisellum on Laburnocytisus adami and Laburnum watereri in cargo from the Netherlands.

Cryptospora longispora on Norfolk-Island pine in cargo from Australia and on

Norfolk-Island pine in mail from Norfolk Island.

Gymnosporangium haraeanum on Chinese juniper and dwarf juniper in mail

and baggage from Japan.

Leptosphaeria heterospora on various rhizomatous Iris species in cargo and mail from Australia, Canada, England, France, Hashemite Kingdom of Jordan, the Netherlands, New Zealand, Palestine, and Turkey; L. rusci on Ruscus sp. in cargo from Italy.

Macrophomina phaseolina on Ixia viridiflora and Morea spathacea in mail from the Union of South Africa, on Iris nigricans in mail from Hashemite Kingdom of Jordan, on sweetpotato in baggage from Borneo, and on sweetpotato in stores

from Japan.

"Peony virus" on peony in cargo from the Netherlands.

Puccinia arenariae on maiden pink and sweet-william in cargo from Switzerland and on sweet-william in baggage from England; P. ornithogali-thyrsoides on chinkerichee in mail from the Union of South Africa.

Sphaceloma fawcettii var. scabiosa on lemon, grapefruit, and Citrus sp. in stores

from Australia.

The golden nematode (Heterodera rostochiensis) has been found in soil with various plants intended for propagation, 8 times from England, 7 times from

Scotland, 4 times from Germany, twice from Ireland, and once each from Denmark, France, the Netherlands, and Sweden.

Of importance also have been interceptions of the *Meloidogyne* group such as M. arenaria in Bletilla sp., an orchid, in cargo from Japan, in dahlia in mail from India, in potato in stores from Chile, and in turnip in cargo from Mexico; M. exigua in dahlia in mail from Australia; M. hapla in chrysanthemun, clematis, delphinium, and Hungarian hepatica, all in cargo from the Netherlands, and in soil with an unknown plant in baggage from Germany; M. incognita in Asparagus myriocladus in express from Japan, in banana root in cargo from Mexico, in dahlia in mail from India, and in Dioscorea sp. tuber in express from Nicaragua; M. incognita (?) in Mammillaria phymatothele in mail from Mexico; M. incognita var. acrita in Agapanthus sp. root in cargo from Japan, in parsnip in stores from the Union of South Africa, M. incognita var. acrita (close to; possibly n. sp.) in Pogostemon sp. root in mail from the Philippines; M. javanica in Bletilla sp., an orchid, in cargo from Japan and in dahlia in mail from Australia.

Tylenchus allii in garlic in cargo from Mexico; T. putrefaciens in garlic in baggage

and cargo from Mexico.

INCOMPLETELY DETERMINED PESTS

Occasionally complete specific determinations of nematodes, insects, and fungi have been impossible owing to the condition of the material on arrival. Some of these plant pests may be of economic importance, may be new or hitherto unknown to the United States. unknown for the host plant, or they may come from a new country of origin.

INSECTS

Among the incompletely determined insects were the following fruit flies: Anastrepha sp., probably fraterculus (Wied.), at New York, N. Y., in coffee berry in baggage by air from Peru; Anastrepha sp., probably ludens, at Laredo, Tex., in apple in baggage from Mexico; at Brownsville, and Laredo, Tex., in orange in baggage from Mexico; at Houston, Tex., in orange in quarters from Mexico; Anastrepha sp., probably mombin praeoptans, at Boston, Mass., in grape-fruit in stores from Trinidad; at Key West, Fla., in mango in stores from Cuba; at Laredo, Tex., in mango in baggage from Mexico; at New Orleans, La., in mango in stores from Jamaica and in Spondias sp. in baggage by air from Salvador; at San Ysidro, Calif., in guava in baggage from Mexico; Anastrepha sp.,

probably serpentina, at Douglas, Ariz., in mango in baggage from Mexico; at Laredo, Tex., in sapote in baggage from Mexico; Anastrepha sp., probably striata,

at Miami, Fla., in mango in baggage by air from Bolivia and Ecuador.

Anastrepha sp. at Miami, Fla., in Annona sp. in baggage by air from Peru; at Brownsville, Tex., in avocado in baggage from Mexico; at Miami, Fla., in cherimoya in baggage by air from Peru; at San Ysidro, Calif., in guava in baggage from Mexico; at New York, N. Y., in guava in baggage from Venezuela; at El Paso, Tex., in guava in baggage from Mexico; at Miami, Fla., in mango in baggage by air from Colombia, Guatemala, and Peru; at Hidalgo, Del Rio, Brownsville, Laredo, and El Paso, Tex., in mango in baggage from Mexico; at Houston, Tex., in mango in stores from Haiti; at New York, N. Y., in mango in baggage from Haiti; at Savannah, Ga., in mango in quarters from Puerto Rico; at Baltimore, Md., in orange in stores from Brazil; at Brownsville, El Paso, and Laredo, Tex., in orange in baggage from Mexico; at Galveston, Tex., in orange in quarters and stores from Brazil; at El Paso, Tex., in peach in baggage from Mexico; at Eagle Pass, Tex., in quince in baggage from Mexico; at Tampa, Fla., in sapodilla in baggage by air from Cuba; at Laredo, Tex., in sapote in baggage from Mexico; at Miami, Fla., in soursop in baggage by air from Peru.

Rhagoletis sp. at Laredo, Tex., in pear in baggage from Mexico.

Thirty-four interceptions which could not be identified beyond family (Tephritidae) were intercepted at Laredo, Tex., in apple in baggage from Mexico; at New York, N. Y., in apple in baggage by air from Tripoli; at Seattle, Wash., in apple in stores from Peru; at Boston, Mass., in apricot in stores by air from an unknown origin; at Honolulu, Hawaii in banana in cargo from Siam; at San Diego, Calif., in cucumber in stores from Hawaii; at New York, N. Y., in fresh date in cargo by air from Lebanon and in globe artichoke in baggage from Italy; at Baltimore, Md., and Houston, Tex., in grapefruit in stores from Brazil; at Galveston, Tex., in grapefruit in stores from Argentina; at Norfolk, Va., in grapefruit in stores from Nigeria; at Philadelphia, Pa., in grapefruit in stores from Gold Coast; at Boston, Mass., in guava in baggage by air from the Azores; at Calexico, Calif., in guava in baggage from Mexico; at Honolulu, Hawaii in guava in cargo by air from Siam; at Boston, Mass., in Mandarin orange in stores from India; at New York, N. Y., in Mandarin orange in stores by air from an unknown origin; at Honolulu, Hawaii in mango in stores by air from the Philippines; at Honolulu, Hawaii in nectarine in baggage by air from Australia; at Baltimore, Md., in orange in stores from Brazil; at Boston, Mass., in orange in stores by air from an unknown origin, and in orange in stores from French West Africa and India; at Galveston, Tex., in orange in stores from Spain; at Mobile, Ala., in orange in stores by air from Panama; at San Juan, P. R., in orange in stores from Africa; at New York, N. Y., in papaya in stores from Gold Coast and in peach in baggage by air from France; at Philadelphia, Pa., in pepper in stores from French West Africa; at Boston, Mass., in sweet lime in stores from the Azores; at San Francisco, Calif., in tomato in stores from Hawaii; at Boston, Mass., in vegetable marrow in stores from the Union of South Africa and with mixed fruit in stores by air from an unknown origin.

The following miscellaneous insects of interest were intercepted:

An aleyrodid, Aleurodicinae, new genus near Aleurodicus, at Laredo, Tex., on Oncidium cavendishianum, an orchid, in cargo from Mexico.

Aleuroplatus sp., near sculpturatus Q. & B. (Aleyrodidae) at Hoboken, N. J.,

on an unidentified leaf in mail from Brazil.

Apion sp., probably carduorum Kby., (Curculionidae) at New York, N. Y., and at Philadelphia, Pa., in globe artichoke in stores from France.

An olethreutid, Argyroploce sp., probably leucotreta Meyr., at Baltimore, Md., in orange in stores from the Union of South Africa.

Aserica sp. (Scarabaeidae) at Honolulu, Hawaii, in soil with dwarf pine in

baggage by air from Japan.
A curculionid, Baris sp., at Mobile, Ala. and at New York, N. Y., in turnip

in stores from France; at Galveston, Tex., in turnip in stores from Portugal.

A cerambycid, "unlike anything in the Museum collection," at Hoboken. N. J., in root of malabar glorylily in cargo by air from the Union of South Africa. A coccid, Coccinae, "an interesting species", at Brownsville, Tex., on a leaf

of Bromelia sp. in baggage from Mexico.

Cryptotermes sp., probably brevis (Wlk.) (Kalotermitidae), at San Pedro,

Calif., in a wooden packing case in express from Cuba.

Cylas sp., probably femoralis Faust (Curculionidae), at New York, N. Y., in sweetpotato in stores by air from the Union of South Africa.

A curculionid, Epicaerus sp., probably cognatus Sharp, at Brownsville, Tex., in potato in baggage and stores from Mexico; at Eagle Pass, Tex., and Laredo, Tex., in potato in baggage from Mexico; at Hildalgo, Tex., in potato in quarters from Mexico; at Houston, Tex., and New Orleans, La., in potato in stores from Mexico.

Gnorimoschema sp., near or equals borsaniella Koehr. (Gelechiidae), at Baltimore, Md., in pepper in stores from Brazil; at Charleston, S. C., and at Galveston, Tex., in pepper in stores from Argentina; Gnorimoschema sp., near or equals ocellatella, at Galveston, Tex., and at New York, N. Y., in beet in stores from Egypt; at Philadelphia, Pa., in beet in stores from France and Israel.

Gymnandrosoma sp. (Olethreutidae) at New York, N. Y., in orange in stores

by air probably from Trinidad.

Lixus sp. (Curculionidae) at Philadelphia, Pa., in beet in stores from Israel.

Sp. of Phalaenidae, "very distinctive—nothing like it in the U.S. National

Museum'', at Charleston, S. C., on banana leaf in cargo from Ecuador.

Phenacaspis sp. (Coccidae), "not recognized as any described species", at Honolulu, Hawaii on Grammatophyllum scriptum, an orchid, in air express from the Philippines.

A curculionid, *Premnotrypes* sp., at Galveston, Tex., in potato in stores from

Peru.

Sisamnes sp. (Lygaeidae), probably a new species, at Laredo, Tex., on cactus in cargo from Mexico.

A scolytid, Stephanoderes sp., probably lecontei Hopk., at Honolulu, Hawaii

in seed of Lysidice rhodostegia in mail from Cuba.

Tetralicia sp. (Aleyrodidae), "undescribed and very interesting", at Nogales,

Ariz., on white sapote leaf in baggage from Mexico.

There were 1,926 interceptions distributed among 564 genera, which could be identified to genus only. A total of 86 could be determined to family or subfamily only.

A total of 2,012 incompletely determined insects were intercepted during the

year.

DISEASES

Suspected pathogens, some probably new to this country, determined to genus only were:

Ascochyta sp., at Washington, D. C., on Mahonia bealii in cargo from the Netherlands; at San Francisco, Calif., on Odontoglossum grande, an orchid, in air

cargo from Guatemala.

Camarosporium sp., at Nogales, Ariz., on Agave sp. in baggage from Mexico; at Hoboken, N. J., on Cercidiphyllum sp. in cargo from the Netherlands; at San Francisco, Calif., on Cymbidium canaliculatum, an orchid, in mail from Australia; at Laredo, Tex., on *Epidendrum* sp., an orchid, in cargo from Mexico.

Caryospora sp., at San Francisco, Calif., on *Iris atropurpurea* in mail from Eng-

land, on Iris germanica in mail from Australia and on Iris saari in mail from

Cercospora sp., at San Juan, P. R., on Eryngium foetidum in a shipment for the mainland; at Laredo, Tex., on Philodendron sp. in baggage and cargo from

Coniothyrium sp., probably olivaceum, at El Paso, Tex., on sweet lime in baggage from Mexico; at Honolulu, Hawaii, on Mandarin orange in baggage by air from China; at San Francisco, Calif., on coconut in baggage from Hawaii; at Washington, D. C., on Jobs-tears in mail from the Philippines; at San Francisco, Calif., on Cymbidium sp., an orchid, in cargo from England; at Laredo, Tex., on Laelia sp., an orchid, in cargo from Mexico; at Laredo, Tex., on Philodendron sp. in cargo from Mexico.

Coryneum sp., probably microstictum Berk. & Br., at Seattle, Wash., on Rosa

sp. (fruit) in mail from Canada.

Probably Cryptosphaerella sp., at San Francisco, Calif., on Oncidium splendidum, an orchid, in cargo from Guatemala; Cryptosphaerella sp., at Laredo, Tex., on orchid in cargo from Mexico.

Endoconidiophora sp., at San Francisco, Calif., on ginger in cargo from Japan. Frankiella sp., close to alni (Wor.) Maire & Tison, at Seattle, Wash., on Cer-

cidiphyllum japonicum in cargo from Japan.

Haplosporella sp., at Philadelphia, Pa., on wisteria vine in quarters from Japan.

Hendersonia sp., at San Francisco, Calif., on Epidendrum sp., an orchid, in cargo from Salvador; at San Francisco, Calif., on Haworthia margaritifera in mail from the Union of South Africa; at Nogales, Ariz., an orchid in baggage from Mexico; at Washington, D. C., on rice seed in mail from Cuba and on Stylocanthes sp. in mail from Ethiopia.

Hypoderma sp., at Nogales, Ariz., on Dodonaea sp. in cargo from Mexico.

Hysterographium sp., at Brownsville, Tex., on orchid in cargo from Mexico; at San Francisco, Calif., on Laelia superbiens, an orchid, in cargo by air from Guatemala.

Lembosiopsis sp., at Brownsville, Tex., on Miltonia endresii, an orchid, in cargo

by air from Costa Rica.

Leptosphaeria sp., at Calexico, Calif., on bamboo cane in cargo from Mexico; at San Pedro, Calif., on Phalaenopsis sp., an orchid, in baggage from the Philippines; at Laredo, Tex., on Philodendron sp. in cargo from Mexico.

Leptostroma sp., at Honolulu, Hawaii, on Agathis australis in cargo by air from New Zealand; at Nogales, Ariz., on Hibiscus cannabinus in baggage from Mexico. Lophodermium sp., at San Francisco, Calif., on Sobralia sp., an orchid, in cargo

by air from Nicaragua.

Monilinia sp., suggesting laxa (Aderh. & Ruhl.) Honey, at Hoboken, N. J., on

rock cotoneaster in cargo from the Netherlands.

Mycosphaerella sp., at Brownsville, Tex., on orange in baggage from Mexico; at Honolulu, Hawaii, on Banks dracaena in cargo by air from New Zealand; at San Francisco, Calif., on Cymbidium elegans, an orchid, in cargo by air from India; at Miami, Fla., on Epidendrum radicans, an orchid, in cargo by air from Costa Rica; at San Francisco, Calif., on Epidendrum ybaguense in cargo by air from the Canal Zone.

Naemosphaeria sp. (?), at Hoboken, N. J., on Ficus sp. stem in cargo from Italy.
Nocardia sp., at Hoboken, N. J., on black barberry in cargo from the Netherands

Ophiobolus sp., at San Francisco, Calif., on coconut in baggage from Hawaii and Japan; at San Francisco, Calif., on coconut in mail from Guam; at Nogales, Ariz., on orchid in baggage from Mexico.

Pachybasium sp., at Hoboken, N. J., on tulip in cargo from the Netherlands. Periconia sp., at San Francisco, Calif., on cucumber in stores from Japan.

Pestalotia sp., at Laredo, Tex., on Philodendron sp. in cargo from Mexico.

Phaeosphaeria sp., at San Francisco, Calif., on Acorus sp. in cargo by air from

Japan.

Phyllostictina sp., at Laredo, Tex., on lime leaf in cargo from Mexico; at San Francisco, Calif., on Cypripedium insigne, an orchid, in mail from India; at Honolulu, Hawaii, on Cypripedium sp. in baggage from Japan and on Dendrobium undulatum, an orchid, in cargo by air from Australia; at San Francisco, Calif., on Dendrobium sp. in mail from American Samoa; at San Francisco, Calif., on Dendrobium sp. in cargo by air from Australia; at Laredo, Tex., on Oncidium sp., an orchid, in baggage from Mexico; at Miami, Fla., on orchid leaf in cargo from Brazil.

Phytophthora sp., at New York, N. Y., on orange in stores from Brazil; at El Paso, Tex., on Italian squash in cargo from Mexico; at Hoboken, N. J., on gloxinia in air express from Belgium.

Septoria sp., at Hoboken, N. J., on Heurnia sp. in mail from the Union of South

Africa.

Rhabdospora sp., at Washington, D. C., on Dombeya sp. in mail from Cuba; at

San Francisco, Calif., on Stewartia monadelphia in cargo from Japan.

Sclerotium sp., at Seattle, Wash., on globe butterflybush in cargo from England; at Hoboken, N. J., on Christmas-rose in cargo from England; at Seattle, Wash., on Lycoris aurea and L. radiata in cargo from Japan and on L. squamigera in mail from Japan; at San Francisco, Calif., on L. squamigera in cargo from Japan; at Baltimore, Md., on cipollino in cargo from Italy; at San Francisco, Calif., on potato in stores from New Zealand.

Scolecopeltidium sp., at Brownsville, Tex., on Odontoglossum chiriquense, an orchid, in cargo by air from Costa Rica; at Seattle, Wash., on orchid in mail by

air from the Canal Zone.

Septoria sp., at Laredo, Tex., on Agave sp. and Cattleya citrina, an orchid, in cargo and on orange in baggage from Mexico; at Hoboken, N. J., on Heurnia sp. and Stapelia sp. in mail from the Union of South Africa; at Washington, D. C., on Medicago sp. in mail from Ethiopia; at San Francisco, Calif., on Cypripedium insigne, an orchid, in cargo from India.

Stagonospora sp., at Boston, Mass., on Stipa tenacissima in cargo from Italy. Streptomyces sp., at Philadelphia, Pa., on celery in stores from Sweden.

Tridens sp., at Hoboken, N. J., on Cereus nudiflorus in mail from Cuba. Uredo sp., at Washington, D. C., on Piper sp. in cargo from Colombia.

Verticillium sp., probably candidulum Sacc. var. binotianum Sacc., at Honolulu, Hawaii, on *Phalaenopsis aphrodite*, an orchid, in cargo from the Philippines.

Volutella sp., at San Pedro, Calif., on ginger in cargo from Japan. Incompletely determined nematodes worthy of mention were:

Aphelenchoides, new species, at El Paso, Tex., in garlic in cargo from Mexico; Aphelenchoides sp. (undescribed) at Hoboken, N. J., in Solanum tuberosum var.

"Furore" in cargo from the Netherlands.

Aphelenchus, new species, at El Paso, Tex., in wheat in mail from Yugoslavia. Ditylenchus sp., at Brownsville, Tex., El Paso, Tex., and Laredo, Tex., in garlic in cargo from Mexico; at Hoboken, N. J., in bulbs of Chionodoxa sp., in corms of Colchicum sp., and in bulbs of Tigridia sp. in cargo from the Netherlands.

Helicotylenchus, new species, at New York, N. Y., in soil with rockcress plants

in baggage by air from Germany.

Heterodera sp., probably carotae Jones at San Juan, P. R., in soil with potatoes in stores from Spain; Heterodera sp., possibly goettingiana Liebscher, at New York, N. Y., in soil with bagging in cargo from the Netherlands and in soil with ivy plants in baggage from France and at Seattle, Wash., in soil with potatoes in stores from Australia; Heterodera sp., probably trifolii, at San Juan, P. R., in soil

with potatoes in cargo from Spain.

Heterodera sp. at San Pedro, Calif., in soil with Amaryllidaceae bulbs in mail from Ireland; at New York, N. Y., in soil on army vehicles from Belgium and Germany and with asparagus in baggage and mail from Germany; at Baltimore, Md., in soil with bagging in cargo from England; at New York, N. Y., in soil with bagging in cargo from Belgium, Denmark, England, France, Germany, Italy, the Netherlands, Scotland, and Switzerland; at Norfolk, Va., in soil with bagging in cargo from Belgium, England, Germany, the Netherlands, and Scotland; at Philadelphia, Pa., in soil with bagging in cargo from Belgium, the Netherlands, and Scotland; at San Pedro, Calif., in soil with burlap bags in cargo from the Netherlands, at New York, N. Y., and at Philadelphia, Pa., in sand and soil ballast from England and Scotland; at Blaine, Wash., in soil with potatoes in stores from Tasmania; at Charleston, S. C., in soil with leek and potatoes in stores from the Netherlands; at Boston, Mass., in soil with chrysanthemum plants in baggage from England, in soil with camellia and rose plants in baggage by air from Italy, in soil with brunsvigia bulbs and unidentified herbs in baggage by air from the Azores; at Hoboken, N. J., in soil with plant material for propagation from England, France, Germany, Italy, the Netherlands, Scotland, Switzerland, and Yugoslavia and in soil with potatoes in cargo from the Netherlands; at New York, N. Y., in soil with an army vehicle from Germany, in soil with dasheens in cargo from the Azores, in soil with forget-me-not plants in quarters by air from England, in soil with onions in cargo from Chile, in soil with potatoes in cargo from Spain, in soil with shamrocks in cargo by air from Ireland, in soil with loquat cuttings in baggage from Lebanon, in soil with Pelargonium sp. in baggage from England, in soil with potatoes in baggage by air from Germany, in soil with salsify roots in baggage from Belgium, in soil with potatoes in stores from the Netherlands and Scotland, with plant material for propagation from the Azores, Denmark, England, France, Germany, Greece, Italy, the Netherlands, Scotland, and Switzerland, and in soil with potatoes in baggage from the Azores, England, and Germany; at Norfolk, Va., in soil with carrots in stores from the Netherlands, in soil with parsnips in stores from Ireland, in soil, with potatoes in stores from Belgium, Brazil, Denmark, the Netherlands, and Norway; at Philadelphia, Pa., in soil with cabbage in stores from Portugal, in soil with carrots in stores from England, in soil with gobo roots in stores from Japan, in soil with leeks in stores from Norway, in soil with unknown plants in quarters from France, in soil with shamrocks in mail from Ireland, in soil with potatoes in stores from Australia, Belgium, Brazil, Egypt, England, Germany, Italy (?), the Netherlands, New Zealand, Spain, and Sweden, in soil with plant material for propagation from Germany, Japan, Morocco, the Netherlands, Sweden, and Yugoslavia; at San Francisco, Calif., in soil with potatoes in stores from Australia, England, and Peru, in soil with plant material for propagation from Germany, Italy, the Netherlands, and Yugoslavia; at San Pedro, Calif., in soil with beets and parsnips in stores from England, in soil with white clover in mail from Ireland; at San Juan, P. R., in soil with potatoes in cargo

from Spain; at Seattle, Wash., in soil with carrots in stores from the Netherlands, in soil with plant material for propagation from Canada, England, Germany, Ireland, and Japan.

Hoplolaimus, new species, at Honolulu, Hawaii, in roots of Asparagus myrio-

cladus in express from Japan.

Possibly an undescribed species of Meloidogyne at San Pedro, Calif., in the root of an unidentified plant in baggage from Salvador; Meloidogyne sp., at Hoboken, N. J., in the root of Aster yunnanensis in cargo from the Netherlands and in Begonia multiflora in cargo from Belgium; at Seattle, Wash., in Bletilla hyacinthina, an orchid, in cargo from Japan; at San Pedro, Calif., in carrot in stores from Japan; at Hoboken, N. J., in dahlia tubers in mail from India and in dahlia tubers in cargo from the Netherlands; at Laredo, Tex., in dahlia tubers in mail from Israel and in Lophophora williamsii in cargo from Mexico; at Hoboken, N. J., in root of Passiflora sp. in baggage from Bermuda and in Sinningia sp. in cargo from the Netherlands; at Philadelphia, Pa., in potato in stores from Portugal; at Hoboken, N. J., in root of Viburnum sp. in cargo from Belgium.

Paraphelenchus sp., at Seattle, Wash., in Bletilla hyacinthina in cargo from

Japan.

Pratylenchus sp., at Washington, D. C., in soil with tulip and narcissus bulbs

in cargo from Germany.

Rotylenchus sp., at New York, N. Y., in soil with crocus plants in baggage by air from the Netherlands.

A tylenchid, new genus, at Washington, D. C., in soil around dracaena plants

in air express from the French Cameroons.

Tylenchus sp., at New York, N. Y., in Allium neapolitanum in cargo from Turkey; at Seattle, Wash., in Bletilla sp. in cargo from Japan.

Xiphinema sp., at New York, N. Y., in soil with Aloe sp. plants in baggage by

air from Italy.

A total of 827 incompletely determined pathogens were recorded during the year.

Summary of Numbers of Interceptions Listed in Main Table

Country	Insect	Disease	Country	Insect	Discase
Africa:	Number	Number	Europe—Continued	Number	Number
Afghanistan	0	3	Ireland	12	8
Africa (country unknown)	1	1	Italy	231	16
Algeria	7	1	Netherlands	33	100
British West Africa	2	0	Norway Portugal	3	3
Canary Islands	1	$\frac{1}{1}$	Portugal	17	5
Cape Verde Islands	$egin{pmatrix} 0 \ 2 \end{bmatrix}$	1	Scotland	9 15	42 17
Egypt Ethiopia	0	4	Spain Sweden	10	7
French West Africa	0	1	Switzerland	4	15
Gold Coast	ğ	Ō	Trieste	î	0
Kenya	ő	ĭ	Turkev	$\frac{1}{2}$	Ĭ
Liberia	3	0	Union of Soviet Socialistic		
Libya	1	0	Republics	0	1
Madeira Islands	3	0	Yugoslavia	4	0
Morocco	3	0	North America:		
Mozambique	0	1	Bermuda	21	4
Natal	0	1	Canada	2	12
Nigeria	0	1	Canal Zone	45	4
Sierra Leone	2	0	Central America	1	0
Tripoli.	1	0	British Honduras	1	ļ
Union of South Africa	22	29	Costa Rica	15	5
Asia:			Guatemala	27	6
Borneo	0	1	Honduras	6	1
China	3	160	Nicaragua Panama	33	3
Formosa	4	21	Salvador		1
Hashemite Kingdom of Jor-			Mexico	872	122
dan	0	$\begin{vmatrix} 2 \\ 10 \end{vmatrix}$	West Indies	012	122
India	43	19	Bahamas		0
Indonesia.	3 9	1 1	Barbados	4	ŏ
Israel	127	265	British West Indies	ī	Ĭ
Japan Jerusalem	141	0	Cuba	53	4
Korea	1	$\begin{vmatrix} & & 0 \\ 2 & & \end{vmatrix}$	Curação	1	0
Malaysia	0	ĺ	Dominica	2	0
Pakistan	ĭ	0	Dominican Republic	4	0
Palestine	$\frac{1}{2}$	3	Haiti	2	2
Straits Settlements	3	5	Jamaica	24	0
Syria	ĭ	Ö	Montserrat		0
Thailand	$\tilde{2}$	0	Puerto Rico	12	3
Australasia:			Trinidad	13	1
Arno Atoll Island	1	0	Virgin Islands	1	0
Australia	$1\overline{2}$	33	South America: Argentina	2	55
Cevlon	1	2	Bolivia		0
Fiji Islands	1	0	Brazil	21	96
Guam	7	5	British Guiana	0	1
Hawaii	136	34	Chile) $\check{7}$	Î
Java	1	1	Colombia	5	ĺ
Lebanon	9	1	Ecuador	27	0
Marshall Islands	1	0	Netherlands Guiana	3	0
New Zealand Norfolk Island	3	12	Peru	4	4
Palmyra Islands	$0 \\ 1$	2	Uruguay Venezucla	1	1
Philipping	27	4	Venezucla	12	1
Philippines Saipan	1	0			
South Pacific	$\frac{1}{2}$	0	Total:		
Tahiti	1	$\begin{vmatrix} 0 \\ 2 \end{vmatrix}$	Africa	57	46
Wake Island	1	0	Asia.	201	481
Yap Island	Î	ŏ	Australasia	206 442	97 379
Europe:			EuropeNorth America		169
Austria	0	3	South America	83	159
Azores	13	1	South America Unknown	11	3
Belgium	3	16			
Czechoslovakia	1	0	Total	2, 170	1,334
Denmark	$\hat{3}$	10	Total incompletely deter-	-, -, -	
England	13	88	mined pests	2,012	827
Europe (locality unknown)	0	1	-		
Finland	0	1	Total insect interceptions.	4, 182	
France	28	14	Total disease intercep-		
Germany	22	19	tions		2, 161
Greece	17	5			=====
Hungary	i	1	Grand total		1 6, 343

¹ This total represents only pests of known or potential plant-quarantine importance. The total of all interceptions made during the year was 15,311.

Note.—Interceptions were also made from American Samoa, Antigua, Belgian Congo, Burma, Caicos Islands, Cook Islands, Cyprus, French Cameroons, Guadeloupe, Iran, Madagascar, New Guinea, New Hebrides, Okinawa, St. Kitts, St. Vincent, Samoa, Solomon Islands, Transvaal, and Tunisia.

Pests (insects) collected and reported from July 1, 1951, through June 30, 1952 [An asterisk indicates State inspection]

		int	mber terce	p-				
Insect and host	Country of origin	-d	b	-8	Collected in—			
		Consump- tion	Nonentry	Propagation tion	111—			
Acalla schalleriana (F.) (Tortricidae):								
Rhododendron indicum (indica azalea)	Belgium				N. J.			
Lactuca sativa (lettuce)	Mexico				Ariz.			
Forest litter, moss, and soil used as packing material.	Spain			1	N. Y.			
Acanthoscelides griseolus (Fall) (Bruchidae): Sesbania sp	Mexico			1	Calif.			
Acanthoscelides spinipes (Er.) (Bruchidae):	Greecc							
Acacia spAchatina fulica Fer. (Mollusca):				1	Mass., N. Y.			
Returned military equipment	Formosa, Guam, Philippines.	7			Calif.*			
Scrap metal	Guam, South Pacific	2			Calif.*, Tex.			
Orchid	Hawaii	1			Hawaii.			
Adoxophyes orana (F. R.) (Tortricidae): Syringa sp. (lilac) Aeolus vermiculatus Champion (Elateridae):	Netherlands	9			N. Y.			
Orchid	Mexico			1	Tex.			
Agallia lingula Van D. (Cicadellidae): Ananas comosus (pineapple)	Mexico	1			Tex.			
Aganactesis indecora (Dyar) (Galleriidae): Cassia fistula (golden-shower)	Jamaica	1			Fla.*			
Agrotis ypsilon (Rott.) (Phalaenidae): Brassica oleracea capitata (cabbage)	Australia		1		Tex.			
Alcidodes dentipes (Oliv.) (Curculionidae): Ipomoea batatas (sweetpotato)	Sierra Leone				Pa.			
Aleurocanthus woglumi Ashby (Aleyrodidae): Citrus aurantifolia (sour lime)								
Citrus reticulata (Mandarin orange)	do	$\frac{1}{2}$			Tex.			
Citrus limon (lemon)	Jamaica, Mexico, Pana-	$\begin{vmatrix} 1\\13\end{vmatrix}$			Calif. Calif.,*Fla.,*			
Coffee sp. (coffee)	ma.	9			Tex. Ariz., Tex.			
Coffea sp. (coffee)	do			1	Ariz.			
Impatiens balsamina (?) Psidium sp., probably guajava	do			1 1	Ariz.			
Aleurothrixus floccosus (Mask.) (Aleyrodidae): Citrus aurantifolia (sour lime)	do	1			Tex.			
Aleurotuberculatus jasmini Takah. (Aleyrodidae): Jasminum sp	Philippines			1	Calif.*			
Allantus cinctus (L.) (Tenthredinidae): Rosa multiflora superba		1		ł I				
Rosa sp	Belgium, Netherlands			1 1				
Khaya sp.	Gold Coast	į .						
Capsicum frutescens grossum (bell pepper) Gladiolus sp. Anarcha ludens (Loew) (Tephritidac):	Mexico	1			Tex. Tex.			
Anastrepha ludens (Loew) (Tephritidac):	3	1			TOA.			
Citrus aurantium (sour orange)	do	0	1		Tex.			
Citrus limon, ponderosa	do	1		1	Tex.			
Citrus paradisi (grapefruit)	do		2		Tex. Ala., Tex.			
Citrus reticulata (Mandarin orange) Citrus sinensis (orange)	Central America, Guatemala, Mexico.	157	14		Ariz., Calif.,* La., Tex.			
Mangifera indica (mango)	Guatemala, Mexico	32	2		Ariz., Calif.,*			
Pyrus communis (pear)	Mexicodo	4			Tex.			
Anastrepha ludens (Loew) (?) (Tephritidae): Citrus sinensis (orange) Persea americana (avocado)	do	1			Tex.			

		in	mbe terce	ep-	
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Anastrepha mombinpraeoptans Sein (Tephritidae): Fruit—unidentified Mangifera indica (mango)	SalvadorBahamas, Colombia, Guatemala, Honduras, Jamaica, Mexico,	1 63	7		Calif.* Ala., Calif.,* Fla.,* La., Md.,N.Y.,
	Nicaragua, Panama, Puerto Rico, Salva- dor, Trinidad, Virgin Islands.	10			Pa., S. C., Tex.
Spondias mombin (yellow mombin)	Costa Rica, Guatemala, Mexico, Nicaragua, Salvador. Mexico	12	1		Calif.,* La., Tex.
Spondias sp	do				Tex.
Mangifera indica (mango) Anastrepha serpentina (Wied.) (Tephritidae): Achras zapota (sapodilla) Calocarpum sapota (mamey sapote) Mammea americana (mamey)	Ecuador Mexico, Nicaragua Colombia, Mexico	$egin{bmatrix} 1 \\ 2 \end{bmatrix}$			Calif.*
Anastrepha striata Schiner (Tephritidae): Psidium guajava (guava)	Mexico	1		 -	Ariz.
Psidium guajava (guava)	Cuba, Puerto Rico				Fla.*, N. Y. Tex.
Antonina graminis (Mask.) (Coccidae): Grass	Philippines	1	ì		
Crocus sp	Jerusalem			$\begin{bmatrix} 1\\2 \end{bmatrix}$	N. Y. D. C., N. J. N. J.
Citrus sinensis (orange) Pyrus communis (pear) Aonidiella comperei McKenzie (?) (Coccidae):	Philippines Greece Thailand	1	1	1	Calif.* N. Y. Hawaii
Aonidiella inornata McKenzie (Coccidae): Cocos nucifera (coconut)	Marshall Islands, South Pacific. Philippines	2			
Jasminum sp	Scotland	1			N. Y.
Malus sylvestris (apple) Argyroploce leucotreta Meyr. (Olethreutidae): Citrus paradisi (grapefruit) Citrus sinensis (orange)	Norway, SwedenGold CoastUnion of South Africa		1		Pa.
Arvelius albopunctatus (Deg.) (Pentatomidae): Capsicum frutescens (pepper)	Mexico	1			
Pinus sp. (5-leaved pine) Aspidiotus cryptoxanthus Ckll. (Coccidae): Castanea sp. (chestnut)	Japandodo.			2	Calif.* D. C.
Aspidiotus degeneratus (Leon) (Coccidae): Schima sp	Bahamas		1		Calif.*
Araceae	Canal Zone, Mexico, Panama.	$\begin{vmatrix} 1 \\ 3 \end{vmatrix}$	1	1	Calif.*
Epidendrum sp. (orchid)	Panama Canal Zone	1		1	Calif.* Calif.* Fla.
Persea americana (avocado) Plant—unidentified Swietenia mahagoni (mahogany)	Cuba	. 1			Fla.*

		iı	mbe nterc ions i	cep-	
Insect and host	Country of origin	-d	Þ	a-	Collected in—
		nsum tion	ntr	opag tion	111
		Consump- tion	Nonentry	Proj ti	
		0	<u> </u>	<u>H</u>	
Aspidiotus herculeanus Ckll. & Hadd. (Coccidae):					
Chrysophyllum cainito (star-apple) Aspidiotus latastei Ckll. (Coccidae):	Cuba	1			Fla.*
Prunus persica nectarina (nectarine)	Chile	1			N. Y.
Araceae	Cuba	1			Fla.*
Cocos nucifera (coconut)	Mexico, Nicaragua Brazil	1			Calif.* Fla.*
Musa paradisiaca sapientum (banana)	Panama Germany	1			Calif.* N. J.
Asterolecanium agavis Rsl. (Coccidae):	Mexico			1	
Asterolecanium bambusae (Bdv.) (Coccidae):					Tex.
BambooAsterolecanium epidendri (Bouche) (Coccidae):	Cuba, Mexico				Fla., Tex.
Broughtonia lilacina (orchid)	Jamaica			1 1	Hawaii Calif.*
Cattleya sp. (orchid)	Canal Zonc			1	Calif.*
Orchid	Cuba, Panama, Trinidad.			3	Fla., P. R.
Asterolecanium pustulans (Ckll.) (Coccidae):					Telo
Mangifera indica (mango)	Jamaica	1			Fla. Fla.*
Plumeria sp	Mexico			1	Ariz.
Caralluma maculata	Union of South Africa			1 1	N. J.
Heurnia campanulata Heurnia sp	do		 	1	N. J. N. J.
Piaranthus pulcherAufeius impressicollis Stal (Coreidae):	do			1	N. J.
Orchid	Mexico			1	Tex.
Cymbopogon citratus (lemon grass)	Java		1		Calif.*
Aulacaspis tubercularis Newst. (Coccidae): Mangifera indica (mango)	Barbados, Brazil, Salva-	4			Calif.* Fla.*
Bemisia tabaci (Genn.) (Aleyrodidae):	dor.				P. R.
Euphorbia pulcherrima (poinsettia)	Mexico			1	Ariz.
Bostrychoplites cornutus (Öliv.) (Bostrichidae): Khaya sp	Liberia	1			La.
Brachycerus albidentatus Gyll. (Curculionidae): Allium sativum (garlic)	Italy	3			N.Y.
Brachucerus alairus (F) (Curculionidae):	Italy, Spain		1	1	
Allium sativum (garlic) Brachy platys deplanatus (Eschscholz) (Pentatomi-	Italy, Spain	9			1VIU., IN. I.
dae): Vine—unidentified	Philippines	1			Calif.*
Brachyrhinus rugosostriatus (Goeze) (Curculioni-	T T T T T T T T T T T T T T T T T T T				
dae): Soil around plants	Canada			1	N. Y.
Brachyrhinus sulcatus (F.) (Curculionidae): Vitis sp. (grape)	Belgium		1		N. Y.
Vitis sp. (grape)	Hawaii				
Brevipalpus australis (Tucker) (Phytoptipalpidae):		ł			
Odontonia sp. (orchid)	France		}		
Vicia faba (broadbean)	Lebanon		i		
Lens culinaris (lentil) Bruchus luteicornis Ill. (Bruchidae):	Italy				
Vicia sativa (vetch)	France, Italy, Nether-	7			N. Y., Pa.
	lanus.				
Bruchus signaticornis Gyll. (Bruchidae): Lens culinaris (lentil)	Italy	1	·		Mass.

[All asterisk indica	ates State Inspection;				
		in	mber terce	p-	
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Bruchus tristis Boh. (Bruchidae):	Ttoles	4			M NT T
Lathyrus sativus (grass pea)					Mass., N. J. N. J.
Lathyrus sp Pisum sativum (pea)	Yugoslavia			$ \tilde{1} $	Pa.
Pisum sativum (pea) Vicia faba (broadbean) Vicia faba var	Italy	1		1	N. J., N. Y. N. Y.
Bryobia praetiosa Koch (Tetranychidae):				1 3	1V. I.
Malus sylvestris (apple)	Chile				N. Y.
Punica granatum (pomegranate)	Italy, Yugoslavia				N. Y., Pa.
Wood	Japan				N. Y.
Orchid	Mexico			3	Tex.
Philodendron Sp	do			1	Tex.
Carpocoris pudicus (Poda) (Pentatomidae): Gladiolus sp	Unknown		1		N. Y.
Caryedon fuscus (Gocze) (Bruchidae): Rauhinia purpurea (purple bauhinia)	India			1 1	N. J. D. C.
Rauhinia sp				^	
Annona sp	rortugal	I			N. Y.
Cactus Citrus limon (lemon)	Italy Madeira Islands	3			N. Y. Mass.
Citrus paradisi (grapefruit)	Algeria, France, Israel,		6		Ala., La.,
Citrus reticulata (Mandarin orange)	Lebanon, Spain. Africa, Italy, Portugal,				Pa., Tex.
Citrus sinensis (orange)	Spain. Egypt, Morocco, Israel, Italy, Portugal,	5	12	-	Pa., Tex., Mass., N. Y., Pa., Tex.,
Coffea sp. (coffee)	Spain.	1	1		Va.
Cydonia oblonga (quince)	Italy	3			N. Y.
Cydonia oblonga (quince) Ficus carica (fig) Fruits—with various Malus sylvestris (apple) Mangifera indica (mango)	Unknown	3			Mass., N. Y.
Malus sylvestris (apple)	France, Italy, Portugal	1	2		Md. N. Y.
Mangifera indica (mango)	Madeira Islands	1			Mass.
Opumuu compressu (prickrypear) = = ========	1001y	U	l		111. 1.
Opuntia sp	Algeria		1		N. Y.
Prunus persica (peach)	Azores, France, Israel, Italy, Portugal, Spain, Tripoli.	6	12		Mass., N. Y., Pa.
Psidium guajava (guava)	Azores	2			Mass. N. Y.
Punica granatum (pomegranate)	Lirence Itelar Lohemon	5			N. Y.
Vitis sp. (grape)	France, Greece, Italy France	3			Mass., N. Y. Mass.
Vitis sp. (grape)Ceratitis capitata (Wied.) (?) (Tephritidac):		1		1	
Coffea sp. (coffee) Mangifera indica (mango)	Hawaii do	3			Hawaii Hawaii
Ceroplastes rubens Mask. (Coccidae):		1			11awan
Ceroplastes rubens Mask. (Coccidae): Anthurium sp	do	1			Calif.*
Garaenia sp	- <u>-</u> ao			. 1	Cam.*
Pinus parviflora (Japanese white pine) Schima sp Ceroplastes rusci (L.) (Coccidae): Ficus carica (fig)	do			î	
Ceroplastes rusci (L.) (Coccidae):	Itoly			1	XT 32
Ceroplastes sinensis Del Guer. (Coccidae):				1	N. Y.
Feijoa sp	New Zealand			. 1	Hawaii
Chaetoptelius vestitus (Rcy) (Scolytidae): Pistacia sp. (pistache)	Turkey	1			N. Y.
Pistacia sp. (pistache) Chely morpha alternans Boh. (?) (Chrysomelidae): Airplane	Unknown				
Chilo simplex (Btlr.) (Crambidae): Oryza sativa (rice)	China, Formosa, Japan		1		Calif.,* D.
	Tarinou, vapan		1		C.,Hawaii, Wash.

[An asterisk indicates State inspection]					
	;	ir ti	mber terc ons i	ep-	
Insect and host	Country of origin	Consump-	Nonentry	Propaga- tion	Collected in—
					•
"Chionaspis" leucadendri Brain (Coccidae): Leucadendron argenteum (silver leucadendron) Chrysomphalus agavis (Towns. & Ckll.) (Coccidae):	Union of South Africa				Mass.
Agave stricta (hedgehog agave)	Mexicodo		1	1	Ariz. Calif.*
Chrysomphalus personatus (Comst.) (Coccidae): Citrus aurantifolia (lime) Citrus paradisi (grapefruit)			1	,	Calif.*
Citrus paradisi (grapefruit)	Brazil		1		Calif.*
Persea americana (avocado)	Mexico	1			Tex.
Ficus rubiginosa (rusty fig)	Australia Union of South Africa	1		1	Calif.* Mass.
Chrysomphalus scutiformis (Ckll.) (Coccidae): Costus speciosus (canereed spiral flag)	Brazil	}			Tex.
Chrysomphalus tingi (McKenzie) (Coccidae):					• . •
Phalaenopsis amabilis (orchid)Phalaenopsis sp	Philippinesdo			1 1	Calif.* Calif.*
Chrysomphalus umboniferus (Newst.) (Coccidae):	7			١,	(Dose
Oncidium isthmi (orchid) Oncidium panamense (orchid)	Panama Canal Zone			1 1	Tex. N. J.
Orchid	Canal Zone, Mexico			$\frac{1}{2}$	Fla., Tex.
Clysia ambiguella Hbn. (?) (Phaloniidae): Vitis sp. (grape)	France		1	-	Mass.
Coccotrypes dactyliperda (F.) (Scolytidae):	Mexico	1			Calif.
Phoenix dactylifera (date)	Hawaii	1			Hawaii.
Coccus capparidis (Green) (Coccidae): Cypripedium hirsuti*simum (orchid)	India			1	N. J.
Coccus viridis (Green) (Coccidae): Chrusophyllum cainite (star-apple)	Cuba	1			Fla.*
Coffee arabica (Arabian coffee)	Hawaii	1			Calif.*
Coffea sp.	Puerto Rico.		1	1	Calif.,* Fla.*
Diospyros sp. (persimmon)	Cuba, Hawaii, Panama	29	1		N. Y. Calif.,* Fla. Hawaii.
Ixora sp	Jamaica			. 1	Fla.
Leaf—unidentified.	Hawaii			1	Calif.* Calif.*
Plumeria sp				1	Cam.
Brassia caudata (orchid)	Canal Zone			1	Calif.*
Leaf—unidentified	Peru	1			Fla.*
Persea a mericana (avocado)	Mexico	64			Tex.
Khaya sp	Gold Coast	1			Mass.
Musa paradisiaca sapientum (banana)	Mexico	1			Tex.
Orchid	do			. 1	Tex.
Cactus	do			1	Tex.
Cryptoblabes gnidiella (Mill.) (Phycitidae): Carica papaya (papaya)	Bermuda			1	N. Y.
Castanea sp. (chestnut)	Italy	1			N. Y.
Citrus limon (lemon)	Bermuda		1		N. Y. N. Y.
Coccolobas uvifera (seagrape) Punica granatum (pomegranate)	Italy, Yugoslavia	10			N. Y.
Cryptophlevia illepida (Btlr.) (Olethreutidae):		1			* * * * * * * * * * * * * * * * * * * *
Pithecellobium dulce	Hawaii			1	Hawaii
Mangifera indica (mango)Curculio elephas (Gyll.) (Curculionidae):	Hawaii, India				Calif.*, N.Y.
Castanea sp. (chestnut)	Italy, Portugal	35	1	1	Mass., N. J., N. Y., Tex

		1			
		in	mbe terce ons in	ep-	
Insect and host	Country of origin	-d	Ŋ	a-	Collected in—
		um u	ntr	Sec.	111—
		Consump- tion	Nonentry	opag tion	
		ŏ	ž	Pr	
Cyclocephala cubana Chpn. (Scarabaeidae): Ananas comosus (pineapple)	Cuba	1			N. Y.
Cyclocephala lunulata Burm. (Scarabacidae):					
Airplane. Cylas formicarius (F.) (Curculionidae):	Costa Rica		1		Fla.*
Ipomoea batatas (sweetpotato)	India, Indonesia		5		Hawaii, N. Y.
Cylas formicarius (F.) var. (Curculionidae):	C) 1 1				
Ipomoea batatas (sweetpotato)	China, India, Thailand.	3			Calif.*, Mass.
culionidae):	Duaril Conto Dias		7.4		4.7- 777- +
Ipomoea batalas (sweetpotato)	Brazil, Costa Rica, Cuba, Curacao, Ja-	17	14		Ala., Fla.*, Ga., La.,
	maica, Mexico, Puerto Rico.				Md., N. Y., Pa., S. C.,
	Trico.				Tex.
Cylas puncticollis Boh. (Curculionidae): Ipomoea batatas (sweetpotato)	British West Africa,		5		Mass., N. Y.,
Thomas and a contract of the c	Gold Coast, Sierra				Pa., Va.
Cyrtopeltis varians (Dist.) (Miridae):	Leone.				
Chrysanthemum sp	Mexico	1			Ariz.
Grusonia bradtiana (cactus)	do			1	Tex.
Dacus cucurhitae Coq. (Tephritidae): Crpsicum frutescens (pepper) Cucumis sativus (cucumber)	Hawaii		1		Tex.
Cucumis sativus (cucumber)	do	2	1		Calif.*
Lycopersicon esculentum (tomato) Phaseolus vulgaris var. (string bean)	do	1	12		Calif.* Calif.*
Dacus dorsalis Hend. (Tenhritidae):			1		Hawaii
Airplane Eugenia malaccensis (Malay-apple) Mangifera indica (mango)	do	1			Calif.*
Mangifera indica (mango)	do	1	1		Calif.*, Ha- waii.
Musa paradisiaca sapientum (banana)	do		1		
Dacus dorsalis Hend. (?) (Tephritidae): Capsicum frutescens grossum (bell pepper)	do		1		Wash.
Lycopersicon esculentum (tomato)	do		1		Ala. Hawaii
Dacus olege (Gmel.) (Tephritidae):					
Olea europaea (olive)	Lebanon, Libya, Pal-	46		1	Mass., N. Y.
Danie olage (Cmol) (2) (Tophnitides):	estine, Turkey.				
Dacus oleae (Gmel.) (?) (Tephritidae): Oleo europaea (olive)	Italy	2			N. Y.
Deloyala guttata (Oliv.) (Chrysomelidae): Orchid	Mexico			1	Tex.
Delphacodes dissipata Muir (Delphacidae):				1 3	
Airplane Deroceras reticulatum (Muller) (Mollusca):	do				Tex.
Brassica oleracea capitata (cabbage)	Netherlands New Zealand	1		1	N. Y. D. C.
Dianthus sp. (carnation)	Azores	1			Mass.
Lactuca sativa (lettuce) Zantedeschia aethiopica (calla lily)	Lebanon		1	1	Mass. Mass.
Diabrotica lepida (Say) (Chrysomelidae):	Mexico				
Philodendron sp					Tex.
Citrus reticulata (Mandarin orange) Citrus sp	Japan		1 1		Calif.* Calif.*
Gardenia sp			1		Calif.*
Dialeurodes citrifolii (Morg.) (Aleyrodidae): Citrus sp	Dominican Republic	1			Fla.*
Dialeurodes kirkaldyi (Kot.) (Aleyrodidae):	Philippines				
Jasminum sp. Diaphania unionalis (Hbn.) (?) (Pyraustidae):				1 1	Calif.*
Olea europaea (olive)	Italy				N. Y.
Bamboo	India	1			N.Y.
"Sawali mats"	Philippines	1		1	Tex.

		ii	mbe nterc	ep-	
Insect and host	Country of origin	n n	ıtry	aga. n	Collected in—
		Consump- tion	Nonentry	Propag tion	
Diory merellus laevimargo Champ. (Curculionidae):	Mexico			3	Tex.
Dyscinetus frater Bates (Scarabaeidae): Packing around Dioscorea roots Dysdercus mimulus Hussey (Pyrrhocoridae):	Guatemala			1	D. C.
Cactus Dysdercus obliquus (HS.) (Pyrrhocoridae):	Mexico				Tex.
Lycopersicon esculentum (tomato) Dyspessa ulula (Bkh.) (Cossidae): Allium sativum (garlic)	Italy				Tex.
Earias insulana f. semifascia Warren (Phalaenidae): Gossypium sp. (cotton; boll) Epilachna varivestis Muls. (Coccinellidae):	Syria]			D. C.
Orchid	Mexico			2 1	Tex. Tex.
Selaginella sp. Epinotia opposita Hein. (Olethreutidae): Phaseolus vulgaris var. (string bean) Ereunetis flavistriata Wlsm. (Tineidae): Cocos nucifera (coconut)	do	6	1		Tex.
Cocos nucifera (coconut)	Cuba, Hawaii	2			Calif.,* Ha- waii.
Buxus sempervirens (box) Buxus sp Eucactophagus aurocinctus Champ. (Curculioni-	England, Netherlands			4 3	N. J. N. J.
dae): Cycnoches sp. (orchid)	Costa Rica			1	Fla.
Eulachnus piniformosanus Takah. (?) (Aphidae): Pinus sp. (2-leaved pine) Eurytoma orchiderarum (Westw.) (Eurytomidae):	Japan				Wash.
Cattleya mossiae (orchid)	Venezuelado			1 3	N. J. Fla.
Euscepes postfasciatus (Fairm.) (Curculionidae): Ipomoea batatas (sweetpotato)	Brazil, Cuba, Nether- lands Guiana, Venez- uela.		8		Ala., La., Md., Pa.
Eustrophinus marginatus Champ. (Melandryidae): Orchid Evergestis forficalis (L.) (Pyraustidae):	Mexico			4	Tex.
Brassica oleracea botrytis (cauliflower) Brassica oleracea capitata (cabbage) Evergestis rimosalis (Gn.) (Pyraustidae):	France, Ireland	1	1		N. Y. Mass., N. Y.
Brassica oleracea capitatà (cabbage) Exptochiomera albomaculata (Dist.) (Lygaeidae): Philodendron sp	Mexicodo	i	1	1	Tex.
Exptochio mera for mosa (Dist.) (Lygaeidae): Tillandsia sp	do			1	Tex.
Faustinus cubae (Boh.) (Curculionidae): Capsicum frutescens (pepper) Ferrisia virgata (Ckll.) (Coccidae):	Cuba		i		N. Y.
Asplenium nidus (birdsnest fern)	Palmyra Island Canal Zone			1 1 1	Hawaii. Calif. Calif.
Gardenia augusta (gardenia)	Cuba Mexico	1		1	Fla.* Calif.*
Orchid Peristeria elata (orchid) Philodendron sp	Canal Zone Mexico			1 1	Ariz. Calif. Tex.
Plant—unidentified Randia taitensis Vine—unidentified	Philippines Tahiti Philippines			1	Calif. Hawaii. Calif.
Fiorinia japonica Kuw. (Coccidae): Pinus sp. (5-leaved pine)	Japan	1		1	Calif.*
Frankliniella bispinosa (Morg.) (Thripidae): Cut flowers—mixed Hibiscus sp	Bermudado	1 2			N. Y. N. Y.
Chrysanthemum sp	Japan	1			Calif., * Wash.
Gladiolus sp.	Mexico	1			Calif.•

		in	mberce ons in	ep-	
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga-	Collected in—
Frankliniclla intonsa (Tryb.) (Thripidae): Dianthus barbatus (sweet-william) Dianthus sp. (carnation) Lathyrus odoratus (sweet pea) Lathyrus sp. Linaria spp. Lupinus sp. (lupine) Rosa sp. (rose) Frankliniella schultzei (Tryb.) (Thripidae): Helichrysum sp. Ornithogalum thyrsoides (chinkerichee) Furcaspis biformis Ckll. (Coccidae):	Unknown Germany India Union of South Africa	 1	1		N. Y. N. Y. N. Y. D. C.
Furcaspis bijormis Ckil. (Coccidae): Brassavola nodosa (orchid) Cattleya sp. (orchid) Epidendrum atropurpureum (orchid) Epidendrum oncidioides (orchid) Epidendrum sp. Laelia rubescens (orchid) Oncidium confusum (orchid) Oncidium isthmi Oncidium panamense Oncidium sp. Orchid	Venezuela. Canal ZonedodoCosta RicaCanal ZonePanamaCanal ZoncCanal Zone, PanamaBarbados, Canal Zone, Hawaii, Netherlands Guiana, Panama,			1 3 1 1 1 2	Calif.,* Fla., N. J. Calif.* Calif.,* Fla. Calif.,*
Vanda sp. (orchid) Galgupha texana McA. & Mall. (Pentatomidae): Orchid Tillandsia sp Gelechia ericetella (Hbn.) (Gelechiidae): Calluna vulgaris (heather)	Vcnezuela. Hawaii Mexico do Ircland, Scotland			1	Calif.* Tex. Tex. Ill., N. Y.
Gerstaeckeria mutillaria (Gerst.) (Curculionidae): Mammillaria sp. (cactus) Glycyphagus domesticus (Deg.) (Glycyphagidae): Punica granatum (pomegranate) Gnorimoschema gudmannella (Wlsm.) (Gelechiidae):	Mexico	1		1	Tex. Mass.
Capsicum frutescens grossum (bell pepper) Capsicum frutescens longum (chili pepper) Gnorimoschema lavernella (Chamb.) (Gelechiidae): Physalis sp. Gnorimoschema ocellatella (Boyd) (Gelechiidae): Beta vulgaris (beet)	Mexicodo			1	D. C.
Gortyna flavago (Schiff.) (Phalaenidae): Cynara scolymus (artichoke) Gortyna ochracea (Hbn.) (Phalaenidae): Cynara scolymus Gracilaria azaleella Brants (Gracilariidae): Rhododendron palestrina Rhododendron sp.	Algeria, France France Netherlands England, France, Neth-		2	1	N. Y. Tex. N. J.
Grapholitha molesta (Busck) (Olethreutidae): Prunus persica (peach) Gymnaetron beccabungae var. nigrum Walt. (Curculionidae): Syringa sp. (lilac) Gymnandrosoma aurantianum DeCosta Lima (?)	erlands. Korea	1			Minn.
(Olethreutidae): Citrus sinensis (orange) Haplothrips gowdeyi (Frankl) (Phlaeothripidae): Antirrhinum majus (snapdragon) Bryophyllum sp. Codiaeum sp. (croton) Helichrysum sp. Lilium longiflorum (Easter lily)	JamaicaIndia	1 1		2	Mass. N. Y. N. Y.

		il	mbe atero icns i	ep-	
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Haplothrips wouramboulchii Mlt. (Phlaeothripidae): Ornithogalum thyrsoides (chinkerichee) Protea reflexa Heilipus caecus Champ. (Curculionidae): Orchid		1			N. Y. N. Y. Tex.
Hemimene juliana (Curt.) (Olethreutidae): Castanea sp. (chestnut)	Greece, Italy	3			Ill., Mass.,
Quercus trojana (Macedonian oak) Heterobostrychus aequalis (Waterh.) (Bostrychidae): Wood box	ItalyIndia	ļ		1	D. C. Calif.*
Heterogaster urticae (F.) (Lygaeidae): Lactuca sativa (lettuce) Hymenia perspectalis (Rbn.) (Pyraustidae):	England	ł	1		s. c.
Flowers—mixed Hypoborus ficus Er. (Scolytidae): Ficus carica (fig)	Mexico			1	Tex. N. Y.
Hypolithus riparius (F.) (Elateridae): Grass sod Icerya aegyptiaca Dougl. (Coccidae):	Scotland				Pa.
Plant—unidentified	Azores do do de la constanta d	1	1	1	Tex. Mass. Mass.
Dianthus sp. (carnation) Ficus carica (fig) Flowers—mixed	Portugal do	1			N. Y. Mass.
Leucophyllum spOlea europaea (olive)	Union of South Africa Italy	1 1			N. Y. N. Y. N. Y.
Orchid	Union of South Africa do	1		1	
Straw jacket	Chile, Union of South Africa.	3			Mass. N. Y.
Iridomyrmex iniquus Mayr (Formicidae): Miltonia roezli (orchid)	l do			1 2 1	N.J.
Packing Champ (Curculionidae):	British West Indies	1		2	Fla., Tex. N. J. Tex.
Tillandsia sp. Isorhinus undatus Champ. (Curculionidae): Orchid. Tillandsia sp. Tillandsia sp.	do			1 1	Tex.
Lampetia equestris (F.) (Syrphidae): Galanthus (?) sp	New Zealand			1	Mich. Calif.,*N.J.,
Lampides boeticus (L.) (Lycaenidae): Canavalia sp Phaseolus vulgaris var. (string bean)	Hawaii	20			N. Y. Calif.* Calif.*
Lardoglyphus zacheri Oudms. (Lardoglyphidae): Sea shell Lasioptera rubi Heeger (?) (Itonididae):	Mexico	1			Ariz.
Rubus loganobaccus (loganberry)	England	_			N. J. Tex.
Laspeyresia nigricana (Stph.) (Olethreutidae): Pisum sativum (pea) Laspeyresia splendana (Hbn.) (Olethreutidae):	England, Italy		2		Pa., Tex.
Castanea sp. (chestnut)	Italy, Japan, Portugal, Yugoslavia.	32		1	Calif.,* Mass., N. Y.

		Number of interceptions in—		p-			
Insect and host	Country of origin	-d		3-	Collected		
		Consump- tion	0	Propagation	in		
7-3							
Laspeyresia strobilella (L.) Olethreutidae):	Germany	2			N. Y., Wash.		
Picea sp. (spruce) Lecanium coryli (L.) (Coccidae): Aeculus carnea (red horsechestnut)							
Aeculus carnea (red horsechestnut) Crataegus monogyna (English hawthorn) Lema quinquenotata Clark (Chrysomelidae):	Netherlands England			1 1	N. J. N. J.		
Bromeliad	Mexico			1	Tex.		
Leperisinus frazini (Panz.) (Scolytidae):	England	9			Mass.		
Frazinus sp. (ash) Lepidosaphes conchiformis (Gmel.) (Coccidae):			1	1			
Prunus sp. Lepidosaphes ficus (Sign.) (Coccidae):	Japan			1	Calif.*		
Ficus carica (fig)	Italy		 	1	N. Y.		
Ficus sp	Algeria, Italy, Lebanon, Syria.			4	Calif.,* D. C., N. J		
Lepidosaphes pallida (Green) (Coccidae):	Toman			4	Calif.*		
Cryptomeria japonica (cryptomeria) Juniperus sp. (juniper)	Japando			$\begin{vmatrix} 1 \\ 4 \end{vmatrix}$	Calif.,*		
]		Wash.		
Lenidosaphes philococcus (Ckll) (Coccidae):	do	1	l		Calif.*		
Cactus	Mexico			2	Tex.		
Cereus sp. (cactus) Myrtillocactus sp. (cactus)	do			5	Tex. Tex.		
Pachycereus marginatus (cactus) Pilocereus palmeri (cactus)	do			1	Tex.		
Pilocereus palmeri (cactus) Lepidosaphes tokionis (Kuw.) (Coccidae):	do			1	Tex.		
Codiaeum variegatum (croton)	HawaiiGuam, Hawaii, Panama.	3		3 2	Calif.* Ala.,Hawaii.		
Codiaeum sp	Australia, Philippines						
Monanthes laxiflora	Canary Islands			1	Calif.*		
Leptoglossus chilensis Spinola (Coreidae):	Chile		1	1	NT 37		
Vitis sp. (grape) Leucaspis cockerelli (de Charmoy) (Coccidae):	Cime	2			N. Y.		
Citrus aurantitolia (Sour lime)	Nicaragua, Salvador	3			Calif.*		
Citrus aurantium (sour orange) Citrus paradisi (grapefruit)	Trinidad Canal Zone, Cuba,		1 5		Fla.* Calif.*		
	Dominica, Panama.	ì					
Citrus sinensis (orange)	Canal Zone, Jamaica, Panama.	1	4		Calif.,* Fla.*		
Orchid	Canal Zone Costa Rica			2	Calif.*		
Leucaspis indica Marl. (Coccidae): Mangifera indica (mango) Leucinodes orbonalis Gn. (Pyraustidae): Solanum melongena (eggplant)	Jamaica			1	Fla.		
Leucinodes orbonalis Gn. (Pyraustidae):	Jamaica						
Solanum melongena (eggplant)	Indonesia		1		Hawaii.		
Lichtensia viburni Sign. (Coccidae): Hedera colchica (Colchis ivy)	England			1	N. J.		
Ligyrocoris abdominalis (GM.) (Lygaeidae): Lycopersicon esculentum (tomato)		1			Tex.		
Philodendron sp	dodo			1	Tex.		
Ligyrocoris aurivilliana (Dist.) (Lygaeidae): Lycopersicon esculentum (tomato)	do	2			Tex.		
Linurocorie mitidicallie (Stal) (Largadidae).		1					
Lycopersicon esculentum (tomato) Lineodes integra (Zell.) (Pyraustidae):	do	1			Ariz.		
Lycopersicon esculentum (tomato)	do	4			Ariz., Tex.		
Loxostege similalis (Gn.) (Pyraustidae): Celosia sp. (cockscomb)	do	1			Tex.		
Flowers-mixed Portulaca oleracea (purslane)	ldo	1			Tex. Tex.		
Lyctus spinifrons (Lesne) (Lyctidae):			1				
Wooden case	India	3			Calif.*		
Malacosoma neustria (L.) (?) (Lasiocampidae): Prunus mume (Japanese apricot)	Japan			1	Hawaii.		
		-	1	200			

		iı	mbenter o	ep-	
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Mamestra brassicae (L.) (Phalaenidae): Apium graveolens (celery) Brassica napobrassica (rutabaga) Brassica oleracea capitata (cabbage) Petroselinum crispum (parsley)	EnglandFrance, Ireland, Italy	<u>-</u> -	1 3		La. Pa. Mass., N. Y. Pa.
Maruca testulalis (Geyer) (Pyraustidac): Canavalia sp	Hawaii	10			Calif.,*
Phaseolus vulgaris var. (string bean)	Hawaii, Japan, Nether- lands Guiana.	1	4		Oreg.,
Phaseolus sp	Hawaii	1	ł		Wash. Calif.*
Prunus domestica (plum) Prunus persica nectarina (nectarine) Melolontha melolontha (L.) (Scarabaeidae):	Chiledo	1 1			N. Y. N. Y.
Unknown Metamasius habetatus (Gyll.) (Curculionidae):	Germany	[N. Y.
Musa paradisiaca sapientum (banana)	Ecuador, Guatemala,	1			Tex. Calif.,* S. C.,
Micrelus ericae Gyll. (Curculionidae): Calluna vulgaris (heather)	Panama. Ireland	1			Tex.
Microcephalothrips abdominalis (Crawf.) (Thripidae): Aster sp					N. Y.
Helichrysum sp	India		1		N. Y. N. Y.
Bromeliad	Mexico				Tex.
Caesalpinia coriaria (divi-divi)	Venezuela	1			Fla.* P. R.
Trec seed Minthea obsita Woll. (Lyctidae): Khaya sp	Dominican Republic				La.
Minthea rugicollis (Wlk.) (Lyctidae): Wooden box	India	ł			Calif.*
Monanthia monotropidia Stal (Tingidac): Tillandsia sp Monomorium destructor (Jerd.) (Formicidae):	Mexico				Tex.
Ananas comosus (pineapple)	Yap Island			1	
Orchid	Jamaica Canada Jamaica			1 1	N. J. N. J. N. Y.
Mormidea cubrosa (Dallas) (Pentatomidae): Flowers Tillandsia sp		1			Tex.
Myodocha longicollis Stal (Lygacidae): Orchid	do			3	Tex.
Nasutitermes corniger (Motsch.) (Termitidae): Swietenia mahagoni (mahogany)	Honduras	1			La.
Lycopersicon esculentum (tomato)	Mexico Brazil				Tex. Md.
Odonaspis saccharicaulis (Zehnt.) (Coccidae): Grass	Philippines				Calif.*
Ananas comosus (pineapple) Orthotylus ericetorum (Fall.) (Miridae):	Hawaii				Calif.*
Calluna vulgaris (heather) Oxycarenus lactus Kirby (Lygaeidae): Gossypium sp. (cottonseed)	Pakistan		•	1	D. C.
Oxycetonia jucunda (Fald.) (Scarabaeidae): Airplane	Japan				Hawaii.
Pachygrontha oedancalodes Stal (Lygaeidae): Orchid	Mexico			1	Tex.

[An asterisk indicates State inspection]

:		in	mbe terce	ep-	
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Pachyzancla bipunctalis (F.) (Pyraustidae): Centaurea cyanus (bachelors-button) Chrysanthemum sp Pagiocerus fiorii (Eggers) (Scolytidae): Zea mays (corn) Palaeopus costicollis Mshll. (Curculionidae): Dioscorea sp. (yam) Zingiber officinale (ginger) Paraleyrodes goyabae (Goeldi) (?) (Aleyrodidae): Psidium sp., prob. guajava Parallelodiplosis cattleyae (Molliard) (?) (Itonididae): Orchid	Mexicodo Peru Jamaicado Mexico Costa Rica	1 2 1		1	Tex. Tex. N. Y. Fla.* N. Y. Ariz.
Parlatoria camelliae Comst. (Coccidae): Camellia sp	Japando			7	Calif.,* Wash. Calif.* Calif.*
Citrus paradisi (grapefruit) Citrus paradisi (pomelo) Citrus sinensis (orange) Parlatoria morrisoni McKenzie (Coccidae):	Bolivia, Brazil, Uru- guay. Formosa Argentina, Brazil, Mex- ico, Trinidad.	1	2 2 4		Calif.,* Fla.* Minn. Calif.,* Fla.*
Mangifera indica (mango) Parlatoria oleae (Colvee) (Coccidae): Malus sylvestris (apple) Olea europaea (olive) Parlatoria pseudaspidiotus Ldgr. (Coccidae):	Greece, Israel, Italy Portugal Philippines	3			Mass.
Aerides quinquevulnera (orchid) Cymbidium sp. (orchid) Dendrobium sp. (orchid) Hoya macrophylla Plant—unidentified Vanda teres (orchid) Vanda sp	Thailand Indonesia Canal Zone Ceylon			1 1 1 1 1	Calif.* Calif.* N. J.
Parlatoria pyri Marlatt (Coccidae): Acer sp. Parlatoria zizyphus (Lucas) (Coccidae): Citrus aurantifolia (lime) Citrus limon (lemon)	Philippines France, Italy	1	3		Fla* Pa.
Citrus reticulata (Mandarin orange) Citrus sinensis (orange) Pealius hibisci (Kot.) Aleyrodidae): Gardenia augusta (gardenia) Pectinophora gossypiella (Saund.) (Gelechiidae):	Algeria, Italy, Spain Hawaii	1			Fla.,* Pa. Calif.*
Gossypium sp. (cottonseed) Gossypium sp. (seed cotton) Gossypium sp. (cotton; boll)	Brazil, Hawaii, Mexico Mexico	129 9	25 4		Calif.,* Fla.,* Ha- waii,
Gossypium sp. (cotton; bale) Gossypium sp. (cotton; lint) Hibiscus esculentus (okra) Railway car Truck Pentamerismus oregonensis McGregor (Phytop-	India Mexico Brazil, Trinidad Mexicodo	1 1 2	1 1		S. C. Tex. Fla.,* N. Y. Tex.
tipalpidae): Juniperus sp. (juniper) Perkinsiella vitiensis Kirk. (Delphacidae): Airplane	JapanFiji Islands				Wash. Hawaii.

[An asterisk indicates state inspection]						
		iı	mbe atero	ep-		
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—	
Pheidole megacephala (F.) (Formicidae): Ananas comosus (pineapple) Brassica rapa (turnip) Chrysanthemum sp Flowers—mixed Gossypium sp. (cotton; boll) Hibiscus sp Lilium longiflorum (Easter lily) Lilium sp Orchid Yucca sp Phenacas pis fujicola Kuw. (Coccidae):	Bermuda do do do do Brazil Bermuda	1 1 2		1	Pa. N. Y. N. Y. N. Y. N. Y.	
Strelitzia reginae (bird-of-paradise-flower)	do	1 1 1		1	Calif.* Calif.* Calif.* Calif.* Calif.*	
Phloeotribus scarabaeoides (Bern.) (Scolytidae): Olea europaea (olive) Phlyctinus callosus Boh. (Curculionidae): Vitis sp. (grape)	ItalyUnion of South Africa	1			N. Y. Mass.	
Phytomyza rufipes (Mg.) (Agromyzidae): Brassica oleracea botrytis (cauliflower) Phytoptus avellanae Nal. (Eriophyidae): Corylus maxima purpurea Pieris brassicae (L.) (Pieridae):	Sweden			1	Mass. N. J.	
Brassica oleracea capitata (cabbage) Pieris brassicae (L.) (?) (Pieridae): Brassica oleracea capitata (cabbage) Pinnaspis buxi (Bouche) (Coccidae): Araceae	Denmark, France Ireland Canal Zone	1			N. Y., Va. Mass. Fla.	
Cordyline terminalis (dracena) Leaf—unidentified Monstera sp Scindapsus aureus (Solomon Islands ivy-arum) Strelitzia sp	Costa Rica			$egin{array}{c} 1 \ 2 \ 1 \end{array}$	N. J. Tex. D. C.	
Pinnaspis scrobicularum (Green) (Coccidae): Aerides quinquevulnera (orchid)	Philippinesdodo			1 1 1	Calif.* Calif.* Calif.*	
Camellia sp. Pityogenes chalcographus (L.) (Scolytidae): Bark on crate	*	1				
Bark on crate	Mexicodo	1		 1	Calif. Tex.	
Platynota rostrana (Wlk.) (Tortricidae): Ananas comosus (pineapple)	Costa Rica	-	1		Ala.	
"Poliaspis" pini Mask. (Coccidae): Pinus sp. (2-leaved pine)	Japando		1	1	Calif.* Pa.	
Vitis sp. (grape) Prays oleellus (F.) (Hyponomeutidae): Olea europaea (olive)	Italydo	3			Mass., N. Y. N.Y.	

		1			
		int	mber terce ns in	p-	
Insect and host	Country of origin	Consump- tion		Propaga- tion	Collected in—
Prodenia litura (F.) (Phalaenidae):					
Airplane	Wake Island	3	1		Hawaii.
Gladiolus sp Prodenia ornithogalli Gn. (Phalaenidae):	Israel				N. Y.
Dianthus sp. (carnation) Prostephanus truncatus (Horn) (Bostrichidae):	Bermuda				N. Y.
Cephalocereus senilis (cactus) Protaetia orientalis (Gory & Perch.) (Scarabae-idac):	Mexico			1	Tex.
Airplane Protopulvinaria longivalvata (Green) (Coccidae):	Japan		1		Hawaii.
Gardenia augusta (gardenia)	Costa Rica, Panama (?), Trinidad.	1	1		Calif.,* Fla., Tex,
Protopulvinaria pyriformis (Ckll.) (Coccidae): Gardenia augusta (gardenia)	Costa Rica, Panama	1		1	Fla., La.
Ixora sp	Barbados	1			P. R.
Cymbidium finlaysonianum (orchid) Pseudaonidia trilobitiformis (Green) (Coccidae):	Philippines			1	Calif.*
Citris aurantifolia (limc)	Colombia Trinidad	1		 1	Fla.* P. R.
Pseudischnaspis alienus (Newst.) (Coccidae): Cattleva sp. (orchid)	Salvador			1	Fla.
Laelia sp. (orchid)	MexicoPanama			1	Tex. Fla.*
Pseudischnaspis longissima (Ckll.) (Coccidae): Mangifera indica (mango)	Nicaragua, Panama				Calif.*
Pseudococcus filamentosus (Ckll.) (Coccidae):					Pa.
Mangifera indica (mango) Pseudococcus lilacinus Ckll. (Coccidae):	Colombia				
Lansium do mesticum (langsat) Pseudococcus palmarum (Ehrh.) (Coccidae):	Philippines	•			
Cocos nucifera (coconut) Pseudococcus pandanicola Tak. (Coccidae):	Hawaii	•			Calif.*
Pandanus sp. Pseudococcus pini (Kuw.) (Coccidae):	Arno Atoll Island				Hawaii.
Pinus sp. (2-leaved pine) Pinus sp. (5-leaved pine)	Japando	1		1	Wash. Calif.*
Pseudococcus trichiliae Brain (Coccidae): Leucadendron argenteum	Union of South Africa	1			Mass.
Pseudodiasnis nuccae (Ckll) (Coccidee).	Mexico			1	Ariz.
Cercidium sp. (paloverde) Pseudothrips glaucus Bagn. (?) (Thripidae): Berzelia intermedia					
Berzelia intermedia	do	1			Ñ. Ÿ.
Raphanus sativus (radish)	Italy		1		Pa.
Alpinia purpurata	Hawaii	1			Calif.*
Alpinia purpurata Bryophyllum spp Plant—unidentified	Bermuda	1		1	Hawaii. Mass.
Rhododendron sp Puto ulter Ferris (Coccidae):					
Odontoglossum grande (orchid)Odontoglossum sp.	ldo	l		1 1	
Ochid Pyrausta nubilalis (Hbn.) (Pyraustidae):	do			3	Fla.
Capsicum frutescens (pepper)					N. Y., Pa., Tex.
Capsicum frutescens grossum (bell pepper) Chrysanthemum sp.	Egypt		1		Pa.
Phaseolus vulgaris var. (string bean)	l do		2		Wash.
Solanum melongena (eggplant) Sorghum vulgare technicum (broomcorn)	Italy	8			Md., Mass.,
					N. Y., Tex.
Rhagoletis cerasi (L.) (Tephritidae): Prunus sp. (cherry)	Azores, France, Italy, Portugal, Switzer- land, unknown.	5	8		Mass., N. Y.

		iı	mbe iterc	ep-	
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Rhagoletis completa Cress. (Tephritidae):					A - 0
Juglans sp. (walnut)	Mexico	3			Tex.
Malus sylvestris (apple)	Mexico, unknown	ŀ			Ariz., Fla.,* Tex.
Pyrus communis (pear)	Mexico	1			Tex.
Malus sylvestris (apple) Rhagoletis striatella Wulp (Tephritidae):	Sweden		1		N. Y.
Physalis sp. (husk tomato) Ribua innoxia Hein. (Phycitidae):	Mexico				Tex.
Ananas comosus (pineapple)	Cuba				N. Y.
Packing around plants Scotinophara lurida (Burm.) (Pentatomidae):	Japan			1	Wash.
Oryza sativa (rice) Scyphophorus acupunctatus Gyll. (Curculionidae):	do	1			Hawaii.
Ixtle	Mexico	1			Tex.
Sorghum vulgare technicum (broomcorn)	Greece, Italy, Morocco	19			Md., Mass., N. Y.,
Zea mays (corn)	Italy	1			Tex., Va. N. Y.
Sesamia nonagrioides Lef. (Phalaenidae): Sorghum vulgare technicum (broomcorn)	Morocco	1			Md.
Sinoxylon anale Lesne (Bostrichidae): Khaya sp	Philippines				Tex.
Wood	India	3			N. Y.
Wood	do	11			Calif.,* N. Y.,
Sinoxylon crassum Lesne (Bostrichidae):					Tex.
Wood	do				Calif.*
Cork-bale slat	Algeria				Pa.
Woolen goods	Switzerland	1			N. Y.
Ananas comosus (pineapple) Sitona lineata (L.) (Curculionidae):	Mexico	6			Tex.
Beta vulgaris (beet) Chrysanthe mum sp	England Denmark, Portugal Netherlands	2	1		Pa. N. Y.
Syringa sp. (lilae) Sixeonotus luteiceps Reuter (Miridae):					N. Y.
Cactus Mammillaria compressa cristata (cactus)	Mexicodo			2 1	Tex.
Mammillaria sp	do			1	Tex.
Baggage	Japan	1			Hawaii.
Annona muricata (soursop)	Salvador	1			La.
Persea americana (avocado)	British Honduras, Co- lombia, Ecuador,	21	5		Calif.,* Fla* La
	Guatemala, Hon- duras, Mexico, Nica-	-			Fla.,* La. , N. Y., Tex.
46 _ 1	ragua, Panama, Peru.				
Stephanitis pyrioides Scott (Tingidae): Rhododendron sp	Japan			1	Calif.*
Stephanoderes hampei (Ferr.) (Scolytidae): Coffee sp. (coffee)	Brazil			-	La.
Strophosoma capitatus (Deg.) (Curculionidae): Forest litter with hydrangeas	Germany	-	1		Wash.
Strophosoma melanogrammum (Forst.) (Curcu-					
Soil and woods moss with rosaceous plants	do			1	N. J.

[All asterisk indicates brate inspection]						
		in	mber terce	p-		
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—	
Tacniothrips atratus (Hal.) (Thripidae):	Scotland	1			111.	
Calluna vulgaris (heather) Dianthus barbatus (sweet-william)	Germany, unknown	1	1		N. Y.	
Dianthus sp. (carnation)	Czechoslovakia, France, Germany, Sweden.	10			N. Y.	
Lathyrus odoratus (sweet pea)	Sweden	1			N. Y.	
Rosa sp. (rose) Taeniothrips ericae (Hal.) (Thripidae):	Ireland	1			Mass.	
Calluna vulgaris (heather). Taeniothrips gracilis Mlt. (Thripidae):	England, Ireland, Scotland.	7		. 1	Ill., N. Y., Pa.	
Lilium longiflorum (Easter lily)	Bermuda	1			N. J.	
Taeniothrips hawaiiensis (Morg.) (Thripidae): Canavalia sp	Hawaii	1			Calif.*	
Chrysanthemum sp	Japan Hawaii	1	1		Wash	
Gardenia augusta (gardenia) Taeniothrips vulgatissimus (Hal.) (Thripidae):					Calif.*	
Dianthus sp. (carnation) Lathyrus odoratus (sweet pea)	Germany Unknown	1	1		N. Y. N. Y.	
Lathyrus sp	dikilowiido		1		N. Y.	
Talponia batesi Hein. (Olethreutidae): Annona cherimola (cherimoya)	Mexico	5			Tex.	
Annona muricata (soursop) "Targionia" bromiliae (Leon) (Coccidae):	Guatemala		2		La.	
"Targionia" bromiliae (Leon) (Coccidae): Ananas comosus (pineapple)	Mexico	19			Tex.	
"Targionia" cueroensis (Ckll.) (Coccidae):	do				Tex.	
Prosopis juliflora (mesquite)						
Dioscorea sp. (yam)	Barbados, Dominican Republic, Mexico, Philippines, Trini- dad.	3	2		Calif.*, Fla.*, Mass., N. Y. P. R.	
"Targionia" sacchari (Ckll.) (Coccidae): Grass		-			Oreg.	
Saccharum officinarum (sugarcane)	Saipan Cuba, Puerto Rico	2			Fla.*, N. Y.	
Teleonemia cylindricornis Champ. (Tingidae): Orchid	Mexico			1	Tex.	
Tenthecoris angustimarginatus Hsiao & Sailer (Miridae):						
Tenthecoris bicolor Scott (Miridae):	do	1			Tex.	
Epidendrum sp. (orchid)	Guatemala			1 5	N. J. Fla., Tex.	
Tenthecoris confusus Hsiao & Sailer (Miridae):			1			
Orchid	Mexico				Tex.	
Orchid Tephritis arnicae (L.) (Tephritidae):	Brazil			1	P. R.	
Flowers—unidentified	Switzerland	1			N. Y.	
Tetraleurodes acaciae (Q.) (Aleyrodidae): Laurus nobilis (Grecian laurel)	Mexico	1			Tex.	
Leaf—unidentified Legume leaf	ldo			1	Ariz.	
Mangifera indica (mango)		1			Ariz.	
Tetropium castaneum (L.) (Cerambycidae): Pinus sp. (pine)	Germany	1			La.	
Texananus spatulatus (VanD.) (Cicadellidae):						
Airplane Toxotrypana curvicauda Gerst. (Tephritidae): Carica papaya (papaya)	Mexicodo	1	1		Tex.	
Truck bed Trialeurodes abutilonea (Hald.) (?) (Aleyrodidae):	do		2		Tex.	
Leaf—unidentified	do	1			Tex.	
Trialeurodes lauri (Sign.) (Aleyrodidae): Laurus nobilis (Grecian laurel) Trialeurodes varia Q. & B. (Aleyrodidae):	Italy		1		Tex.	
Cucurbita (?) sp	Mexico	1			Tex.	
Trichobaris championi Barber (Curculionidae): Physalis sp. (husk tomato)	do	1			Tex.	
,		-				

		it		r of eep-	==
Insect and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Trionymus sacchari (Ckll.) (Coccidae): Saccharum officinarum (sugarcane) Saccharum sp Unaspis citri (Comst.) (Coccidae): Citrus paradisi (grapefruit)	Cuba, Mexico			1	D. C.
Citrus sp	China, Mexico Haiti	1			Fla.*
Citrus limon (lemon) Citrus paradisi (grapefruit) Citrus reticulata (Mandarin orange) Citrus reticulata unshiu (satsuma orange) Citrus sinensis (orange)	do	1 1	21		Wash. Calif.,* Minn.
Valtissius diversus (Dist.) (Lygaeidae): Orchid Vinsonia stellifera (Westw.) (Coccidae): Araceae Aspasia epidendroides (orchid)	CubaCanal Zone	1		1	Calif.*
Brassavola sp. (orchid) Cattleya sp. (orchid) Cycnoches spp. (orchid) Epidendrum ciliare (orchid) Epidendrum pachycarpum Epidendrum sp.	Puerto Rico Venezuela Canal Zone Panama Canal Zone			1 1 1 1 1 1	N. J. Calif.* Tex. N. J. Calif.*
Genipa sp. (genip) Gongora sp. (orchid) Laelia leudemannii (orchid) Oncidium citrinum (orchid) Orchid	Canal Zonedodo	1		1 1 1 8	Fla.* Calif.* Calif.* N. J. Fla., Mass.
Xestolabus laesicollis (Gyl!.) (Curculionidae): Orchid Xyloerthodes nitidipennis (Murray) (Bostrichidae): Triplochiton scleroxylon Xyloperthella crinitarsis (Imh.) (Bostrichidae):	MexicoGold Coast			1	Tex.
Khaya sp	Gold Coast, Liberia Philippines		1		La., Va. Hawaii.

Hosts and Insects

ACACIA: BROUGHTONIA: Asterolecanium epidendri (Homoptera)
BRYOPHYLLUM: Acanthoscelides spinipes (Coleoptera) Haplothrips gowdeyi (Thysanoptera) Pulvinaria psidii (Homoptera) Parlatoria pyri (Homoptera) ACHRAS: Anastrepha serpentina (Diptera) BUXUS Eriophyes canestrinii (Arachnida) CACTUS: Aspidiotus destructor (Homoptera) Parlatoria pseudaspidiotus (Homoptera) Ceratitis capitata (Diptera) Pinnaspis scrobicularum (Homoptera)
AESCULUS: Cryphula apicatus (Hemiptera) Dysdercus mimulus (Hemiptera) Lepidosaphes philococcus (Homoptera)
Sixeonotus luteiceps (Hemiptera)
CAESALPINIA: Lecanium coryli (Homoptera) Chrysomphalus agavis (Homoptera)
ALLIUM SATIVUM: Mimosestes dominicanus (Coleoptera) CALLUNA: Brachycerus albidentatus (Coleoptera) Brachycerus algirus (Coleoptera)
Dyspessa ulula (Lepidoptera)
ALPINIA: Aphis callunae (Homoptera)
Gelechia ericetella (Lepidoptera) Micrelus ericae (Coleoptera)
Orthotylus ericetorum (Hemiptera)
Taeniothrips atratus (Thysanoptera)
Taeniothrips ericae (Thysanoptera) Pulvinaria psidii (Homoptera)
ANANAS: Agallia lingula (Hemiptera)
Cyclocephala cubana (Coleoptera)
Iridomyrmex humilis (Hymenoptera) CALOCARPUM: Anastrepha serpentina (Diptera) Monomorium destructor (Hymenoptera) Opogona aurisquamosa (Lepidoptera) Pheidole megacephala (Hymenoptera) CAMELLIA: Parlatoria camelliae (Homoptera) Pinnaspis uniloba (Homoptera) CANAVALIA: Platynota rostrana (Lepidoptera) Ribua innoxia (Lepidoptera)
Ribua innoxia (Lepidoptera)
Sisamnes contractus (Hemiptera)
"Targionia" bromiliue (Homoptera)
ANNONA:
Ceratitis capitata (Diptera)
Stemama granuella (Lepidoptera) Lampides boeticus (Lepidoptera) Maruca testulalis (Lepidoptera) Taeniothrips hawaiiensis (Thysanoptera) CAPSICUM: Amorbia emigratella (Lepidoptera)
Arvelius albopunctatus (Hemiptera)
Dacus cucurbitae (Diptera)
Dacus dorsalis (?) (Diptera)
Faustinus cubae (Coleoptera) Stenoma anonella (Lepidoptera) Talponia batesi (Lepidoptera) ANTHURIUM: Ceroplastes rubens (Homoptera)
ANTIRRHINUM: Gnorimoschema gud mannella (Lepidoptera)
Platynota rostrana (Lepidoptera)
Pyrausta nubilalis (Lepidoptera) Haplothrips gowdeyi (Thysanoptera) CARALLUMA: Mamestra brassicae (Lepidoptera)
ARACEAE: Asterolecanium stentae (Homoptera) CARICA: Aspidiotus destructor (Homoptera) Aspidiotus palmae (Homoptera)
Pinnaspis buxi (Homoptera)
Vinsonia stellifera (Homoptera)
ARRACACIA: Cryptoblabes gnidiella (Lepidoptera) Toxotrypana curvicauda (Diptera) Aganactesis indecora (Lepidoptera) Anuraphis tulipae (Homoptera)
ASPASIA: CASTANEA:
Aspidiotus cryptoxanthus (Homoptera) Cryptoblabes gnidiella (Lepidoptera) Vinsonia stellifera (Homoptera) Curculio elephas (Coleoptera) Hemimene juliana (Lepidoptera) ASPLENIUM: Ferrisia virgata (Homoptera) Laspeyresia splendana (Lepidoptera)
CATASETUM:
Ferrisia virgata (Homoptera)
CATTLEYA: Microcephalothrips abdominalis (Thysanoptera) BAMBOO: Asterolecanium bambusae (Homoptera) Dinoderus brevis (Coleoptera)
BAUHINIA: Asterolecanium epidendri (Homoptera) Eurytoma orchidearum (Hymenoptera) Caryedon fuscus (Coleoptera)
BERZELIA: Furcaspis biformis (Homoptera) Pseudischnaspis alienus (Homoptera) Vinsonia stellifera (Homoptera) Pseudothrips glaucus (?) (Thysanoptera) BETA: CELOSIA: Loxostege similalis (Lepidoptera)
CENTAUREA:
Pachyzancla bipunctalis (Lepidoptera)
CEPHALOCEREUS: Gnorimoschema ocellatella (Lepidoptera) Sitona lineata (Coleoptera) BRASSAVOLA: Furcaspis biformis (Homoptera) Vinsonia stellifera (Homoptera) Prostephanus truncatus (Coleoptera) BRASSIA: CERCIDIUM: Conchaspis angraeci (Homoptera)
BRASSICA NAPOBRASSICAE:
Mamestra brassicae (Lepidoptera)
BRASSICA OLERACEA BOTRYTIS: Pseudodias pis yuccae (Homoptera) Lepidosaphes philococcus (Homoptera)
CHRYSANTHEMUM:
Cyrtopeltis varians (Hemiptera)
Frankliniella formosae (Thysanoptera)
Pachyzancla bipunctalis (Lepidoptera)
Pheidole megacephala (Hymenoptera)
Pyrausta nubilalis (Lepidoptera)
Sitona lineata (Coleoptera) Evergestis forficalis (Lepidoptera)
Phytomyza rufipes (Diptera)
BRASSICA OLERACEA CAPITATA: Agrotis ypsilon (Lepidoptera) Deroceras reticulatum (Mollusca) Sitona lineata (Coleoptera) Evergestis forficalis (Lepidoptera) Evergestis rimosalis (Lepidoptera) Mamestra brassicae (Lepidoptera) Taeniothrips hawaiiensis (Thysanoptera) CHRYSOPHYLLUM: Pieris brassicae (Lepidoptera) BRASSICA RAPA: Aspidiotus herculeanus (Homoptera) Coccus viridis (Homoptera)
CITRUS AURANTIFOLIA: Pheidole megacephala (Hymenoptera) Aleurocanthus woglumi (Homoptera) Aleurothrixus floccosus (Homoptera) BROMELIAD: Lema quinquenotata (Coleoptera)

Anastrepha ludens (Diptera)

Microvelia oaxacana (Hemiptera)

CITRUS AURANTIFOLIA—Continued CRYPTOMERIA: CITRUS AURANTIFULIA—Continued Chrysomphalus personatus (Homoptera)
Leucaspis cockerelli (Homoptera)
Parlatoria cinerea (Homoptera)
Parlatoria zizyphus (Homoptera)
Pseudaonidia trilobitiformis (Homoptera)
CITRUS AURANTIUM:
Anastrepha ludens (Diptera)
Leucaspis cockerelli (Homoptera)
CITRUS GRANDIS:
Annidiella comperci (?) (Homoptera) Lepidosaphes pallida (Homoptera) CUCUMIS: Dacus cucurbitae (Diptera) Trialeurodes varia (Homoptera)
CYCAS: Coccus acutissimus (Homoptera)
CYCNOCHES: Eucactophagus aurocinctus (Coleoptera) Ferrisia virgata (Homoptera) Vinsonia stellifera (Homoptera Aonidiella comperei (?) (Homoptera) CITRUS LIMON: CITRUS LIMON:

Aleurocanthus woglumi (Homoptera)

Ceratitis capitata (Diptera)

Cryptoblabes gnidiella (Lepidoptera)

Parlatoria zizyphus (Homoptera)

Unaspis yanonensis (Homoptera)

CITRUS LIMON VAR. PONDEROSA:

Anastrepha ludens (Diptera)

CITRUS PARADISI:

Anastrepha ludens (Diptera)

Argyroploce leucotreta (Lepidoptera)

Ceratitis capitata (Diptera)

Chrysomphalus personatus (Homoptera)

Leucaspis cockerelli (Homoptera)

Parlatoria cinerea (Homoptera) CYDONIA:

Ceratitis capitata (Diptera)
CYMBIDIUM: Lepidosaphes tuberculata (Homoptera)
Parlatoria pseudaspidiotus (Homoptera)
Pseudaonidia curculiginis (Homoptera) CYMBOPOGON: Aulacaspis tegalensis (Homoptera) CYNARA: Gortyna flavago (Lepidoptera) Gortyna ochracea (Lepidoptera) CYPRIPEDIUM: Leucaspis cockerelli (Homoptera)
Parlatoria cinerea (Homoptera)
Unaspis citri (Homoptera)
Unaspis yanonensis (Homoptera)
Unaspis yanonensis (Homoptera)
OITRUS RETICULATA:
Aleurocanthus woglumi (Homoptera)
Anastrepha ludens (Diptera)
Ceratitis capitata (Diptera)
Dialeurodes citri (Homoptera)
Parlatoria zizyphus (Homoptera)
Unaspis yanonensis (Homoptera)
Unaspis yanonensis (Homoptera)
CITRUS SINENSIS:
Aleurocanthus woglumi (Homoptera)
Anastrepha ludens (Diptera)
Anonidie^{1/4}a citrina (Homoptera)
Argyroploce leucotreta (Lepidoptera)
Ceratitis capitata (Diptera)
Chrysomphalus albopictus (Homoptera) Coccus capparidis (Homoptera)
DENDROBIUM:
Parlatoria pseudaspidiotus (Homoptera)
DIANTHUS: Deroceras reticulatum (Mollusca)
Frankliniella intonsa (Thysanoptera)
Iridomyrmex humilis (Hymenoptera)
Prodenia ornithogalli (Lepidoptera)
Taeniothrips atratus (Thysanoptera)
Taeniothrips vulgatissimus (Thysanoptera)
DIOSCOREA: Palaeopus costicollis (Coleoptera)
"Targionia" hartii (Homoptera)
DIOSPYROS: Coccus viridis (Homoptera) EPIDENDRUM: Aspidiotus destructor (Homoptera) Furcaspis biformis (Homoptera) Tenthecoris bicolor (Hemiptera) Vinsonia stellifera (Homoptera) Ceratitis capitata (Diptera)
Chrysomphalus albopictus (Homoptera)
Gymnandrosoma aurantianum (?) (Lepidoptera)
Leucaspis cockerelli (Homoptera)
Parlatoria cinerea (Homoptera)
Parlatoria zizyphus (Homoptera)
Unaspis citri (Homoptera)
Unaspis yanonensis (Homoptera)
CITRUS SP. (orange):
Unaspis yanonensis (Homoptera)
CITRUS SP.:
Aleurocanthus woglumi (Homoptera) EUGENIA: Dacus dorsalis (Diptera) EUPHORBIA: Bemisia tabaci (Homoptera) FEIJOA:
Ceroplastes sinensis (Homoptera) FICUS Aleurocanthus woglumi (Homoptera)
Dialeurodes citri (Homoptera)
Dialeurodes citrifolii (Homoptera) Ceratitis capitata (Diptera) Ceroplastes rusci (Homoptera) Chrysomphalus rossi (Homoptera) Unaspis citri (Homoptera)
COCCOLOBIA: Hypoborus ficus (Coleoptera)
Iridomyrmex humilis (Hymenoptera)
Lepidosaphes ficus (Homoptera) Cryptoblabes gnidiella (Lepidoptra)
Pheidole megacephala (Hymenoptera)
COCOS: FRÁXINUS: Leperisinus fraxini (Coleoptera)
GALANTHUS(?): Aonidiella inornata (Homoptera) Aspidiotus destructor (Homoptera)
Aspidiotus destructor (Homoptera)
Aspidiotus palmae (Homoptera)
Ereunetis flavistriata (Lepidoptera)
Phenacaspis sandwicensis (Homoptera)
Pseudococcus palmarum (Hompotera)
CODIAEUM: Lampetia equestris (Diptera) GARDENIA: Ceroplastes rubens (Homoptera)
Coccus viridis (Homoptera)
Dialeurodes citri (Homoptera)
Ferrisia virgata (Homoptera)
Pealius hibisia (Homoptera) Haplothrips gowdeyi (Thysanoptera) Lepidosaphes tokionis (Homoptera) COFFEA: Phenacas pis sandwicensis (Homoptera)
Proto pulvinaria longivalvata (Homoptera)
Proto pulvinaria pyriformis (Homoptera) Aleurocanthus woglumi (Homoptera) Taeniothrips hawaiiensis (Thysanoptera)
GENIPA: Ceratitis capitata (Diptera)
Coccus viridis (Homoptera)
Stephanoderes hampei (Coleoptera) Vinsonia stellifera (Homoptera) GLADIOLUS: CORDYLINE: Amorbia emigratella (Lepidoptera)
Carpocoris pudicus (Hemiptera)
Frankliniella fortissida (Thysanoptera) Pinnaspis buxi (Homoptera) CORTADERIA: Deroceras reticulatum (Mollusca) Prodenia litura (Lepidoptera) டம் GONGORA: Phytoptus avellanae (Arachnida) Asterolecanium epidendri (Homoptera) COSTUS: Vinsonia stellifera (Homoptera) Chrysomphalus scutiformis (Homoptera) GOSSYPIUM: CRATAEGUS: Earias insulana f. semifascia (Lepidoptera) Oxycarenus lactus (Hemiptera) Pectinophora gossypiella (Lepidoptera) *Lecanium coryli* (Homoptera) CROCUS: Pheidole megacephala (Hymenoptera) Anuraphis tulipae (Homoptera)

LINARIA: GRUSONIA: Dactylopius coccus (Homoptera) Frankliniella intonsa (Thrsanoptera) HAWORTHIA: LIPPIA: Aspidiotus destructor (Homoptera) *Platynota rostrana* (Lepidoptera) HEDERA: LONICERA Lichtensia viburni (Homoptera)

HELICHRYSUM:
Frankliniella schultzei (Thysanoptera)
Haplothrips gowdeyi (Thysanoptera)
Microcephalothrips abdominalis (Thysanoptera) Microcephalothrips abdominalis (Thysanoptera) Frankliniella intonsa (Thysanoptera)
LYCOPERSICON: Dacus cucurbitae (Diptera)
Dacus dorsalis (?) (Diptera)
Dysdercus obliquus (Hemiptera) HEURNIA: Asterolecanium stentae (Homoptera) Ligyrocoris abdominalis (Hemiptera) Ligyrocoris aurivilliana (Hemiptera) HIBISCUS: Frankliniella bispinosa (Thysanoptera) Pectinophora gassypiella (Lepidoptera) Ligyrocoris autitutana (Hemiptera) Lineodes integra (Lepidoptera) Neoleucinodes elegantalis (Lepidoptera) Pheidole megacephala (Hymenoptera) Parlatoria pseudaspidiotus (Homoptera) IMPATIENS: Platynota rostrana (Lepidoptera) MALUS: Aleuroglandulus emmae (Homoptera)
IPOMOEA: Argyresthia conjugella (Lepidoptera)
Bryobia praetiosa (Archnida)
Ceratitis capitata (Diptera) Alcidodes dentipes (Coleoptera) Cylas for micarius (Coleoptera) Cylas for micarius var. (Coleoptera) Parlatoria oleae (Homoptera) Rhagoletis pomonella (Diptera) Cylas formicarius elegantulus (Coleoptera) Cylas puncticollis (Coleoptera) Euscepes postfasciatus (Coleoptera) MAMMEA: Anastrepha serpentina (Diptera)
MAMMILLA RIA: Gerstaeckeria mutillaria (Coleoptera) Sixeonotus luteiceps (Hemiptera)
MANGIFERA: Anuraphis tulipae (Homoptera)
IXORA: Anastrepha ludens (Diptera) Anastrepha mombin praeoptans (Diptera) Asterolecanium pustulans (Homoptera) Coccus viridis (Homoptera) Protopulvinaria pyriformis (Homoptera)
IXTLE: Scyphophorus acupunctatus (Coleoptera)

JASMIN UM:

Aleurotuberculatus jasmini (Homoptera) Aulacas pis tubercularis (Homoptera) Ceratitis capitata (Diptera)
Cryptorhynchus mangiferae (Coleoptera)
Dacus dorsalis (Diptera) Aonidiella inornata (Homoptera) Dialeurodes kirkaldyi (Homoptera) Leucaspis indica (Homoptera) Parlatoria morrisòni (Homoptera) Pseudischnaspis longissima (Homoptera) Rhagoletis completa (Diptera) Rhagoletis juglandis (Diptera) JUNIPERUS: Pseudococcus filamentosus (Homoptera) Tetraleurodes acaciae (Homoptera)
MILTONIA: Lepidosaphes pallida (Homoptera) Iridomyr mex iniquus (Hymenoptera)
MONANTHES:
Lepidosaphes tuberculata (Homoptera)
MONSTERA:
Pinneseria hari (Homoptera) *Pentamerismus oregonensis* (Arachnida) KHAYA: A mitermes unidentatus (Isoptera) Bostrychoplites cornutus (Coleoptera) Cordylomera spinicornis (Coleoptera) Minthea obsita (Coleoptera) Sinoxylon anale (Coleoptera) Pinnaspis buxi (Homoptera)
MUSA PARADISIACA SAPIENTUM: Aspidiotus destructor (Homoptera) Xyloperthella crinitarsis (Coleoptera)
LACTUCA: Aspidiotus palmae (Homoptera) Cosmopolites sordidus (Coleoptera) Dacus dorsalis (Diptera) Acalymma trivittata (Coleoptera) Metamasius habetatus (Coleoptera) Metamasius sericeus (Coleoptera) Deroceras reticulatum (Mollusca) *Heterogaster urticae* (Hemiptera) LAELIA MYRTILLOCACTUS: Ferrisia virgata (Homoptera)
Furcas pis bifor mis (Homoptera)
Pseudischnas pis alienus (Homoptera)
Vinschia stellifera (Homoptera) Lepidosaphes philococcus (Homoptera) NARCISSUS: Lampetia equestris (Diptera) NERIUM: Asterolecanium pustulans (Homoptera) ODONTOGLOSSUM: LANSIUM: Pseudococcus lilacinus (Homoptera) LATHYRUS: Iridomyr mex iniquus (Hymenoptera) Bruchus tristis (Coleoptera)
Frankliniella intonsa (Thysanoptera)
Taeniothrips atratus (Thysanoptera) Puto ulter (Homoptera)
ODONTONIA: Brevipalpus australis (Arachnida) Taeniothrips vulgatissimus (Thysanoptera) OLEA: LAURUS: Dacus oleae (Diptera) Diaphania unionalis (?) (Lepidoptera) Irido myr mex hu milis (Hymenoptera) Parlatoria oleae (Homoptera) Phloeotribus scarabaeoides (Coleoptera) Aspidiotus palmae (Homoptera) Tetraleurodes acaciae (Homoptera) Trialeurodes lauri (Homoptera) LENS: Prays oleellus (Lepidoptera)
ONCIDIUM: Bruchus lentis (Coleoptera)
Bruchus signaticornis (Coleoptera) LEUCADENDRON Chrysomphalus umboniferus (Homoptera) "Chionaspis" leucandendri (Homoptera)
Pseudococcus trichiliae (Homoptera)
LEUCOPHYLLUM: Furcaspis biformis (Homoptera) Iridomyr mex iniquus (Hymenoptera) Vinsonia stellifera (Homoptera) ridomyr mex humilis (Hymenoptera) OPUNTIA: LEUCOSPERMUM: *Ceratitis capitata* (Diptera) Chrysomphalus rossi (Homoptera) ORCHID: LILIUM: Adoretus sinicus (Coleoptera) Haplothrips gowdeyi (Thysanoptera) Pheidole megacephala (Hymenoptera) Taeniothrips gracilis (Thysanoptera) Aeolus ver miculatus (Coleoptera) Aspidiotus destructor (Homoptera)

Asterolecanium epidendri (Homoptera)

ORCHID—Continued PINUS: Aufeius impressicollis (Hemiptera)
Capaneus tetricus (Hemiptera)
Chrysomphalus umboniferus (Homoptera)
Crophius scabrosus (Hemiptera)
Deloyala guttata (Coleoptera)
Diory merellus laevimargo (Coleoptera)
Enilachna varivestis (Coleoptera) Aspidiotus corticis-pini (Homoptera)
Ceroplastes rubens (Homoptera)
Eulachnus piniformosanus (Homoptera)
Fiorinia japonica (Homoptera) Pityogenes chalcographus (Coleoptera)
"Poliaspis" pini (Homoptera)
Pseudococcus pini (Homoptera) Epilachna varivestis (Coleoptera) Tetropium castaneum (Coleoptera)
PISTACIA: Eustrophius marginatus (Coleoptera) Ferrisia virgata (Homoptera) Ferrisia virgata (Homoptera)
Furcaspis biformis (Homoptera)
Galgupha texana (Hemiptera)
Heilipus caecus (Coleoptera)
Iridomyrmex humilis (Hymenoptera)
Iridomyrmex iniquus (Hymenoptera)
Isorhinus undatus (Coleoptera)
Leucaspis cockerelli (Homoptera)
Monomorium destructor (Hymenoptera)
Myodocha longicollis (Hemiptera)
Pachygrontha oedancalodes (Hemiptera)
Parallelodiplosis cattleyae (?) (Diptera)
Pheidole megacephala (Hymenoptera) Chaetoptelius vestitus (Coleoptera) PISUM: Bruchus tristis (Coleoptera) Las peyresia nigricana (Lepidoptera) PITHECELLOBIUM: Cryptophlebia illepida (Lepidoptera)
Dacus dorsalis (?) (Diptera)
PLUMERIA: Asterolecanium pustulans (Homoptera) Coccus viridis (Homoptera) PORTULACA Pheidole megacephala (Hymenoptera) Plagiodera thymaloides (Coleoptera) Pseudischnaspis alienus (Homoptera) Loxostege similalis (Lepidoptera)
PROSOPIS:
"Targionia" cueroensis (Homoptera) Puto ulter (Homoptera)
Teleonemia cylindricornis (Hemiptera)
Tenthecoris angustimarginatus (Hemiptera) PROTEA:
Haplothrips wouramboulchii (Thysanoptera) Iridomyr mex humilis (Hymenoptera)
Pseudothrips glaucus (?) (Thysanoptera)
PROTEACEAE: Tenthecoris bicolor (Hemiptera) Tenthecoris confusus (Hemiptera)
Tenthecoris orchidearum (Hemiptera) Iridomyrmex humilis (Hymenoptera)
PRUNUS ARMENIACA:
Ceratitis capitata (Diptera)
PRUNUS DOMESTICA:
Magalametia chilingia (Colombora) Valtissius diversus (Hemiptera) Vinsonia stellifera (Homoptera) Xestolabus laesicollis (Coleoptera) ORNITHOGALUM: Megalometis chiliensis (Coleoptera) Frankliniella schultzei (Thysanoptera)
Haplothrips wouramboulchii (Thysanoptera)
ORYZA: PRUNUS MUME:

Malacosoma neustria (?) (Lepidoptera)
PRUNUS PERSICA: Ceratitis capitata (Diptera)
Grapholitha molesta (Lepidoptera)
Megalometis chiliensis (Coleoptera)
PRUNUS PERSICA NECTARINA: Chilo simplex (Lepidoptera) Scotinophara lurida (Hemiptera) PACHYCEREUS: Lepidosaphes philococcus (Homoptera) PANDANUS: Aspidiotus latastei (Homoptera) PRUNUS SP. (cherry): Pseudococcus pandanicola (Homoptera)
PERISTERIA: Rhagoletis cerasi (Diptera)
PRUNUS SP.:
Lepidosaphes conchiformis (Homoptera) Ferrisia virgata (Homoptera) PERSEA: Anastrepha ludens (?) (Diptera)
Aspidiotus destructor (Homoptera)
Chrysomphalus personatus (Homoptera)
Conotrachelus aguacatae (Coleoptera)
Conotrachelus perseae (Coleoptera)
Stenoma catenifer (Lepidoptera)
PETROSELINUM:
Mamestra prassicae (Lepidoptera) Aleuroglandulus emmae (Homoptera) Anastrepha striata (Diptera) Anastrepha suspensa (Diptera)
Ancylostomia stercorea (Lepidoptera)
Ceratitis capitata (Diptera)
Paraleyrodes goyabae (?) (Homoptera) Mamestra brassicae (Lepidoptera)
PHALAENOPSIS:
Chrysomphalustingi (Homoptera)
PHASEOLUS: PUNICA Cacoecia pronubana (Lepidoptera) Ceratitis capitata (Diptera) Cryptoblabes gnidiella (Lepidoptera) Dacus cucurbitae (Diptera)
Epinotia opposita (Lepidoptera)
Lampides boeticus (Lepidoptera)
Laspeyresia leguminis (Lepidoptera)
Maruca testulalis (Lepidoptera)
Pyrausta nubilalis (Lepidoptera)
PHILODENDRON:
Cananeus tetricus (Hemintera) Glycyphagus domesticus (Arachnida) Anastrepha ludens (Diptera) Aonidiella citrina (Homoptera) Ceratitis capitata (Diptera) Parlatoria chinensis (Homoptera) Rhagoletis pomonella (Diptera) Capaneus tetricus (Hemiptera) Diabrotica lepida (Coleoptera) QUERCUS: Hemimene juliana (Lepidoptera) Exptochiomera albomaculata (Hemiptera) RANDIA: Ferrisia virgata (Homoptera)
Ligyrocoris abdominalis (Hemiptera)
PHOENIX: Ferrisia virgata (Homoptera) RAPHANUS: Psylliodes chrysocephala (Coleoptera) Coccotrypes dactyliperda (Coleoptera) PHYSALIS: RHODODENDRON: Acalla schalleriana (Lepidoptera) Gracilaria azaleella (Lepidoptera) Pulvinaria psidii (Homoptera) Gnorimoschema lavernella (Lepidoptera) Rhagoletis striatella (Diptera) Trichobaris championi (Coleoptera)
PIARANTHUS: Stephanitis pyrioides (Hemiptera) ROSA: Asterolecanium stentae (Homoptera) Allantus cinctus (Hymenoptera) Frankliniella intonsa (Thysanoptera) Laspeyresia strobilella (Lepidoptera) Monomorium destructor (Hymenoptera) Taeniothrips atratus (Thysanoptera) Lepidosaphes pallida (Homoptera) Pityogenes chalcographus (Coleoptera) PILOCEREUS: RUBUS: Lepidosaphes philococcus (Homoptera) Lasioptera rubi (?) (Diptera)

SACCHARUM: ''Targionia'' sacchari (Homoptera) Trionymus sacchari (Homoptera) As pidiotus degeneratus (Homoptera) Ceroplastes rubens (Homoptera)
SCINDAPSUS:
Pinnaspis buxi (Homoptera)
SECHIUM:

Platynota rostrana (Lepidoptera) SELAGINELLA:

Epilachna varivestis (Coleoptera)

SEŚBANIA:
Acanthoscelides griseolus (Coleoptera)

SOIL: Brachyrhinus rugosostriatus (Coleoptera) Irido myrmex humilis (Hymenoptera) Strophosoma melanogrammum (Coleoptera)

SOLANUM: Leucinodes orbonalis (Lepidoptera) Neoleucinodes elegantalis (Lepidoptera)
Pyrausta nubilalis (Lepidoptera)
SORGHUM:

Pyrausta nubilalis (Lepideptera) Sesamia cretica (Lepidoptera) Sesamia nonagrioides (Lepidoptera)

SPONDIAS: Anastrepha mombinpraeoptans (Diptera) STRELITZIA:

Phenacas pis sandwicensis (Homoptera) Pinnas pis buxi (Homoptera)

SWIETENIA:

Aspidiotus destructor (Homoptera) Nasutiter mes corniger (Isoptera)

SYRINGA: Adoxophyes orana (Lepidoptera) Gymnaetron beccabungae var. nigrum (Coleoptera)

Sitona lineata (Coleoptera)
TILLANDSIA: Exptochiomera for mosa (Hemiptera) Galgupha texana (Hemiptera) Isorhinus depressus (Coleoptera)

TILLANDSIA—Continued Isorhinus undatus (Coleoptera) Monanthia monotropidia (Hemiptera) Mormidea cubrosa (Hemiptera) Plagiodera thy maloides (Coleoptera) TRIPLOCHITON:

Xylocrthodes nitidipennis (Coleoptera)

TULIPA

Anuraphis tulipae (Homoptera)

VANDA: Furcaspis biformis (Homoptera) Parlatoria pseudaspidiotus (Homoptera)

 $Pinnaspis\ scrobicularum\ ({
m Homoptera})$ VICIA:

Bruchus dentipes (Coleoptera) Bruchus luteicornis (Coleoptera) Bruchus tristis (Coleoptera)

VITIS Prachyrhinus sulcatus (Coleoptera)
Ceratitis capitata (Diptera)
Clysia ambiguella (?) (Lepidoptera)
Iridomyrmex humilis (Hymenoptera)
Leptoglossus chilensis (Hemiptera)
Phlyctinus callosus (Coleoptera)
Polychrosis botrana (Lepidoptera)
VRIESIA:
Assidiotus nalmae (Homoptera)

Aspidiotus palmae (Homoptera) WISTERIA:

Phenacaspis fujicola (Homoptera)

YUCCA: $Pheidole\ megacephala\ ({
m Hymenoptera})$

ZANTEDESCHIA: Deroceras reticulatum (Mollusca)

Pagiocerus fiorii (Coleoptera) Sesamia cretica (Lepidoptera)

ZINGIBER: Monomorium destructor (Hymenoptera) Palaeopus costicollis (Coleoptera)

ZINNIA;

Philia febrilis (Diptera)

Hosts Unknown

AIRPLANE:

Chelymorpha alternans (?) (Coleoptera)
Cyclocephala lunulata (Coleoptera)
Dacus dorsalis (Diptera)
Delphacodes dissipata (Homoptera)
Oxycetonia jucunda (Coleoptera)
Perdenia litura (Lopidoptera) Prodenia litura (Lepidoptera)
Protaetia orientalis (Coleoptera)
Texanaus spatulatus (Homoptera)
Xylotrupes gideon (Coleoptera)
BAGGAGE:
Meloloptera meloloptera (Coleoptera)

Melolontha melolontha (Coleoptera) Spondylis buprestoides (Coleoptera)

BARK: Pityogenes chalcographus (Coleoptera) Pityophthorus sambuci (Coleoptera) BOXCAR:

Pectinophora gossypiella (Lepidoptera)

Iridomyrmex humilis (Hymenoptera)
CORK BALE SLAT:
Sinoxylon sexdentatum (Coleoptera) FERN

Monomorium destructor (Hymenoptera FLOWERS:

Frankliniella bispinosa (Thysanoptera) Hymenia perspectalis (Lepidoptera) Iridomyrmex humilis (Hymenoptera) Loxostege similalis (Lepidoptera) Mormidea cubrosa (Hemiptera) Tephritis arnicae (Diptera) Jipieraj

FOREST LITTER: Strophosoma capitatus (Coleoptera)
FRUIT:

Anastrepha mombin praeoptans (Diptera) Ceratitis capitata (Diptera)

GRASS:

Antonina graminis (Homoptera)
Hypolithus riparius (Coleoptera)
Odonaspis saccharicaulis (Homoptera)
"Targionia" sacchari (Homoptera) GROUND CREEPER:

Pseudaonidia trilobitiformis (Homoptera)
IN BOX WITH VANDA LEI:

Bradybaena similaris (Mollusca) LEAF:

Coccus viridis (Homoptera) Conchaspis angraeci (Homoptera) Pinnaspis buxi (Homoptera) Tetraleurodes acaciae (Homoptera)
Trialeurodes abutilonea (?) (Homoptera)
LEGUME LEAF:

Tetraleurodes acaciae (Homoptera)

PACKING: Acalypta parvula (Hemiptera)
Dyscinctus frater (Coleoptera)
Iridomyrmex iniquus (Hymenoptera) Scepticus insularis (Coleoptera)
PLANT:

Aspidiotus destructor (Homoptera) Asterolecanium agavis (Homoptera) Ferrisia virgata (Homoptera) Icerya aegyptiaca (Homoptera)

Parlatoria pseudoaspidiotus (Homoptera)
Pulvinaria psidii (Homoptera)
RETURNED MILITARY EQUIPMENT:

Achatina fulica (Mollusca) SAWALI" MATS: Dinoderus brevis (Coleoptera)

SCRAP METAL Achatina fulica (Mollusca) SEA SHELL:

Lardoglyphus zacheri (Arachnida)

Hosts Unknown—Continued

STRAW JACKET:

Iridomyr mex humilis (Hymenoptera)

TREE SEED:

Mimosestes sallaei (Coleoptera)

TRUCK BED:

Anastrepha ludens (Diptera)
Pectinophora gossypiella (Lepidoptera)
Toxotrypana curvicauda (Diptera)

VINE:

Brachyplatys deplanatus (Hemiptera)

Ferrisiana virgata (Homoptera)

WOOD:

Callidium rufipenne (Coleoptera) Callaium ruppenne (Coleoptera)
Heterobostrychus aequalis (Coleoptera)
Lyctus spinifrons (Coleoptera)
Minthea rugicollis (Coleoptera)
Sinoxylon anale (Coleoptera)
Sinoxylon conigerum (Coleoptera)
Sinoxylon crassum (Coleoptera)
WOOLEN GOODS:
Sirex noctilio (Hymenoptera)

Countries of Origin and Insects

AFRICA:

Ceratitis capitata

Ceratitis capitata Gortyna flavago Lepidosaphes ficus

Parlatoria zizyphus
Sinoxylon sexdentatum
ARGENTINA:
Parlatoria cinerea
ARNO ATOLL ISLAND:

Pseudococcus pandanicola
AUSTRALIA:

Agrotis ypsilon
Chrysomphalus rossi
Lepidosaphes tuberculata
AZORES:

Ceratitis capitata

Dacus oleae

Deroceras reticulatum Iridomyrmex humilis

Rhagoletis cerasi BAHAMAS:

Anastrepha mombinpraeoptans

Aspidiotus destructor Pectinophora gossypiella BARBADOS:

Aulacaspis tubercularis Furcaspis biformis

Protopulvinaria pyriformis
"Targionia" hartii
BELGIUM:

Acalla schalleriana

Allantus cinctus

Brachyrhinus sulcatus
BERMUDA:

Cryptoblabes gnidiella Frankliniella bispinosa Haplothrips gowdeyi

Pheidole megacephala

Prodenia ornithogalli Pulvinaria psidii

Taeniothrips gracilis BOLIVIA:

Parlatoria cinerea BRAZIL:

Anuraphis tulipae Aspidiotus palmae Aulacaspis tubercularis Chrysomphalus personatus

Chrysomphalus scutiformis Coccus viridis

Cylas formicarius var. elegantulus

Euscepes postfasciatus Neoleucinodes elegantalis

Parlatoria cinerea

Pectinophora gossypiella Pheidole megacephala Stephanoderes hampei

Tenthecoris orchidearum

Unaspis citri BRITISH HONDURAS:

Stenoma catenifer

BRITISH WEST AFRICA:

Cylas puncticollis BRITISH WEST INDIES:

Iridomyrmex iniquus

CANADA:

Brachyrhinus rugosostriatus

Monomorium destructor

CANAL ZONE:

Aspidiotus destructor

Asterolecanium epidendri Chrysomphalus umboniferus

Conchaspis angraeci

Ferrisia virgata Furcaspis bifor mis Leucaspis cockerelli

Parlatoria pseudaspidiotus Pinnaspis buxi

Unaspis citi Unaspis citi Vinsonia stellifera CANARY ISLANDS: Lepidosaphes tuberculata CENTRAL AMERICA:

Anastrepha ludens
CEYLON:

Parlatoria pseudaspidiotus

Aspidiotus latastei

Bryobia praetiosa &

Iridomyrmex humilis Leptoglossus chilensis

Menalometis_chilensis

CHINA:

Chilo simplex

Cylas formicarius var. Unaspis citri

COLOMBIA:

Anastrepha mombinpraeoptans
Anastrepha serpentina
Pseudaonidia trilobitiformis
Pseudococcus filamentosus
Stenoma catenifer
COSTA RICA:
Anastrepha mombinpraeoptans
Asterolecanium enidendri

Asterolecanium epidendri

Cyclocephala lunulata Cylas formicarius var. elegantulus

Eucactophagus aurocinctus
Furcaspis biformis
Leucaspis cockerelli
Parallelodiplosis cattleyae (?)

Pinnaspis tuxi

 $Platynota\ rostrana$

Protopulvinaria longivalvata Protopulvinaria pyriformis

Vinsonia stellifera CUBA:

Alerocanthus woglumi

Anastrepha suspensa Aspidiotus destructor Aspidiotus herculeanus

Aspidiotus palmae Asterolecanium bambusae

Asterolecanium epidendri

Asterolecanium pustulans

Coccus viridis

Cyclocephala cubana

Cylas formicarius var. elegantulus

Euscepes postfasciatus

Faustinus cubae

Ferrisia virgata

Leucas pis cockerelli Pheidole megacephala

Pinnaspis buxi Platynota rostrana

Ribua innoxia

Targionia sacchari

Tetraleurodes acaciae

Countries of Origin and Insects—Continued

CUBA—Continued Trionymus sacchari Vinsonia stellifera CURACAO: Cylas for micarius var. elegentulus CZECHOSLOVAKIA: Taeniothrips atratus
DENMARK: Ma mestra brassicae Pieris brassicae Sitona lineata DOMINICA: Leucaspis cockerelli
Pheidole megacephala
DOMINICAN REPUBLIC:
Aspidiotus destructor Dialeurodes citrifolii Mimosetes sallaei
"Targionia" hartii
ECUADOR: Anastrepha serpentina Metamasius habetatus Metamasius sericeus Stenoma catenifer
EGYPT:
Ceratitis capitata
Pyrausta nubilalis
ENGLAND: Eriophyes canestrinii Gracilaria azaleella Heterogaster urticae Lasioptera rubi (?) Laspeyresia nigricana Lecanium coryli Leperisinus fraxini Lichtensia viburni Mamestra brassicae Sitona lineata Taeniothrips ericae
FIJI ISLANDS:
Perkinsiella vitiensis FORMOSA: Achatina fulica Chilo simplex Parlatoria cinerea Pyrausta nubilalis FRANCE: Brevipalpus australis Bruchus luteicornis Ceratitis capitata Clysia ambiguella (?) Evergestis forficalis Gortyna flavago Gortyna ochracea Gracilaria azaleella Mamestra brassicae Parlatoria zizyphus Pieris brassicae Rhagoletis cerasi Taeniothrips atratus GERMANY: Aspidiotus palmae Frankliniella intonsa Las peyresia strobilella Melolontha melolontha Philia febrilis Strophosoma capitatus Strophosoma melanogrammum Taeniothrips atratus Taeniothrips vulgatissimus Tetropium castaneum GOLD COAST: Amitermes unidentatus Argyroploce leucotreta Cordylomera spinicornis Cylas puncticollis Pheidole megacephala Xyloerthodes nitia ipennis Xyloperthella crinitarsis GREECE: Acanthoscelides spinipes Aonidiella citrina

Ceratitis capitata

Parlatoria oleae

Hemimene juliana

 ${\it Dacus}$ ole ${\it ae}$

GREECE—Continued Pectinophora gossypiella Sesamia cretica GUAM: Achatina fulica Lepidosaphes tokionis Monomorium destructor GUATEMALA: Anastrepha ludens Anastrepha mombin praeoptans Dyscinetus frater Iridomyr mex iniquus Metamasius sericeus Puto ulter Stenoma catenifer Talponia batesi Tenthecoris bicolor HAITI: Unaspis citri Vinsonia stellifera HAWAII: Adoretus sinicus Advietus stiticus
Bradybaena similaris
Ceratitis capitata
Ceroplastes rubens
Coccus acutissimus
Coccus viridis
Coccus viridis Cryptophlebia illepida Cryptorhynchus mangiferae Dacus cucurbitae Dacus dorsalis Ereunetis flavistriata Furcaspis biformis Lampides boeticus Lepidosaphes tokionis Maruca testulalis Opogona aurisquamosa Pealius hibisci Pectinophora gossypiella Phenacaspis sandwicensis Pinnaspis buxi Pseudococcus palmarum
Pseudococcus palmarum
Pulvinaria psidii
Taeniothrips hawaiiensis
Trionymus sacchari
HONDURAS: Anastrepha mombin praeoptans Nasutitermes corniger Stenoma catenifer HUNGARY: Pyrausta nubilalis INDIA: Caryedon fuscus Coccus capparidis Cryptorhynchus mangiferae Cylas formicarius Cylas formicarius var. Dinoderus brevis Frankliniella schultzei Haplothrips gowdeyi Heterobostrychus aequalis Lyctus spinifrons Microcephalothrips abdominalis Minthea rugicollis Parlatoria morrisoni Pectinophora gossypiella Sinoxylon anale Sinoxylon conigerum Sinoxylon crassum INDONESIA: Cylas formicarius Leucinodes orbonalis Parlatoria pseudaspidiotus IRELAND: Evergestis forficalis Frankliniella intonsa Gelechia ericetella Mamestra brassicae Micrelus erica Pieris brassicae (?) Taeniothrips atratus Taeniothrips ericae ISRAEL: Ceratitis capitata

Parlatoria oleae

Prodenia litura

Countries of Origin and Insects—Continued

JAVA:
Aulacaspis tegalcasis
JERUSALEM:

ITALY: Anuraphis tulipae
Brachycerus albidentatus
Brachycerus algirus
Bruchus lentis
Bruchus luteicornis Bruchus signaticornis Bruchus tristis Cacoecia pronubana Ceratitis capitata Ceroplastes rusci Coccus viridis Cryptoblabes gnidiella
Curculio elephas
Dacus oleae
Diaphania unionalis (?) Dyspessa ulula Glycyphagus do mesticus Hemimene juliana Hypoborus ficus Iridomyrmex humilis Lampetia equestris
Laspeyresia nigricana
Laspeyresia splendana
Lepidosaphes ficus
Mamestra brassicae
Parletoria elege Parlatoria orassicue
Parlatoria oleae
Parlatoria zizy phus
Phloeotribus scarabaeoides
Polychrosis botrana
Prays oleellus
Psylliodes chrysocephala Pyrausta nubilalis Rhagoletis cerasi Sesamia cretica Trialeurodes lauri
JAMAICA: Aganactesis indecora
Aleurocanthus woglumi
Anastrepha mombinpraeoptans
Asterolccanium epidendri
Asterolccanium pustulans Asterolecumum pastutuns
Coccus viridis
Cylas formicarius var. elegantulus
Haplothrips gowdeyi
Leucaspis cockerelli
Leucaspis indica
Monomorium destructor Palaeopus costicollis Pectinophora gossypiella Vinsonia stellifera JAPAN: Aspidiotus corticis-pini Aspidiotus cryptoxanthus Aspidiotus degeneratus Aspidiotus destructor Callidium rufipenne Ceroplastes rubens Chilo simplex Dialeurodes citri Eulachnus piniformosanus (?) Eulachnus piniformosanus
Fiorinia japonica
Frankliniella formosae
Laspeyresia splendana
Lepidosaphes conchiformis
Lepidosaphes pallida
Malacosoma neustria (?)
Maruca testulalis
Orucetonia jucunda Oxycetonia jucunda Parlatoria camelliae Parlatoria chinensis Parlatoria pyri Pentamerisimus oregonensis Phenacaspis fujicola Pinnaspis uniloba "Poliaspis" pini Protaetia orientalis Pseudococcus pini Pyrausta nubilalis Scepticus insularis Scotinophara lurida Spondylis buprestoides Stephanitis pyrioides

Taeniothrips hawaiiensis Unaspis yanonensis

Anuraphis tulipae
KOREA:
Grapholitha molesta
LEBANON:
Bruchus dentipes
Ceratitis capitata Dacus oleae Deroceras reticulatum Lepidosaphes ficus LIBERIA: Rostrychoplites cornutus
Minthea obsita
Xyloperthella crinitarsis
LIBYA:
Dacus oleae
MADEIRA ISLANDS: Ceratitis capitata Irido myr vex hu milis MARSHALL ISLANDS: Aonidiella inornata MEXICO: Acaly mma trivittata Acanthoscelides griseolus Acanthosceriues griseorus
Aeolus vermiculatus
Agallia lingula
Aleurocanthus woglumi
Aleuroglandulus emmae
Aleurothrixus floccosus
Amorbia emigratella Amorbia emigratella
Anastrepha ludens
Anastrepha mombinpraeoptans
Anastrepha serpentina
Anastrepha striata
Arvelius albopunctatus
Aspidiotus destructor
Aspidiotus pal mae
Asterolecanium agavis
Asterolecanium bambusae
Asterolecanium pustulans
Aufeius impressicollis Aufeius impressicollis Bemisia tabaci Capaneus tetricus Chrysomphalus albopictus Chrysomphalus personatus Chrysomphalus umboniferus Congratus among Coccotrypes dactyliperda Conotrachelus aguacatae Conotrachelus perseae Cosmopolites sordidus Crophius scabrosus Cruphyla anisatus Cryphula apicatus
Cryphula apicatus
Cylas for ricarius var. elegantulus
Cyrtopeltis varians
Dactylopius coccus
Delopha apicatus Del phacodes dissipata Diabrotica lepida Diorymerellus laevimargo Dysdercus mimulus Dysdercus obliquus Epilachna varivestis Epinotia opposita Eustrophinus marginatus Evergestis rimosalis Exptochiomera albomaculata
Exptochiomera formosa
Ferrisia virgata
Frankliniella fortissima
Calaumha terana Galgupha texana Gerstaeckeria mutillaria Gnorimoschema gudmannella Gnorimoschema lavernella Heilipus caecus Hymenia perspectalis 180rninus aepressus Isorhinus undatus Lardoglyphus zacher**i** Lema quinquenotata Lepidosaphes philococcus Ligyrocoris abdominalis Ligyrocoris aurivilliana Ligyrocoris nitidicollis

Countries of Origin and Insects-Continued

MEXICO—Continued PALMYRA ISLAND: Lineodes integra Loxostege similalis Microvelia oaxacana Ferrisia virgata PANAMA: $A leuro can thus\ woglumi$ Monanthia monotropidia Mormidea cubrosa Anastrepha mombinpraeoptans Aspidiotus destructor Aspidiotus palmae Asterolecanium epidendri Chrysomphalus umboniferus Myodocha longicollis Neoleucinodes elegantalis Pachygrontha oedancalodes Pachyzancla bipunctalis Coccus viridis Pachyzancia orpuncians
Paraleyrodes goyabae (?)
Parlatoria cinerea
Pectinophora gossypiella
Pityophthorus sambuci
Plagiodera thymaloides Furcaspis biformis Lepidosaphes tokionis Leucaspis cockerelli Metamasius sericeus
Protopulvinaria longivalvata
Protopulvinaria pyrifor mis
Pseudischnaspis alienus
Pseudischnaspis longissima Platynota rostrana Prostephanus truncatus Pseudischnaspis alienus Pseudodiaspis yuccae Pseudodias pis yuccae
Rhagoletis completa
Rhagoletis juglandis
Rhagoletis pomonella
Rhagoletis striatella
Scyphophorus acupunctatus
Sisamnes contractus
Sixeonotus luteiceps
Stenoma catenifer
Talponia batesi
"Targionia" bromiliae
"Targionia" cueroensis
"Targionia" hartii
Teleonemia cylindricornis
Tenthecoris angusti marginate Pyrausta nubilalis Stenoma catenifer Vinsonia stellifera PERU: Conchaspis angraeci Laspeyresia leguminis Pagiocerus fiorii Stenome catenifer
PHILIPPINES:
Achatina fulica
Aleurotuberculatus jasmini Antonina graminis Aonidiella citrina Aonidiella inornata Brachy platys deplanatus Chrysom phalus tingi Dialeurodes kirkaldyi Dinoderus brevis Tenthecoris angustimarginatus Tenthecoris bicolor Tenthecoris confusus Tetraleurodes acaciae Dinoderus brevis
Ferrisia virgata
Lepidosaphes tuberculata
Odonaspis saccharicaulis
Parlatoria pseudaspidiotus
Parlatoria zizyphus
Pinnaspis scrobicularum
Pseudaonidia curculiginis
Pseudococcus lilacinus
Sinorylon anale Texananus spatulatus Toxotrypana curvicauda Trialeurodes abutilonea (?) Trialeurodes varia Trichobaris championi Trionymus sacchari Unaspis citri Valtissius diversus Xestolabus laesicollis MONTSERRAT: Sinoxylon anale "Targionia" hartii Vinsonia stellifera MOROCCO: Ceratitis capitata Sesamia cretica Unaspis yanonensis Xylotrupes gideon
PORTUGAL:
Ceratitis capitata Sesamia nonagrioides NETHERLANDS: Curculio elephas Irido myr mex hu nilis Laspeyresia splendana Adoxophyes orana Allantus cinctus Anuraphis tulipae Bruchus luteicornis Parlatoria oleae Rhagoletis cerasi Sitona lineata Deroceras reticulatum Eriophyes canestrinii PUERTO RICO:
Anastrepha mombinpraeoptans Gracilaria azaleella
Gymnaetron beccabungae var. nigrum
La petia equestris Anastrepha suspensa Ancylostomia stercorea Coccus viridis Lecanium coryli Cylas for micarius var. elegantulus "Targionia" sacchari Vinsonia stellifera Phytoptus avellanae Sitona lineata NETHERLANDS GUIANA: SAIPAN: Euscepes postfasciatus Eurcaspis biformis "Targionia" sacchari SALVADOR: Maruca testulalis Anastrepha mombin praeoptans Aulacas pis tubercularis NEW ZEALAND: Ceroplastes sinensis Leucaspis cockerelli Pseudischnaspis alienu Stenoma anonella Deroceras reticulatum Lampetia equestris NICARAGUA: SCOTLAND: $A nastrepha \ mombin praeoptans$ Aphis callunae Gelechia ericetella Anastrepha serpentina $Aspidiotus\ pal\,mae$ Hypolithus riparius Leucaspis cockerelli Orthotylus ericetorum Taeniothrips atratus Ps $eudischnaspis\ longissima$ Stenoma catenifer Taeniothrips ericae NORWAY: SIERRA LEONE: Argyresthia conjugella Alcidodes dentines PAKISTAN: Cylas puncticollis SOUTH PACIFIC: Oxycarenus lactus PALESTINE: Achatina fulica Aonidiella inornata Dacus oleae

Countries of Origin and Insects—Continued

SPAIN: Acalypta parvula
Brachycerus algirus
Ceratitis capitata
Gnorimoschema ocellatella
Parlatoria zizyphus
STRAITS SETTLEMENTS: Icerya aegyptiaca
SWEDEN:
Argyresthia conjugella

Frankliniella intonsa
Phytomyza rufipes
Pityogenes chalcographus

Rhagoletis pomonella (?)
Taeniothrips atratus
SWITZERLAND: Rhagoletis cerasi Sirex noctilio Tephritis arnicae

SYRIA: Earias insulana f. semifascia Lepidosaphes ficus

TAHITI: Ferrisia virgata
THAILAND:

Aonidiella comperei (?) Cylas formicarius var.
Parlatoria pseudaspidiotus
TRIESTE:

Pyrausta nubilalis TRINIDAD:

Anastrepha mombin praeoptans Asterolecanium epidendri Leucaspis cockerelli Microcephalothrips abdominalis Parline phora generaliella Pectinophora gossypiella Platynota rostrana Protopulvinaria longivalvata Pseudaonidia trilobitiformis
"Targionia" hartii
Toxotrypana curvicauda
Vinsoni stellifera
TRIPOLI:

Ceratitis capitata

TURKEY: Chaetoptelius vestitus
Dacus oleae
UNION OF SOUTH AFRICA:

Argyroploce leucotreta
Aspidiotus destructor
Asterolecanium stentae
"Chionaspis" leucadendri
Chrysomphalus rossi
Frankliniella schultzei
Hanlethrine angenambayla Haplothrips wouramboulchii Iridomyrmex humilis Phlyctinus callosus

Phlyctinus callosus
Pseudococcus trichiliae
Pseudothrips glaucus (?)
UNKNOWN:
Carpocoris pudicus
Ceratitis capitata
Chelymorpha alternans (?)
Frankliniella intonsa
Rhagoletis cerasi
Rhagoletis pomonella
Taeniothrips atratus
Taeniothrips vulgatissimus
URUGUAY:
Parlatoria cinerea

Parlatoria cinerea VENEZUELA: Mimosestes dominicanus

Eurytoma orchidearum Euscepes postfasciatus Furcaspis biformis Gymnandrosoma aurantianum (?) Vinsonia stellifera

VIRGIN ISLANDS:
Anastrepha mombinpraeoptans

WAKE ISLAND: Prodenia litura YAP ISLAND: Monomorium destructor

YUGOSLAVIA: Bruchus tristis Cacoecia pronubana Cryptoblabes gnidiella Laspeyresia splendana Pests (diseases) collected and reported from July 1; 1951, through June 30, 1952

					•
		ir	mbe itero ions i	ep-	
Disease and host	Country of origin	-		1	Collected
Disease and nost	Country of origin	Consump- tion	Nonentry	ga	in—
		ion Ion	ne Tue	opag tion	
		ti	ŭ	rol	
		Ö	Z	Pı	
Albugo portulacae (DC.) O. Kuntze:					
Portulaca oleracea (purslane)	Mexico	1			Tex.
Albugo tragopogonis F. Gray:	Constant		4		Maga
Cynara scolymus (globe artichoke) Alternaria citri Ell. & Pierce:			1		Mass.
Citrus limon (lemon)	Australia		2		Calif.*
Citrus reticulata (Mandarin orange)	Japan				Calif.*
Citrus sinensis (orange)	France, Spain, Mexico	6			Tex.
Urginea sp	Ethiopia			1	D. C.
Aschersonia basicustis Berk. & Curt.:		1			
Cna maeaorea Sp.	Mexico	1			Tex.
Palm	do	1			Tex.
Zenobia pulverulenta (dusty zenobia)	Netherlands			1	N. J.
Ascochuta sorahina Sacc.:				1 [
Sorghum halepense (Johnson grass) Asperisporium caricae (Speg.) Maub.:	Mexico	1			Tex.
Carica nangua (nanaya)	Cuba		1		Pa.
Botryosphaeria agaves (P. Henn.) Butl.:		1			
Agave sp. Botryosphaeria berengeriana DeN. f. araucariae	Mexico			1	Ariz.
Sacc.: Den. 1. araucariae					
Araucaria araucana (monkeypuzzle)	France, Netherlands			3	N.J.
Botryosphaeria ribis Gross. & Dugg.: Araucaria cunninghami					G 110 4
Araucaria cunninghami	Australia			1 1	Calif.* Calif.*
Malus sulvestris var	China			1	Calif.*
Malus sylvestris var Persea americana (avocado)	Hawaii, Mexico	2	1		Calif.*, Tex.
Botrytis elliptica (Berk.) Cke.: Lilium speciosum rubrum (pink speciosum lily) Botrytis eladiologum Timmormons:	Tana				C-116 #
Botrytis gladiolorum Timmermans:	Japan			2	Calii.*
Gladiolus sp	Canada, Japan, Nether-			11	Calif.*, N.Y.
	lands.				
Catacauma palmicola F. L. Stevens: Thrinax parviflora (Jamaica thatch palm)	Canal Zone			1	Wash.
Ceratosto mella ips Rumbold (?):		1		1	
Pinus sp. (pine)					N.J.
Cercospora anethi Sacc.: Anethum graveolens (dill)	Denmark		1		Md.
Cercospora anthelmintica Atk.:					
Chenopodium ambrosioides (wormseed goosefoot).	Mexico		1		Tex.
Cercospora arachidicola Hori: Arachis sp	do	1			Tex.
Cercospora aricola Sace:		l i		i i	
Philodendron sp.	do			1	Tex.
Cercospora beticola Sacc.: Beta vulgaris cicla (Swiss chard)	Italy		1		Pa.
Cercospora coffeicola Berk. & Cke.:	AVOIT		•		
Cercospora coffeicola Berk. & Cke.: Coffea sp. (coffee)	Brazil, Mexico	1		1	N. Y., Tex.
Cercospora cordiae Chupp: Cordia sp Cercospora crypto meriae Shirai: Cryptomeria ignomica (cryptomeria)	Mexico	1			Tex.
Cercospora crypto meriae Shirai:					
Cryptomeria japonica (cryptomeria)	Japan			1	Hawaii.
Cercospora handelii Bub.: Rhododendron catawbiense					
Rhododendron impeditum	do			1	N.J.
Rhododendron Sp	do			1	N. J.
Cercospora lythracearum Heald & Wolf: Punica granatum (pomegranate)	Puerto Rico	1			N. Y.
('erenemora mainaa 'imm .					
Musa paradisiaca (plantain) Musa paradisiaca sapientum (banana)	British Guiana		1		Tex.
Cercospora pineris Pat:		1			
Piper sp.	Mexico		1		Tex.
Cercospora protearum Cke.: Leucadendron argenteum (silver leucadendron)		I			
Cercospora purpurea Cke.					
Persea americana (avocado)	Mexico	8			Tex.
Cercosporella mori Pk.: Morus sp. (mulberry)					
arabi de op. (indibotty)	100-100-100-100-100-100-100-100-100-100	1			I CA.

[All asterisk indicates state inspection]								
		in	mbe terce ons ir	ep-				
Disease and host	Country of origin	Consump- tion	Nonentry	Propaga-	Collected in—			
Cerebella andropogonis Ces.:								
Bothriochloa insculpta				1 1	D. C. D. C.			
Paspalum dilatatum	Australia			1	Hawaii			
Leucothoe catesbaei	Netherlands			2	N. J.			
Rhododendron sp "Chrysanthemum virus Q":	do		 -	1	N. J.			
Chrysanthemum sp. Chrysomyxa rhododendri (DC.) D. By.:	Denmark			1	N. J.			
Rhododendron azaleodendron (azaleodendron) Rhododendron ferrugineum (rock rhododendron) Rhododendron hirsutum	England. Hungary, Switzerland England, Germany Switzerland	3 1		1 3 1	N. J. Mass., N. Y. N. J., N. Y.			
Rhododendron sp	Switzerland	3		1	N. J.			
Pas palum dilatatum (Dallas grass)	Argentina			2	D. C.			
Festuca elatior var Coleosporium senecionis (Pers.) Fr.:	Israel			1	D. C.			
Senecio cineraria (silver cineraria)	Argentina			1	N. Y.			
Agave vestita	Mexico Italy, Mexico	<u>ī</u> -		1 3	Calif. Ariz., N. J., Tex.			
Colletotrichum graminicolum (Ces.) G. W. Wils.: Indocalamus sp. (bamboo)	China		-~~-	1	D. C.			
Colletotrichum heucherae Ell. & Gall.: Heuchera titania	England			1	N. J.			
Colletotrichum liliacearum (Schw.) Ferr.: Iris germanica (German iris)	Australia, New Zealand			6	Calif.*			
Iris sp					Calif.*, Oreg., Wash.			
Lilium giganteum (giant lily) Lilium hansoni (hanson lily)	do			4	Calif.* Calif.*			
Lilium henryi (henry lily)				1	Calif.*			
LAUTH TODONICHM (JADANESE HIV)	100			Z 1	Calif.* Calif.*			
Lilium longiflorum (Easter lily) Lilium rubellum (rubellum lily) Lilium speciosum rubrum (pink speciosum lily)	do			1 17	Calif.* Calif.*,			
		_	1		Wash.			
Lilium tigrinum (tiger lily) Lilium sp	India, Japan, New Zea- land.			9	Calif.* Calif.*, Pa., Wash.			
Colletotrichum lini (Westerdijk) Toch.: Linum sp. (flax) Colletotrichum philodendri P. Henn.:	Portugal	1			Mass.			
Philodendron Sp	Mexico			1	Tex.			
Colletotrichum violae-tricoloris R. E. Sm.: Viola sp	England			- 1	N. J.			
Coniothecium citri McAlp.: Citrus aurantifolia (sweet lime)	Mexico		_	_	Tex.			
Coninthurium concentricum (Dosm) Saco:	do			1	Calif.*			
Coniothyrium cytisellum (Pass. & Thum.) Sacc.: Laburnocytisus adami Laburnum watereri	Netherlands			1	N. J. N. J.			
Coniothyrium hellebori Cke. & Mass.: Helleborus niger (Christmas-rose)				1	N. J.			
Laburnum sp	Denmark				N. J.			
Coniothyrium olivaceum Bon.: Wisteria sp					Calif.*			
Corvneym carpophilum (Lev.) Jauch:				1	Tex.			
Prunus persica (peach) Coryneum microstictum Berk. & Br.: Rosa sp.			- 1	1				

[All asterisk indicates state inspection]								
		ir	mbe itero	ep-				
Disease and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—			
Cronartium ribicola Alex. Fisch.:								
Ribes sp. (black current)	Canada			1	N. Y.			
Cryptodiaporthe salicella (Fr.) Wehm.: Salix sp. (willow) Cryptospora longispora Servazzi:	France, Netherlands	1	1		N. Y.			
Araucaria excelsa (Norfolk-Island pine)	Australia, Norfolk Island.			3	Calif.*, N.Y.			
Cucurbitaria fraxini Ell. & Ev.: Fraxinus sp. (ash)	Mexico	1			Tex.			
Cumminsiella sanguinea (Peck.) Arth.:	Canada			1	Wash.			
Mahonia sp. Curvularia lunata (Wakk.) Boed.: Ananas comosus (pineapple)				1				
Oryza satura (rice)	Mexico India	1		1	Те х. D. С.			
Cylindrocarpon mali (Allesch.) Wr.: Laburnum watereri	Netherlands			1	N. J.			
Laburnum watereri Cymadothea trifolii (Fr.) Wolf:	Portugal			1	D. C.			
Trifolium sp]]						
Phragmites sp	Denmark			1	N. J.			
Ficus carica var	Italy Netherlands			$\begin{vmatrix} 3 \\ 1 \end{vmatrix}$	Calif.* N. J.			
Magnolia sp	Japan			1	Wash.			
Wisteria floribunda macrobotrys	do			1	Calif.*			
Diplodia coccocarpa Sacc.: Cocos nucifera (coconut) Diplodia paraphysaria Sacc.:	Guam, Hawaii, Tahiti	9	1		Calif.*			
Aerides fieldingi (orchid)	Thailand				Hawaii			
Laelia sp. (orchid) Orchid	Mexico Brazil, Mexico, Trinidad.	1		$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	Tex. P. R., Tex.			
Diplodia theobromae (Pat.) Nowell:	Cape Verde Islands			1	N. J.			
Manihot sp	England				Wash.			
Phododendron sp	England			1 1				
Leucothoe sn	Natherlands			$\begin{vmatrix} 2 \end{vmatrix}$	N. J.			
Discosia artocreas Fr.: Daphne sp Echidnodes cocoes Syd.:				1	N. Y.			
Cocos nucifera (coconut)	Palmyra Island		1		Hawaii			
Elsinoe australis Bitanc. & Jenkins: Citrus aurantifolia (sour lime)	Brazil		7		La., N. Y.,			
			1		Pa., Tex.			
Citrus aurantium (sour orange)	Argentina, Brazil		57		La., Md., Mass., N. Y., Pa.,			
Citrus reticulata (Mandarin orange)	Argentina		2		T _{ex.} N. Y.			
Citrus sinensis (orange)	Argentina		67		Ala., Calif.*, Fla., La., Md., Mass.,			
Chitmun on (owones)	Angentin				N. Y., Pa.,			
Citrus sp. (orange)	Argentina	ì		1	1			
Phaseolus lunatus macrocarpus (lima bean) Endoconidiophora adiposa (Butl.) Davidson:	Cuba	1		1 1	N. Y.			
Eleocharis dulcis (waternut) Entyloma oryzae Syd. & P. Syd.: Oryza sating (rice)	China	1			Calif.*			
_ 0.924 84554 (1100)	Japan		4	1	Hawaii			
Triticum aestivum (wheat)	Netherlands			1	D. C.			
Fusarium oxysporum Schlecht.: Crocus zonatus			1	1	N. Y.			

		in	mbe terce	ep-	
Disease and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Fusarium oxysporum Schlecht, f. gladioli (Massey)					
Snyd. & Hansen: Gladiolus sp Fusarium oxysporum Schlecht. f. narcissi (Cke. &	Canada, England, Ger- many, Netherlands.			5	Ga., Mich., N. Y., Tex.
Mass.) Snyd. & Hansen: Narcissus sp	Norway				N. Y.
Narcissus sp	Denmark	1			N. J.
Phragmites sp	Algeria		1		
Foeniculum vulgare (fennel)					Pa.
Fusicladium puracanthae (Otth) Rostr ·		1		1 1	N. Y.
Pyracantha coccinea (scarlet firethorn)	Netherlands			1	N. J.
Solanum tuberosum (potato)		1 16	3		Calif.*, Tex. Calif.*
Gloeocercospora sorghi Bain & Edg.: Sorghum halepense (Johnson grass)	Mexico	1			Tex.
Gloeosporium araucariae Karst. & Hariot: Araucaria araucana (monkeypuzzle)	England (?)			1	Wash.
Gloeosporium leguminum (Ckc.) Sacc.: Prosopis sp. (mesquite)					Tex.
Gloeosporium piperatum Ell. & Ev.: Capsicum frutescens (pepper)	Quatamala			1	D. C.
Gloeosporium rhododendri Briosi & Cav.:		1			
Phododendron praecox (winter rhedodendron) Graphiola borassi Syd. & Butl.: Borassus flabellifer (palmyra palm)		1			N. J.
Gumnosporangium haraeanum Svd.:		1			
Juniperus chinensis (Chincse juniper) Juniperus sp	do			î	Hawaii
Sorbus aucuparia (European mountain-ash)				1	N. Y.
Rosa sp	Spain		1		N. J.
Oryza sativa (rice)	Cuba, Hawaii, India, Japan.	3	13	2	Calif., D. C.
Hendersonia importata Allesch: Vanda caerulea (orchid) Hendersonia sarmentorum West.:	Thailand			1	Hawaii
Berberis lomariifolia	England			1	Wash.
Heterodera avenae Eidam: Soil with bagging	England, Netherlands,	11			N. Y., Pa.,
Soil with potatoes	Scotland. Spain	4			Va. N. Y., P. R.
Heterodera cacli Filip. & Schuurmans Stekhoven: Soil with cactus plants	France, Switzerland	Į.	İ	4	
Soil with Lobivia spSoil with Mammillaria robustispina	Germany			1	Calif.*
Soil with Mammillaria spp	do			3	Calif.*
Soil with various succulents Heterodera punctata Thorne:				1 1	N. Y.
Soil with Amaryllidaceac bulbs	IrelandEurope, Germany, un- known.	1 3			Calif.* N. Y.
Soil with bagging	Belgium, Denmark,				T/a
Soil used as ballast Soil with carrots Soil with chrysanthemum plants Soil with compost for orchids	Scotland.	2			Pa.
Soil with carrots	Netherlands England	1		2	N. Y. Mass., Wash
Soil with compost for orchids.	do			1	N. J.
Soil with Cymbidium sp Soil with Cypripedium sp Soil with Dianthus sp., peony, and delphinium	QO	V	1	1 0 1	11000
Soil with Dianthus sp., peony, and delphinium	do	1		1	N. Y

[All asterisk indicates state hispection]								
	ı	int	mber terce	p-				
Disease and host	Country of origin	Consump- tion	Nonentry	Propaga-	Collected in—			
Heterodera punctata—Continued								
Soil with Fragaria sp	Scotland England, Sweden England France		1	1 1 1	N. J. N. Y., Pa. N. Y. N. Y.			
Soil with Luninus sp. plants	England			1	N.Y.			
Soil with picka-back plants	Germany Sweden		1	1	N. Y. N. J.			
Soil with potatoes	England, Ireland, Nor-	1	4		N. Y., Pa., Va.			
Soil with <i>Primula</i> sp. plants. Soil with <i>Ranunculus</i> sp. and <i>Primula</i> sp. plants.	England			1	N. J. N. J.			
Soil with Sedum sp. plants	ldo				N. Y.			
Soil with Sedum sp. and Primula sp. plants	ldo		I	1 1	N. Y.			
Soil with woody cuttings	do			1	N. J.			
Soil	Ireland			1				
Soil with Asparagus sprengeri plants	Germany			1				
Soil with potted azalea plantSoil with bagging		57						
	England, Germany, Netherlands, Seot-				Pa., Va.			
Soil used as ballast	land. Scotland	2			N. Y., Pa.			
Soil with <i>Begonia</i> sp. plants	Germany			1 1	N. Y.			
Soil with Calluna sp. plantsSoil with carnation plants	Scotland Fingland			1 1	N. J. N. Y.			
Soil with cedar plants	Ireland			$\frac{1}{1}$	Mass.			
Soil with celery roots	England		1		Va.			
Soil with Coleus sp. plants	Scotland Fngland			$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	N. Y. N. J.			
Soil with dahlia rootsSoil with forget-me-not plants	do		1		37 77			
Soil with Fragaria sp. roots	Sweden			1				
Soil with heather plantsSoil with heather and Calluna sp. plants	Scotland	-		3				
Soil with Juniperus sp. and Helxine sp. plants	England			1	N. J.			
Soil with lily-of-the-valley plants	Germany			2				
Soil with <i>Pelargonium</i> sp Soil with unidentified plants	England Denmark, France	1		2	N. Y. Mass., N. Y			
Soil with potatoes	Belgium Canary Is-	5	11		Calif.,*			
	lands, England, Ire- land, Peru, Seotland,				N. Ý., Pa., P. R., Va.,			
	Spain.			1	Wash.			
Soil with <i>Ribes</i> sp. plants	England			1	N.J.			
Soil with rutabaga roots Soil with Scabiosa sp	England			1	Pa. N. J.			
Soil with succulent plants	do	l		1	N. Y.			
Soil with thistle plantsSoil with tulips	Scotland Germany			1	N. Y. Pa.			
Soil with woody cuttings	England			1	N.J.			
Heterodera schachtii Schmidt: Soil with carnation plants	Commonw				711			
Heterodera trifolii (Goffart) Oostenbrink:		l .	1		Ill.			
Soil with potatoes	New Zealand		1		Pa.			
Heterosporium iridis (Fautr. & Roum.) Jaeques: Iris germanica (German iris) Heterosporium ornithogali Klotzsch:	do			1	Calif.*			
Ornithogalum thyrsoides (ehinkeriehee)	Union of South Africa	9			D. C., Mass., N. J., Pa.,			
Leprosis:					Wash.			
Citrus reticulata (Mandarin orange) Citrus sinensis (orange)	Mexico Egypt, Haiti, Mexico, Panama, unknown.		5		ALCETTO T CEO			
Lantonnha mia situisala Toma					Tex.			
Leptosphaeria citricola Penz.: Citrus reticulata (Mandarin orange)	Japan	1	l		Alaska.			

f		ir	mbe itera ions i	eep-	
Disease and host	Country of origin	Consump- tion		Propaga- tion	Collected in—
T () () () () ()					
Leptosphaeria heterospora (De N.) Saee.: Iris atrofusca	Palestine Netherlands Netherlands, Turkey Australia, Canada, Eng-			$\begin{bmatrix} 1\\2\\9 \end{bmatrix}$	Calif.* Calif.* Calif.* Calif.*
Iris korolkowi (redvein iris) Iris nazarena Iris nigricans	Palestine Hashemite Kingdom of			1 1	Calif.* Calif.* Calif.*
Iris stolonifera (runner iris) Iris stolonifera leichtlini Iris susiana (mourning iris)	France, Netherlands			$\begin{vmatrix} 1\\2 \end{vmatrix}$	Calif.* Calif.* Calif.*
Iris sp	Canada, England, Netherlands, Pales- tine.			8	Calif.*, N. J.
Ferocactus crassiha matus (eaetus) Ferocactus sp Leptosphaeria rusci (Wallr.) Saee.: Ruscus sp	do			1 1	Tex. Tex.
Ruscus sp	Italy	3			Pa.
Gentiana acaulis	England			1	N. J. Tex.
Lophodermium juniperinum (Fr.) De N.:					
Juniperus sp. Lophoder mium pinastri (Fr.) Chev.: Pinus sp. (3-leaved pine) Pinus sp.	JapanCanada				
Macrophoma anthurii Trineh.: Anthurium sp Spathyphyllum sp	Bermuda			1	N. J. N. J.
Macrophoma cocos Pass.: Cocos nucifera (eoconut)	 Hawaii	2			Calif.*
Macrophoma musae (Cke.) Berl. & Vogl.: Musa paradisiaca sapientum (banana)					Calif.*
Macrophoma oncidii P. Henn.: Oncidium cavendishianum (orchid) Macrophomina phaseolina (Tassi) Goid.:					Calif.*
Ipomoea batatas (sweetpotato)	tne Jordan.				Calif.* Calif.*
Ixia viridiflora (green ixia)	do			1	Calif.* Calif.*
Melanospora zamiae Cda.: Colocasia esculenta (dasheen) Zingiber officinale (ginger) Meliola citricola Syd:	China, Japan Formosa, Hawaii, Japan, Philippines.	15			Calif.* Calif.*
Citrus reticulata (Mandarin orange) Citrus sinensis (orange)	China	7 18	1		Calif.* Calif.*, Ha- w a i i , Minn.
Meloidogyne arenaria (Neal) Chitwood: Bletilla sp. (orehid)	Mexico India			1	Wash. Tex. N. J. Pa.
Meloidogyne exigua Goeldi: Dahlia sp					Calif.*
Meloidogyne hapla Chitwood: Chrysanthemum sp Clematis sp Delphinium sp	do			$\begin{vmatrix} 2\\1 \end{vmatrix}$	N. J. Wash. N. J.
Hepatica angulosa (Hungarian hepatica) Soil with unknown plant	do			1	Wash.

[An asterisk indicates state inspection;								
i				r of				
Disease and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—			
Meloidogyne incognita (Kofoid & White) Chitwood:								
Asparagua myriocladus	Japan			1	Hawaii			
Dahlia sp	India Nicaragua			1 1	Calif.* D. C.			
Musa paradisiaca sapientum (banana) Meloidogyne incognita (Kofoid & White) Chitwood (?):	Mexico			1	Tex.			
Beta vulgaris (beet)	French West Africa		1		Pa.			
Daucus carota (carrot) Mammillaria phymatothele (cactus)	French West Africa Argentina Mexico		1		Pa. N. J.			
Meloidogyne incognita (Kofoid & White) Chitwood var. acrita Chitwood:								
Agapanthus sp Pastinaca sativa (parsnip)	JapanUnion of South Africa			1	Wash. Tex.			
Meloidogyne incognita (Kofoid & White) Chitwood var. acrita Chitwood (close to; possibly n, sp.):								
Hedychium spPogostemon sp	Canal ZonePhilippines			$\begin{vmatrix} 1 \\ 1 \end{vmatrix}$	Tex. D. C.			
Meloidogyne javanica (Treub.) Chitwood: Bletilla sp. (orchid)		ļ		1	Wash.			
Dahlia Sp	Japan Australia			1	Calif.*			
Memnoniella echinata (Rivolta) L. O. Gall.: Cymbidium lowianum (orchid)	India				Calif.*			
Philodendron sp	Mexico			1	Calif.*			
Solanum tuberosum (potato)	Japan China, Formosa, Japan_	20	1		Calif.* Calif.*			
Microdiplodia agaves (Niessl) Petr.: Agave stricta (hedgehog agave)	Onma, Formosa, Japan.							
Agave stricta (hedgehog agave)		1	1		Calif.*			
Miltonia endresii (orchid) Monilinia fructicola (Wint.) Honey:	Costa Rica			1	Tex.			
Prunus do mestica (plum)	Mexico	1			Tex.			
Monilinia fructigena (Aderh. & Ruhl.) Honey: Malus sylvestris (apple)	England, Sweden	1	1		N. Y., Pa.			
Prunus domestica (plum)	France England	1			N. Y.			
Prunus sp. (sweet cherry) Mycosphaerella citrullina (C. O. Sm.) Gross.:				_	Pa.			
Sechium edule (chayote)	Italy			1	N. J.			
Mycosphaerella fragariae (Tul.) Lindau: Fragaria sp. (strawberry)	France			1	D. C.			
Mycosphaerella opuntiae (Ell. & Ev.) Dearn.: Coryphantha longicornis (caetus)	Mexico	1			Tex.			
Mucosphaerella schoenoprasi (Auers.) Schroet.:								
Allium cepa (onion) Allium fistulosum (Welsh onion)	Japando	1	5		Hawaii. Pa.			
Mycosphaerella washingtoniae Rehm: Phoenix humilis loureiri (roebelen date)	ob			1	Calif.*			
Myriangium duriaei Mont. & Berk.: Citrus sinensis (orange)		1	i					
Murothecium roridum Fr.:					Calif.*			
Lycopersicon esculentum (tomato)	Mexico (?)	1			Tex.			
Cymbidium grandiflorum (orchid)	India			1	Calif.*			
Nigrospora oryzae (Berk. & Br.) Petch: Cymbopogon nardus (citronella grass)	Indonesia			1	Calif.*			
Nigrosporg sphaerica (Sace) Mason:		i	1		Calif.*			
Cymbopogon citratus (lemon grass) Oryza sativa (rice)	China, Japan	8	3		Calif.*			
Oryza sativa (rice)	Mexico	4			Tex.			
Ceanothus sp				1	N. J.			
Oospora pustulans Owen & Wakef.:		1			N. Y.			
Ophiostoma narcissi Limber: Narcissus sp	Ireland				N. J.			
Panagrolaimus rigidus (A. Schneider) Thorne (?):			1	1				
Dieffenbachia sp	Mexico			. 1	Tex.			

		ir	imber of ntercep- ions in—		
Disease and host	Country of origin		Nonentry	Propaga- tion	Collected in—
Papulaspora coprophila (Zukal) Hotson:					
Gladiolus sp Papulaspora dodgei Conners:	Japan			1	Calif.*
Gladiolus sp	Germany			1	Mich.
Papulaspora parasitica (Eidam) Harz:	Australia			1	Calif.*
Dahlia sp	Netherlands				
Paeonia sp. (peony) Peronospora effusa (Grev.) Rab.:				1	N. J.
Spinacia oleracea (spinach) Peronospora trifoliorum D. By.:	Mexico				Ariz.
Medicago sp.	Ethiopia			1	D.C.
Medicago Sp	Brazil			1	N. J.
Pestalotia conspicua Servazzi: Laelia anceps (orchid)	Mexico				Tex.
Orchid	Mexico Costa Rica, Mexico			3	Tex.
Pestalotia cycadis Allesch.: Macrozamia spiralis (spiral macrozamia)	Australia			1	Calif.*
Pestalotia funerea Desm.: Cryptomeria japonica (cryptomeria)	Japan			2	Calif.*,
Pinus parviflora (Japanese white pine)		1			Hawaii. Calif.*
Dest-leti- ausmini Dogm		1		1	
Camellia sasanqua	do			1 1	Calif.* Calif.*
Camellia sp	Japan, Korea, New Zea- land.			4	Calif.*, D. C.
Pestalotia lespedezae Syd.:					G 314 +
Les pedeza stipulacea (Korean lespedeza)				1	Calif.*
Rhododendron sp	Netherlands			1	Wash.
Cocos nucifera (coconut) Phoenix humilis loureiri (coebelen date)	Hawaii	4			Calif.*
Light a lote a mare a dream a Hill Xx (+ 1)/(0 PT1D)		t .			Calif.*
Pinus parviflora (Japanese white pine) ————————————————————————————————————		1	ł	1	Calif.*
Psidium guajava (guava)	Venezuela	1			N. Y.
Pestalotia rhododendri (D. Sacc.) Guba: Rhododendron indicum	Japan			1	Calif.*
Rhododendron obtusum Rhododendron sp	Netherlands			1 1	Calif.* N. J.
Pestalotia truncata Lev.: Ribes alpinum (alpine current)					N. J.
Pestalotia viraatula Kleh ·					
Mangifera indica (mango)	Mexico		ł		Tex.
Phaeosphaeria oryzae Miyake: Oryza sativa (rice) Phleospora pistaciae Petr.:	Japan	1			Calif.*
Pistacia sp. (pistache)	Turkey	1			N. Y.
Phoma citricarpa McAlp.: Citrus limon (lemon)	Australia, Japan, Union		5		Calif.*, Mass.
Citrus paradisi (grapefruit)	of South Africa.				
	Thailand.		1		· ·
Citrus paradisi (pomelo)Citrus reticulata (Mandarin orange)	PhilippinesChina, Japan	46	$\frac{1}{2}$		Calif.*,
					Hawaii, Mass., N. Y.
Citrus sinensis (orange)	Australia, China, Japan, Natal, Union of South	43	10		Calif.*, Hawaii,
	Africa.				Minn., Pa.
Citrus sp. (orange)	China	2			Tex. D. C., Fla.*
Citrus sp.	Australia, China	$\frac{1}{9}$	1		D. C., Hawaii, Mass.
	0	1	1		Tex.

		in	mbe terce ons in	ep-	
Disease and host	Country of origin	Consump- tion	Nonentry	Propaga- tion	Collected in—
Phoma gypsophilae Hollos:	Taman				Calif.*
Gypsophila sp Phoma iridina Sacc.:				1	
Iris germanica (German iris)					Calif.*
Persea americana (avocado)		j			Tex.
Malus sylvestris (apple) Phomopsis capsici (Magn.) Sacc.:	do	1			Tex.
Capsicum frutescens (pepper)			1		Tex.
Phomopsis cocoes Petch.: Cocos nucifera (coconut)	Guam, Hawaii, Tahiti	18			Calif.*
Phomopsis cocoes Petch.: Cocos nucifera (coconut) Phomopsis conorum (Sacc.) Died.: Picea sp. (spruce) Phomopsis hellebori (Brun. & Har.) Trav.:	Austria	1		1	D. C.
Phomopsis hellebori (Brun. & Har.) Trav.: Helleborus niger (Christmas-rose)	Notherlanda				N. J.
Phomonsis phoenicola Tray. & Spessa:					
Phoenix humilis loureiri (rocbelen date) Phomopsis stictica (Berk. & Br.) Trav.:					Calif.*
Buxus microphylla koreana Phragmidium disciflorum [Tode] James:		1	1		N. J.
Rosa sp	Portugal			1	N. J.
Syngonium sp	British Honduras			1	Fla.
Phyllosticta auerswaldii Allesch.: Buxus sp	_ Austria			1	Minn.
Phyllosticia cacti (Berk.) Archer: Coryphantha longicornis (cactus)	Mexico			1	Tex.
Phyllosticta camelliae West.:		1		1	Wash.
Camellia sp. Phyllosticta cookei Tassi:	Mexico	1			Tex.
Magnolia sp Phyllosticta dracaena P. Henn.:		1		1	
Cordyline banksi (Banks dracena)		1	1	1	Hawaii.
Gaultheria sp Phyllosticta hedericola Dur. & Mont.:	Mexico	1			Tex.
Fatshedera sp Hedera helix (English ivy)	BelgiumIreland			1 1	N. J. N. Y.
Phyllosticta laeliae Kiessl.:					
Laelia superbiens (orchid) Oncidium cavendishianum (orchid)	_ Guatemala			1 1	Calif.* Calif.*
Phyllosticta lentaginis Sacc. & Syd.		1	1		N. J.
Viburnum sp Phyllosticta maculiformis Sacc.: Castanea sp. (chestnut)	Italy	1		•	Mass.
Phyllosticta mahoniicola Pass.:			ł		
Berberis sp Phyllosticta mortoni Fairm.:				İ	
Mangifera indica (mango)			1	1	Pa., Tex.
Os manthus forresti (forrests osmanthus)	Netherlands			. 1	N. J.
Philodendron verrucosum (warty philodendron)	Costa Rica			. 1	Calif.*
Phyllosticta saccardoi Thuem.: Rhododendron sp	Scotland			. 1	Ala.
Phyllosticta violae Dcsm.: Viola sp. (pansy)	Sweden	. 1			N. Y.
Phytiostica violae Desin.: Viola sp. (pansy) Physalospora camptospora Sacc.: Cattleya bowringiana (orchid)	Mexico				Calif.*
Coelogyne elata (orchid)	India			1	Wash.
Cymbidium elegans (orchid)	_ do			1	Calif.*
Phusalospora wildemaniana Sacc :				1	Tex.
Cymbidium devonianum (orchid)	India			1	Calif.*
ing:	Mexico	1		1	Calif.*

		ir	mbe nterc	ep-	
Disease and host	Country of origin	Consump- tion	Nonentry	Propaga-	Collected in—
Phytophthora parasitica Dast.:					
Curus limon (lemon)	Spain		1		Calif.*
Onobrychis viciaefolia (saifon) Vitis sp. (grape)	do			1	Calif.*
Pleospora thuemeniana Sace.:				1 }	Pa.
Yucca sp. Pseudomonas marginalis (N. A. Brown) F. L.	Bermuda			1	N. Y.
Stevens:	Delminos Matheulenda				NT NT
Cichorium endivia (endive) Cichorium intybus (chicory)	Belgium, Netherlands Belgium	1			N.Y. N.Y.
Pseudomonas marginata (McCull.) Stapp: Gladiolus sp		į :			Mieh.
Pseudomonas seminum Cayley.	Portugal				Tex.
Pisum sativum (pea) Pseudomonas syringae v. Hall:					
Pseudomonas tonelliana Burk.:	Greece (?)				Pa.
Nerium oleander (oleander)	Italy			1 1	N. Y.
Pseudopeziza medicaginis (Lib.) Sacc.: Medicago sativa (alfalfa)	Afriea	1			Mass.
Puccinia arenariae (Schum.) Wint.: Dianthus barbatus (sweet-william)	England, Switzerland	1		1	N. J., N. Y.
Dianthus deltoides (maiden pink)Puccinia chrysanthemi Roze;					N. J.
Chrysanthemum sp Puccinia gentianae (Strauss) Lk.: Gentiana acaulis (stemless gentian)	Japan			1	Wash.
Gentiana acaulis (stemless gentian)	Switzerland	1			Oreg.
Puccinia glumarum (Schm.) Eriks. & E. Henn.: Triticum aestivum (wheat) Puccinia graminis Pers. var. tritici Eriks. & E.	Spain	1			P. R.
Puccinia graminis Pers. var. tritici Eriks. & E. Henn.:					
Triticum aestivum (wheat) Puccinia hieracii (Sehum.) Mart.:	Mexico	1			P. R.
Inula sp. (?)	Lebanon		1		Pa.
Puccinia iridis (DC.) Wallr.: Iris mellita	Turkey			1	N. J.
Puccinia lantanae Farl.: Lantana sp	Bermuda			1	N. Y.
Puccinia obtecta Pk.:					Tex.
Scirpus sp. (bullrush) Puccinia ornithogali-thyrsoides Diet.:					
Ornithogalum thyrsoides (ehinkeriehee)	Union of South Africa	10			D. C., Md., Mass., N. J., N. Y.,
					J., N. Y., Pa.
Puccinia smyrnii BovBern.: Smyrnium olustrum (?)	France	9			
Puccinia urbaniana P. Henn:			1		
Stachytarpheta jamaicensis Puccinia violae (Sehum.) DC.:					P. R.
Viola sp. (violet)	Canada	1	1		Wash.
Vaccinium arciosiaphylos	Lugianu			. 1	N. J.
Pyrenochaeta erysiphoides Sacc.: Boehmeria sp	Japan			. 1	Calif.
Pyrenochaeta oryzae Miyake:		1			Calif.*
Puthium bufferi Subr.:	Guam	ł			Hawaii
Ramularia beticola Fautr. & C. R. Lambert:	Turkey	1	1		D. C.
Damalania mimulas Throm .		1			
Primula sp. (primrose)Ramularia taraxaci Karst.:			1	1	
Taraxacum sp. (dandelion)	Germany	1			N. Y.
Schizophyllum commune Fr.: Bark from wooden erate	Japan	1		-	Hawaii.

		in	mbe terce ons in	ep-				
Disease and host	Country of origin	÷		-a	Collected			
	Country of origin	Consump- tion	Nonentry	ו ממו	in—			
		su	en	opag tion				
		on	on	5				
		0	Z	4				
Scirrhodothis bambusae (Turc.) Trott.: Bambuseae	Japan	1			Hawaii.			
Bambuscae Sclerotinia kerneri Wettst.:		Ī	1					
Abies alba (silver fir)	Germany	1			Pa.			
Abies sp	Greece (?)		1		Mass.			
Sclerotinia minor Jagger: Pisum sativum (pea)	Portugal		1		Pa.			
Sclerotium cepivorum Berk.: Allium sativum (garlic)		L		1 9				
Sclerotium evonymi Dcsm.:		}		1 1				
Euonymus sp	Netherlands			1	Wash.			
Sclerotium ornithogali Savu. & Sanduville: Ornithogalum thyrsoides (chinkerichee)	Union of South Africa	1			D.rC.			
Sclerotium oryzae Catt.:			ļ.		-			
Oryza sativa (rice)	Korea	1			Wash.			
son:								
Agropyron sp	Union of Soviet Social-			1	N.J.			
Septobasidium pseudopedicellatum Burt:	istic Republics.							
Citrus sinensis (orange)	Brazil		1		Tex.			
Septoria azaleae Vogl.:					NT T			
Rhododendron japonicum (Japanese azalea) Rhododendron sp	Netherlands France, Netherlands			3	N. J. N. J., N. Y.,			
	France, Netherlands				Wash.			
Septoria chrysanthemi Allesch.: Chrysanthemum sp	Japan			1	Wash.			
Sentoria citri Pass ·								
Citrus limon (lemon)			6		Calif.*, Tex.			
	Italy, New Zealand, Panama, Spain.	1						
Citrus paradisi (grapefruit) Citrus reticulata (Mandarin orange)	Japan		1		Calif.* Calif.*			
Citrus reticulata (Mandarin orange)	Union of South Africa		1		Calif.*			
Septoria dianthi Desm ·		l .	ŀ					
Dianthus sp. (carnation)	Azores	1			Mass.			
Gladiolus sp	Mexico, Turkey	1		1	N. J., Tex.			
Septoria posekensis Sacc.: Cymbidium devonianum (orchid)		1	1					
Cypripedium insigne (orchid)	do			1	Calif.*			
Septoria ribis Desm.: Ribes sp. (currant)	37			1	N. Y.			
Sentoria unedonia Rob & Dosm.			1	1				
Arbutus unedo (strawberry-tree)	Greece			1	N. Y.			
Citrus aurantifolia (lime) Citrus limon (lemon) Citrus reticulata (Mandarin orange)	Japan		1		Wash.			
Sphaceloma fawcettii Jenkins var. scabiosa (McAlp.	Mexico	1			Tex.			
& Tryon) Jenkins:								
Citrus limon (lemon)	Australia		$\begin{vmatrix} 2 \\ 1 \end{vmatrix}$		Mass., Tex.			
Citrus paradisi (grapefruit)Citrus sp	do		1		Mass.			
Sphaceloma punicae Bitanc, & Jenkins: Punica granatum (pomegranate)			1					
Sphacelotheca sorahi (Lk.) Clint.:	·	1	i i					
Sorahum vulaare (sorghum)	Nigeria			1	D. C.			
Sphenospora kevorkianii Linder: Schomburgkia sp. (orchid)	Panama			1	Tex.			
STREOCHDE LESSILIAIA SACC .								
Dianthus sp. (carnation) Sporonema oxycocci Shear:			1		N. J.			
Vaccinium arctostaphylos. Stagonospora macrospora (Dur. & Mont.) Sacc.: Agave vestita.	do			1	N. J.			
Agave vestita (Dur. & Mont.) Sacc.:	Mexico.			1	Calif.*			
$Agave SD_{}$	do			3	Ariz., Tex.			
Stemphylium botryosum Wallr.: Gladiolus sp	do			1	Tex.			
	,	1						

		ir	mben nterc	ep-	
Disease and host	Country of origin	Consump-	Nonentry	Propaga- tion	Collected in—
Stilbum incarnatum Wakk.:	70				Calle *
Eleocharis dulcis (waternut) Zingiber officinale (ginger) Thielavia terricola (Gilman & Abbot) Emmons:	Formosa, Japan	3			Calif.* Calif.*
Tulipa sp. (tulip) Thielaviopsis basicola (Berk. & Br.) Ferr.:	Japan			1	Calif.*
Astilbe sp	Netherlands				N. J. N. J.
Sinningia speciosa (gloxinia)	Belgium			1	Calif.*
Triticum aestivum (wheat)	Afghanistan, Austria			2	D. C.
Tilletia foetida (Wallr.) Liro: Triticum aestivum (wheat) Tilletia paradoxa Jacz.:	Ethiopia			1	D. C.
Poa sp" "Tomato aspermy virus":	Turkey			1	N. J.
Chrysanthemum sp	Denmark			1	N. J.
Trematosphaerella oryzae (Miyake) Padwick: Oryza sativa (rice)	Salvador			1	D. C.
Trichoder ma lignorum Harz: Solanum tuberosum (potato) Tritirachium dependens Limber:	Japan		1		Calif.*
Dahlia sn	India			1 4	N. J. Calif.*
Lilium auratum (goldband lily) Lilium giganteum (giant lily) Lilium longiflorum (Easter lily)	Japando			1	Calif.*
Lilium longiflorum (Easter lily) Lilium speciosum rubrum (pink speciosum lily)	do			4 7	Calif.* Calif.*
Lilium sp	Thion of South Africa			1 1	Calif.* N. J.
Zingiber officinale (ginger) Trochila ilicis (Fr.) Crouan:	Japan	1			
Trochita laurocerasi (Desm.) Fr.:	Netherlands			1	N. J.
Prunus sp	England			1	D. C.
Acer japonicum aconitifolium	Netherlands			1	Wash.
Allium sativum (garlic)	Mexico	5			Tex.
Allium sativum (garlic)	do	2			Tex.
Lactic anceps (orchid)		1	1	•	Tex.
Uredo guacae Mayor (?): Epidendrum radicans (orchid) Epidendrum sp Uredo jatrophicola Arth.:	Guatemala			1	Fla. Fla.
Uredo jatrophicola Arth.: _Jatropha curcas (Barbados nut)	Puorto Pico		1		N. Y.
Uredo oncidii P. Henn ·		1	1		N. J.
Oncidium varicosum rogersi (orchid)	Guatemala			Î	Fla.
Vanilla planifolia (orchid)	Canal Zone			1 1	Fla.
Uredo stylosanthis P. Henn.: Stylosanthes sp	Ethionia			1	D. C.
Urocystis colchici (Schlecht.) Rab.: Colchicum autumnale (autumn-crocus)		1	1	1	N.J.
Colchicum autumnale album (white autumn-cro-	do		.	1	N. J.
Colchicum autumnale major (giant autumn-crocus).	do			1	N. J.
Uromyces betae (Pers.) Lev.: Beta vulgaris cicla (Swiss chard)	Italy		. 1		Pa.
Uro myces phaseoli (Pers.) Wint. var. typica Arth.: Phaseolus vulgaris var. (string bean)	Japan	1			1
Uromyces striatus Schroet. var. medicaginis (Pass.)					
Medicago sativa (alfalfa)	1	1	1	-	Tex.
Trifolium sp. (clover)	Greece	_	-	1	Calif.

[An asterisk indicates State inspection]

	Country of origin	Number of interceptions in—			
Disease and host		Consump- tion	Nonentry	Propaga- tion	Collected in—
Ustilago bullata Berk.: Bromus sp	Argentina			1	D. C.
Ustilago hordei (Pers.) Lagh.: Hordeym yulgare (barley)	A fohanistan			1	D. C.
Ustilago tritici (Pers.) Rostr.: Triticum aestivum (wheat) Verticillium buxi (Lk.) Auers. & Fleischck: Buxus sp	đo			1	D. C.
Verticillium buxi (Lk.) Auers. & Fleischck:	G 1 27/1 1 1			1	
Xanthomonas citri (Hasse) Dowson:		1		5	N.J.
Citrus aurantifolia (lime)	India India, Japan, Malaysia, Philippines.	1	4		Hawaii Calif.*, Mass., N.Y.
Citrus grandis (pummelo)	Thailand Japan		$\begin{bmatrix} 2 \\ 16 \end{bmatrix}$		Calif.*, Ha-
Citrus paradisi (grapefruit)Citrus paradisi (pomelo)	India	1	1	1	waii, La., N. Y., Wash. Calif.*, Tex. Mass.
Citrus reticulata (Mandarin orange)	China Ceylon, China, For-	$\begin{vmatrix} 2\\14 \end{vmatrix}$	33		Calif.*, Fla.*,
Citrus sp	mosa (?), Japan. China	1			Pa., Wash. D. C.
Citrus sp				1	Fla.*, Md., Mass.,
Citrus paradisi (grapefruit)	do		1		N. Y., Pa., Tex.

Hosts and Diseases

ABIES: Sclerotinia kerneri (Ascomycetcs) ACER: Tubercularia vulgaris (Deuteromycetes) AERIDES: Diplodia paraphysaria (Deuteromycetes)
AGAPANTHUS: Meloidogyne incognita var. acrita (Nematoda) Botryosphaeria agaves (Ascomycetes) Colletotrichum agaves (Deuteromycetes) Coniothyrium concentricum (Deuteromycetes) Microdiplodia agaves (Deuteromycetes) Stagonospora macrospora (Deuteromycetes)
AGROPYRON:
Selenophoma donacis (Deuteromycetes) ALLIUM CEPA: Mycosphaerella schoenoprasi (Ascomycetes)
ALLIUM FISTULOSUM: Mycosphaerella schoenoprasi (Ascomycetes) ALLIUM SATIVUM: Sclerotium cepivorum (Deuteromycetes) Tylenchus allii (Nematoda) Tylenchus putrefaciens (Nematoda) ANANAS: Curvularia lunata (Deuteromycetes) ANETHUM: Cercospora anethi (Deuteromycetes) ANTHURIUM: Macrophoma anthurii (Deuteromycetes) ARACHIS: Cercospora arachidicola (Deuteromycetes)

ARAUCARIA: Botryosphaeria berengeriana f. araucariae (Asco mycetes) Botryosphaeria ribis (Ascomycetes) Cryptospora longispora (Ascomycetes) Gloeosporium araucariae (Deuteromycetes) ARBUTUS: Septoria unedonis (Deuteromycetes) ASPARAGUS: Meloidogyne incognita (Nematoda) ASTILBE: Thielaviopsis basicola (Deuteromycetes) BAMBUSEAE: Scirrhodothis bambusae (Phycomycetes) BERBERIS: Hendersonia sarmentorum (Deuteromycetes) Phyllosticta mahoniicola (Deuteromycetes) BETA: Cercospora beticola (Deuteromycetes) Meloidogyne incognita (?) Ramularia beticola (Deuteromycetes) Uromyces betae (Promycetes) BLETILLA: Meloidogyne arenaria (Nematoda) Meloidogyne javanica (Nematoda) BOEHMERIA: Pyrenochaeta erysiphoides (Deuteromycetes) BORASSUS: Graphiola borassi (Promycetes) BOTHRIOCHLOA: Cerebella andropogonis (Deuteromycetes)

Hosts and Diseases—Continued

CITRUS SP (orange): BRASSICA RAPA: Elsinoe australis (Ascomycetes) Meloidogyne arenaria (Nematoda) Phoma citricarpa (Deuteromycetes)
CITRUS SP.: BROMELIAD: Pestalotia bro mellicola (Deuteromycetes) BROMUS Phoma citricarpa (Deuteromycetes) Ustilago bullata (Promycetes) BUXUS: Sphaceloma fawcettii var. scabiosa (Deuteromy-Xanthomonas citri (Schizomycetes) Phomopsis stictica (Deuteromycetes) CLEMATIS: Phyllosticta auerswaldii (Deuteromycetes) Verticillium buxi (Deuteromycetes) Meloidogyne hapla (Nematoda) Volutella buxi (Deuteromycetes) COCOS CAMELLIA: $\underline{Diplodia}$ coccocarpa (Deuteromycetes) Echidnodes cocoes (Ascomycetes)
Macrophoma cocos (Deuteromycetes) Pestalotia guepini (Deuteromycetes) Phyllosticta camelliae (Deuteromycetes) CAPSICUM: Pestalotia palmarum (Deuteromycetes) Phomopsis cocoes (Deutcromycetes)
COELOGYNE: Gloeos porium piperatum (Deuteromycetes) Phomopsis capsici (Deuteromycetes) CARICA: Physalospora camptospora (Ascomycetes) Asperisporium caricae (Deuteromycetes) CASTANEA: COFFEA: Cercos por a coffeicola (Deuteromycetes)
COLCHICUM: Phyllosticta maculiformis (Deuteromycetes)
CATTLEYA: Urocystis colchici (Promycetes) COLOCASIA: Physalospora camptospora (Ascomycetes) CEANOTHUS Melanospora zamiae (Ascomycetes) Oospora candidula var. carpogena (Deuteromycetes) CHAMAEDOREA: CORDIA: Cercospora cordiae (Deuteromycetes)
CORDYLINE: Aschersonia basicystis (Deuteromycetes)
CHENOPODIUM: Phyllosticta dracaenae (Deuteromycetes) Cercos pora anthelmintica (Deuteromycetes)
CHRYSANTHEMUM:
"Chrysanthemum virus Q" CORYPHANTHA: Mycosphaerella opuntiae (Ascomycetes)
Phyllosticta cacti (Deuteromycetes) Meloidogyne hapla (Nematoda)
Puccinia chrysanthemi (Promycetes)
Septoria chrysanthemi (Deuteromycetes) CROCUS: Fusarium oxysporum (Deuteromycetes) CRYPTOMERIA: "Tomato aspermy virus" CICHORIUM: Cercospora cryptomeriae (Deuteromycetes) Pestalotia funerea (Deuteromycetes)
CYMBIDIUM: CICHORIUM:

Pseudomonas marginalis (Schizomycetes)

CITRUS AURANTIFOLIA:

Coniothecium citri (Deuteromycetes)

Elsinoe australis (Ascomycetes)

Sphaceloma fawcettii (Deuteromycetes)

Xanthomonas citri (Schizomycetes)

CITRUS AURANTIUM:

Elsinoe australis (Ascomycetes)

CITRUS GRANDIS:

Xanthomonas citri (Schizomycetes)

CITRUS LIMON:

Alternaria citri (Deuteromycetes) Memnoniella echinata (Deuteromycetes) Neocosmospora vasinfecta (Ascomycetes) Physalospora orchidearum (Ascomycetes) Physalospora wildemaniana (Ascomycetes) Septoria posekensis (Deuteromycetes)
CYMBOPOGON: Nigrospora oryzae (Deuteromycetes) Nigrospora sphaerica (Deuteromycetes)
CYNARA: Albugo tragopogonis (Phycomycetes)
CYPRIPEDIUM: Alternaria citri (Dcuteromycetes) Elsinoe australis (Ascomycetes) Phoma citricarpa (Deuteromycetes) Septoria posekensis (Deuteromycetes) DAĤLIA: Phytophthora parasitica (Phycomycetes)
Pseudomonas syringae (Schizomycetes)
Septoria citri (Deuteromycetes) Meloidogyne arenaria (Nematoda) Meloidogyne exigua (Nematoda) Meloidogyne incognita (Nematoda) Sphaceloma fawcettii (Deuteromycetes)
Sphaceloma fawcettii var. scabiosa (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
Xanthomonas sp. (?) (Cancrosis "B") (Schizomycetes) Meloidogyne javanica (Nematoda) Papulaspora parasitica (Deuteromycetes) Tritirachium dependens (Deuteromycetes) DAPHNE: mycetes)
CITRUS PARADISI: Discosia artocreas (Deuteromycetes)
DAUCUS: Phoma citricarpa (Deuteromycetes)
Septoria citri (Deuteromycetes)
Sphaceloma fawcettii var. scabiosa (Deuteromy-Meloidogyne incognita (?)
DELPHINIUM: Meloidogyne hapla (Nematoda) DIANTHUS: Xanthomonas citri (Schizomycetes) Xanthomonas sp. (?) (Cancrosis "B") CITRUS RETICULATA: Puccinia arenariae (Promycetes) Septoria dianthi (Deuteromycetes)
Sporocybe tessulata (Ascomycetes)
DIEFFENBACHIA: Alternaria citri (Deuteromycetes) Elsinoe australis (Ascomycetes) Panagrolaimus rigidus (?) (Nematoda) DIOSCOREA: Leprosis Leptosphaeria citricola (Ascomycetes)
Meliola citricola (Ascomycetes)
Phoma citricarpa (Deuteromycetes)
Septoria citri (Deuteromycetes)
Sphaceloma fawcettii (Deuteromycetes)
Xanthomonas citri (Schizomycetes)
LTRIIS CINENGIS. Meloidogyne incognita (Nematoda)
ELEOCHARIS:
Endoconidiophora adiposa (Ascomycetes) Stilbum incarnatum (Deuteromycetes) EPIDENDRUM:

Uredo guacae (?) (Promycetes)
ERIOBOTRYA: CITRUS SINENSIS: Alternaria citri (Deuteromycetes) Elsinoe australis (Ascomycetes) Fusicladium eriobotryae (Deuteromycetes) EUONYMUS: Sclerotium evonymi (Deuteromycetes) Leprosis Meliola citricola (Ascomycetes) FATSHEDERA: Myriangium duriaei (Ascomycetes) Phyllosticta hedericola (Deuteromycetes) Phoma citricarpa (Deuteromycetes) FEROCACTUS: Septobasidum pseudopedicellatum (Basidiomy-Leptosphaeria opuntiae (Ascomycetes) cetes) FESTUCA: Septoria citri (Deuteromycetes)

Claviceps purpurea (Phycomycetes)

Xanthomonas citri (Schizomyc e t es)

Hosts and Diseases-Continued

FICUS: LYCOPERSICON: Diaporthe eres (Ascomycetes) FOENICULUM: Myrothecium roridum (Deuteromycetes) MACROZAMIA: Fusicladium depressum (Deuteromycetes) Botryosphaeria ribis (Ascomycetes) Pestalotia cycadis (Deuteromycetes) ${f FRAGARIA}$: Mycosphaerella fragariae (Ascomycetes) FRAXINUS: MAGNOLIA: Diaporthe eres (Ascomycetes) Cucurbitaria fraxini (Ascomycetes) Phyllosticta cookei (Dcuteromycetes) GARDENIA: MAHONIA: Omphalia flavida (Deuteromycetes) Cumminsiella sanguinea (Promycetes) MALUS: GAULTHERIA Botryosphaeria ribis (Ascomycetes) Leptothyrium pomi (Deuteromycetes) Monilinia fructigena (Ascomycetes) MAMMILLARIA: Phyllosticta gaultheriae (Deutcromyeetes) GENTIANA: Leptothyrium gentianicola var. olivaceum (Deuteromycetes)
GLADIOLUS: Meloidogyne incognita (?) (Nematoda)
MANGIFERA: Botrytis gladiolorum (Deuteromycetes) Fusarium oxysporum var. gladioli (Deuteromy-Pestalolia virgalula (Deuteromycetes) Phyllosticla mortoni (Deuteromycetes) Papulaspora coprophila (Deuteromycetes)
Papulaspora dodgei (Deuteromycetes)
Pseudomonas marginala (Sehizomyeetes) MANIHOT Diplodia theobromae (Deuteromycetes) MEDICAGO: Septoria gladioli (Deuteromycetes) $Peronospora\ lrifoliorum\ (Ascomycetes)$ Pseudopeziza medicaginis (Ascomycetes) Uromyces striatus var. medicaginis (Promycetes) Stemphylium botryosum (Dcutcromycetes) GYPSOPHILA: Phoma gypsophilae (Deuteromycctes) Microthyriella guianensis (Ascomyeetes)
MORAEA: Phyllosticta hedericola (Deuteromyeetes)
HEDYCHIUM: Macrophomina phaseolina (Deuteromyeetcs) Meloidogyne incognila var. acrita (?) MORUS: HELLEBORUS Cercosporella mori (Deuteromyeetes)
MUSA PARADISIACA: Coniothyrium hellebori (Deuteromyeetes) Phomopsis hellebori (Deuteromyeetcs)
HEPATICA: Cercospora musae (Dcuteromycetes)
MUSA PARADISIACA SAPIENTUM: Cercospora musae (Deuteromycetes) Meloidogyne hapla (Nematoda) Macrophoma musae (Deuteromycetes) Meloidogyne incognita (Nematoda) HEUCHERA: Colletotrichum heucherae (Deuteromycetes) HORDEUM: NARCISSUS: Fusarium oxysporum f. narcissi (Deuteromycetes) Ustilago hordei (Promycetes) Ophiostoma naricissi (Ascomycetes) Trochila ilicis (Ascomyeetes)
INDOCALAMUS: NERIUM: Pseudomonas lonelliana (Sehizomyeetes) ONCIDIUM: Colletotrichum graminicolum (Deuteromycetes) Marcrophoma oncidii (Deuteromycetes) Phyllosticta laeliae (Deuteromyectes) Puccinia hieracii (Promycetes) IPOMOEA: Uredo oncidii (Promycetes) Macrophomina phaseolina (Deuteromyeetes) ONOBRYCHIS: Pleospora herbarum (Ascomycetes) Colletotrichum liliacearum (Deuteromycetes) Heterosporium iridis (Deuteromyeetes) Diplodia paraphysaria (Deuteromycetes) $Leptosphaeria\ heterospora\ ({
m Ascomycctes})$ Pestalotia conspicua (Deuteromycetes) Physalospora orchidearum (Ascomycetes) Macrophomina phaseolina (Deuteromycetes) Phoma iridina (Deuteromycetes) ORNITHOGALUM: Puccinia iridis (Promycetes) Heterosporium ornithogali (Deuteromycetes) IXIA: Puccinia ornithogali-thyrsoides (Promyeetes) Sclerotium ornithogali (Deuteromycetes) Macrophomina phaseolina (Deuteromycetes) JATROPHA: Uredo jatrophicola (Promycetes) JUNIPERUS: Curvularia lunala (Deuteromycetes) Entyloma oryzae (Promycetes) Gymnosporangium haraeanum (Promycetes) Helminthosporium oryzae (Deuteromycetes) Lophodermium juniperinum (Ascomycetes)
LABURNOCYTISUS: Nigrospora sphaerica (Deuteromycetes) Phaeosphaeria oryzae (Ascomycetes) Pyrenochaela oryzae (Deuteromycetes) Coniothyrium cytisellum (Deuteromyeetes) LABURNUM: Sclerotium oryzae (Deuteromycetes) Coniothyrium laburnophilum (Deuteromycetes) Trematosphaerella oryzae (Ascomycetes) Cylindrocarpon mali (Deuteromycctes) OSMANTHUS: LAELIA: Diplodia paraphysaria (Deuteromycetes) Pestalotia conspicua (Deuteromycetes) Phyllosticta osmanthicola (Deuteromycetes) PAEONIA: Phyllosticta laeliae (Deuteromycetes)
Uredo behnickiana (Promyeetes)
LANTANA: "Peony virus" Thielaviopsis basicola (Dueteromycetes) Puccinia lantanae (Promyeetes) Aschersonia basicyslis (Deuteromyeetes) LESPEDEZA:
Pestalotia lespedezae (Deuteromycetes) PASPALUM: Cerebella andropogonis (Deuteromycetes) LEUCADENDRON Cerebella paspali (Deuteromycetes) Claviceps paspali (Aseomycetes) Cercospora protearum (Deuteromyeetes) LEUCOTHOE: PASTINACA:
Meloidogyne incognila var. acrila (Nematoda) Ceulhospora lunata (Deuteromyeetes) Diaporthe eres (Ascomycetes) PERSEA: $Diplodina\ leucothoes\ ({
m Deuteromyeetes})$ Botryosphaeria ribis (Ascomyeetes) Cercospora purpurea (Deuteromyeetes) Botrytis elliplica (Deuteromycetes) Phoma persicae (Deuteromycetes) Colletotrichum liliacearum (Deuteromycetes)

PHASEOLUS:

Elsinoe phaseoli (Aseomycetes)

Uromyces phaseoli var. typica (Promyeetes)

Trilirachium dependens (Douteromycetes)

Collelolrichum lini (Deuteromycetes)

LINUM:

Hosts and Diseases—Continued

PHILODENDRON: Cercospora aricola (Deuteromycetes) Colletotrichum philodendri (Deuteromycetes) Memnoniella echinata (Deuteromycetes) Phyllosticta philodendri (Deuteromycetes) PHOENIX: Mycosphaerella washingtoniae (Ascomycetes)
Pestalotia palmarum (Deuteromycetes)
Phomopsis phoenicola (Deuteromycetes) PHRAGMITES: Dasyscypha phragmiticola (Ascomycetes) Fusarium phragmiticola (Deuteromycetes) Phomopsis conorum (Deuteromycetes)
PINUS: Ceratostomella ips (?) (Ascomycetes) Lophodermium pinastri (Ascomycetes) Pestalotia funerea (Deuteromycctes) Pestalotia peregrina (Deuteromycetes) Cercospora piperis (Deuteromycetes)
PISTACIA: Phleospora pistaciae (Deuteromycetes) Pseudomonas seminum (Schizomycetes) Sclerotinia minor (Ascomycetes) Tilletia paradoxa (Promycetes)
POGOSTEMON: Meloidogyne incognita var. acrita (Nematoda)
PORTULACA: Albugo portulacae (Phycomycetes)
PRIMULA: Ramularia primulae (Deuteromycetes) PROSOPIS: Gloeosporium leguminum (Deuteromycetes) PRUNUS DOMESTICA: Monilinia fructicola (Ascomycetes)
Monilinia fructigena (Ascomycetes)
PRUNUS PERSICA: Coryneum carpophilum (Deuteromycetes) PRUNUS SP. (cherry): Monilinia fructigena (Ascomycetes) PRUNUS SP. Trochila laurocerasi (Ascomycetes) PSIDIUM: Pestalotia psidii (Deuteromycetes) Cercospora lythracearum (Deuteromycetes) Sphaceloma punicae (Deuteromycetes)
PYRACANTHA: Fusicladium pyracanthae (Deuteromycetes)
RHODODENDRON:
Cercospora handelii (Deuteromycetes)
Ceuthospora lunata (Deuteromycetes) Chrysomyxa rhododendri (Promycetes) Diplodina eurhododendri (Deuteromycetes) Gloeosporium rhododendri (Deuteromycetes) Pestalotia macrotricha (Deuteromycetes) Pestalotia rhododendri (Deuteromycetes) Phyllosticta saccardoi (Deuteromycetes) Septoria azaleae (Deuteromycetes) Cronartium ribicola (Promycetes) Pestalotia truncata (Deuteromycetes) Septoria ribis (Deuteromycetes) Coryneum microstictum (Deuteromycetcs) Hainesia lythri (Deuteromycetes) Phragmidium disciflorum (Promycetes) RUSCUS: Leptosphaeria rusci (Ascomycetes) SALIX Cryptodiaporthe salicella (Ascomycetes) SANICULA: Physoderma pluriannulatum (Phycomycetes) SCHOMBURGKIA:

Sphenospora kevorkianii (Promycetes)

Mycosphaerella citrullina (Ascomycetes) SENECIO:

Coleosporium senecionis (Promycetes)

Thielaviopsis basicola (Deuteromycetes)

Puccinia obtecta (Promycetes)

SCIRPUS:

SECHIUM:

SINNINGIA:

SMYRNIUM: Puccinia s myrnii (Promycetes) SOIL: Heterodera avenae (Nematoda) Heterodera cacti (Nematoda) Heterodera punctata (Nematoda) Heterodera rostochiensis (Nematoda) Heterodera schachtii (Nematoda) Heterodera trifolii (Nematoda) Meloidogyne hapla (Nematodá) SOLANUM:
Gliomastix convoluta (Deuteromycetes) Meloidogyne arenaria (Nematoda) Memnoniella echinata (Deuteromycetes) Oospora pustulans (Deuteromycetes) Trichoder ma lignorum (Deuteromycctes) SORBUS: Gymnosporangium juniperi (Promycctes) SORGHÚM: Ascochyta sorghina (Deuteromycetes) Gloeocercospora sorghi (Deuteromycetes)
Sphacelotheca sorghi (Promycetes)
SPATHYPHYLLUM: Macrophoma anthurii (Deuteromycetcs) SPINACIA: Peronospora effusa (Phycomycctes STACHYTARPHETA:
Puccinia urbaniana (Promycetes)
STYLOSANTHES: Uredo stylosanthis (Promycetes) SYNGONIUM: Phyllachora engleri (Ascomycetes) TARAXACUM: Ramularia taraxaci (Deuteromycetes) THRINAX: Catacauma palmicola (Ascomycetes) TRIFOLIUM: Gymadothea trifolii (Ascomycetes) Uromyces trifolii (Promycetes) TRITICUM. Fusarium graminearum (Deuteromycetes) Puccinia glumarum (Promycetes) Puccinia graminis var. tritica (Promycetes)
Tilletia caries (Promycetes)
Tilletia foetida (Promycetes)
Ustilago tritici (Promycetes)
TULIPA: Thielavia terricola (Ascomycetes) URGINEA: Alternaria porri (Deuteromycetes)
VACCINIUM: Pucciniastrum vacciniorum (Promycetes) Sporonema oxycocci (Deuteromycetes)
VANDA: Hendersonia importata (Deuteromycetes) VANILLA: Uredo scabies (Promycetes) VIBURNUM: Phyllosticta lentaginis (Deuteromycetes)
VIOLA: Colletotrichum violae-tricoloris (Deuteromycetes) Phyllosticta violae (Deuteromycetes) Puccinia violae (Promycetes) VITIS: Pleospora herbarum (Ascomycetes) WATSONIA: Tritirachium dependens (Deuteromycetes) WISTERIA: Coniothyrium olivaceum (Deutcromycetes) Diaporthe eres (Ascomycetes) YUCCA: Pleospora thuemeniana (Ascomycetes) ZENOBIA: Ascochyta ledi (Deuteromycetes) ZIN GIBER: Gliomastix convoluta (Deuteromycetes) Melanospora zamiae (Ascomycetes) Memnoniella echinata (Deuteromycetcs) Pythium butleri (Phycomycetes) Stilbum incarnatum (Deuteromycetes) Tritirachium dependens (Deuteromycetes) Hosts Unknown

BARK:

Schizophyllum commune (Basidiomycetes)

Meloidogyne arenaria

Countries of Origin and Diseases

AFGHANISTAN: CHINA: Botryosphaeria ribis Tilletia caries Ustilago hordei Collectotrichum graminicolum Ustilago tritici
AFRICA:
Pseudopeziza medicaginis Endoconidiophora adiposa ${\it Glio\,mastix\,convoluta}$ Melanospora zamiae Meliola citricola ALGERIA: Fusicladium depressum ARGENTINA: Memnoniella echinata Nigrospora sphaerica Pestalotia lespedezae Claviceps paspali Coleosporium senecionis Elsinoe australis Pestatolia tespeaezae
Phoma citricarpa
Septoria citri
Xanthomonas citri
COSTA RICA:
Cercospora musae
Macropho ma musae
Microthuriella aviane Meloidogyne incognita (?) Septoria citri Ustilago bullata Xanthomonas sp. (?) (Cancrosis "B") Austrania citri

Alternaria citri

Botryosphaeria ribis

Cerebella paspali

Colletorichu m liliacearu m Microthyriella guianensis Pestalotia conspicua Phyllosticta philodendri Asperisporium caricae Cryptospora longispora Leptosphaeria heterospora Meloidogyne exigua Elsinoe phaseoli Helminthosporium oryzae Uredo guacae (?) DENMARK: Meloidogyne javanica
Papulaspora parasitica
Pestalotia cycadis
Phoma citricarpa
Sentoria citri Cercospora anethi
"Chrysanthemum virus Q"
Coniothyrium laburnophilum
Dasyscypha phragmiticola
Fusarium phragmiticola
Heterodera punctata
Heterodera rostochiensis Septoria citri Sphaceloma fawcettii var. scabiosa AUSTRIA: Heterodera rostochiensis
"Tomato aspermy virus"
EGYPT: Phomopsis conorum Phyllosticta auerswaldii Tilletia caries Leprosis
ENGLAND:
Ceratosto mella ips (?)
Chryso myxa rhododendri
Colletotrichum heucherae
Colletotrichum miliacearum
Colletotrichum miliacearum AZORES: Septoria dianthi BELGIUM: Heterodera punctata Heterodera rostochiensis Phyllosticta hedericola Pseudo monas marginalis Thielaviopsis basicola BERMUDA: Colletotrichu m violae-tricoloris Coniothyrium hellebori Diplodina eurhododendri Macrophoma anthurii Pleospora thue meniana Fusarium oxysporum f. gladioli Gloeosporium araucariae Hendersonia sarmentorum Heterodera avenae Heterodera cacti Puccinia lantanae BORNEO: Macrophomina phaseolina BRAZIL: Heterodera punctata Heterodera rostochiensis Cercos pora coffeicola Diplodia paraphysaria Elsinoe australis Pestalotia bromellicola Heterodera schachtii Leptosphaeria heterospora Leptothyrium gentianicola var. olivaceum Monilinia fructigena Septobasidium pseudopedicellatum Uredo oncidii BRITISH GUIANA: Oospora candidula var. carpogena Puccinia arenariae Cercospora musae BRITISH HONDURAS: Pucciniastrum vacciniorum Sporocybe tessulata Sporone ma oxycocci Trochila laurocerasi ETHIOLIA: Phyllachora engleri CANADA: Botrytis gladiolorum Coryneum microstictum Alternaria porri Peronospora trifoliorum Tilletia foetida Cronartium ribicola Cum minsiella sanguinea Fusarium oxysporum f. gladioli Leptosphaeria heterospora Lophodermium pinastri Puccinia violae Verticillium buxi Uredo stylosanthis EUROPE: Heterodera punctata FINLAND: Oospora pustulans FORMOSA: Volutella buxi CANAL ZONE: Glio mastix convoluta Melanospora zamiae Memnoniella echinata Catacauma palmicola Meloidogyne incognita var. acrita (?) Uredo scabies
CANARY ISLANDS:
Heterodera rostochiensis
CAPE VERDE ISLANDS: Stilbum incarnatum Xanthomonas citri FRANCE Alternaria citri Botryos phaeria berengeriana var. araucariae Diplodia theobro mae $\mathbf{CEYLON}:$ Cryptodia por the salicellaMeliola citricola Heterodera cacti Xanthomonas citri Heterodera punctata CHILE: Heterodera rostochiensis

Leptosphaeria heterospora

Countries of Origin and Diseases—Continued

FRANCE—Continued
Monilinia fructigena
Mycosphaerella fragariae ITALY—Continued Fusicladium eriobotryae $oldsymbol{Leptosphaeria}$ r $oldsymbol{usci}$ Puccinia smyrnii Sclerotium cepivorum Lophoder mium juniperinum Mycosphaerella citrullina Septoria azaleae
FRENCH WEST AFRICA:
Meloidogyne incognita (?)
GERMANY: Phyllosticta masculiformis Phytomonas tonelliana Sclerotium cepivorum
Uromyces betae
Septoria citri
JAPAN:
Alternaria citri
Botrytis elliptica Chrysomyxa rhododendri Fusarium oxysporum f. gladioli Heterodera cacti Heterodera punctata Heterodera rostochiensis Meloidogyne hapla Botrytis gladiolorum Cercospora cryptomeriae Colletotrichum liliacearum Papulaspora dodgei Pseudo monas morginata
Ramularia taraxaci
Sclerotinia kerneri
GREECE:
Pleospora herbarum
Pseudo monas syringae Coniothyrium olivaceum Diaporthe eres Entyloma oryzae Fusarium graminearum
Gliomasti convoluta
Gymnosporangium haraeanum
Helminthosporium oryzae Sclerotinia kerneri Septoria unedonis Uromyces trifolii GUAM: Leptosphaeria citricola Lophodermium pinastri Macrophomina phaseolina Diplodia coccocarpa Phomopsis cocoes Pythium butleri Melanos pora zamiae Meliola citricola Meloidogyne arenaria GUATEMALA: Gloeosporium piperatum Mcloidogyne incognita Meloidogyne incognita var. acrita Macrophoma oncidii Phyllosticta laeliae Uredo guacae (?) Uredo oncidii Meloidogyne javanica Memnoniella echinata Mycosphaerella schoenoprasi Mycosphaerella washingtoniae Nigrospora sphaerica HAITI: Leprosis
Phyllosticta mortoni
HASHEMITE KINGDOM OF JORDAN: Papulaspora coprophila, Pestalotia funerea Pestalotia guepini Leptosphaeria heterospora Macrophomina phaseolina HAWAII: Pestalotia palmarum Pestalotia peregrina Pestalotia rhododendri Pestatota modoaenare
Phaeosphaeria oryzae
Phoma citricarpa
Phoma gypsophilae
Phomopsis phoenicola
Phyllosticta camelliae
Puccinia chrysanthemi
Puccinia chrysanthemi Botryos phaeria ribis Diplodia coccocarpa Helminthos porium oryzae Macrophoma cocos Macrophoma musae Melanospora zamiae Pestalotia palmarum Pyrenochaeta erysiphoides
Pyrenochaeta oryzae
Schizophyllum commune
Scirrhodothis bambusae Phomopsis capsici Phomopsis cocoes Sphaceloma fawcettii HUNGARY: Septoria chrysanthemi Septoria citri Chrysomyxa rhododendri Sphaceloma fawcettii INDIA Colletotrichum liliacearum Curvularia lunata Graphiola borassi Stilbum incarnatum Thielavia terricola Trichoderma lignorum Helminthosporium oryzae Meloidogyne arenaria Tritirachium dependens Uromyces phaseoli var. typica Meloidogyne incognita Memnoniella echinata Xanthomonas citri JAVA:
Nigrospora sphaerica
KENYA: Neocos mos pora vasinfecta Physalospora camptospora Physalospora orchidearu m Cerebella andropogonis KOREA: Physalospora wilde maniana
Sptoria posekensis
Tritirachium dependens
Xanthomonas citri
INDONESIA:
Nigrangas arregas Pestalotia guepini Pestatotta guepini Sclerotium oryzae LEBANON: Puccinia hieracii MALAYSIA: Xantho monas citri MEXICO: Nigros pora oryzae IRELAND: Discosia artocreas Albugo portulação Heterodera punctata Alternaria citri Heterodera rostochiensis Aschersonia basicystis Ophiosto ma narcis**si** Phyllo sticta hedericola $As cochyta\ sorghina$ ISRAEL: Botryospnaeria agaves Botryosphaeria ribis Claviceps purpurea Cercos por a anthelmintica ITALY: Cercospora beticola Cercos pora arachidicola Cercos pora aricola Colletotrichum agaves Cercospora coffeicola Diaporthe eres

Countries of Origin and Diseases—Continued

MEXICO—Continued Cercospora cordiae NETHERLANDS—Continued Pestalotia macrotricha Cercospora mori $Pestalotia\ rhododendri$ Cercospora musae Cercospora piperis Pestalotia truncata Pseudomonas marginalis Cercospora purpurea Ramularia primulae Colletotrichum agaves Colletotrichum philodendri Sclerotium evonymi Septoria azaleae Thielaviopsis basicola Trochila ilicis Tubercularia vulgaris Urocystis colchici Verticillium buxi Coniothyrium concentricum Coniothecium citri Coryneum carpophilum Cucurbitaria fraxini Curvularia lunata Diplodia paraphysaria Gliomastix convoluta NEW ZEALAND: Cerebella andropogonis Colletotrichum liliacearum Gloeocercospora sorghi Gloeosporium leguminum Heterodera cacti Leprosis Heterodera trifolii Heterosporium iridis
Leptosphaeria heterospora
Pestalotia yuepini
Phoma iridi Leptosphaeria opuntiae Leptothyrium pomi Macrophoma musae Meloidogyne arenaria Meloidogyne ivcognita Memnoniella echinata Phoma iridina Phyllosticta dracaenae Septoria citri NIGERIA: Sphacelotheca sorghi Microdiplodia agaves Monilinia fructicola Mycosphaerella opuntiae NICARAGUA: Meloidogyne incognita Myriangium duriaei
Myrothecium roridum
Omphalia flavida
Panagrolaimus rigidus (?)
Peronospora effusa
Pestalotia conspicua
Bestalotia inspirula NORFOLK ISLAND: Cryptospora longispora NORWAY: Fusarium oxysporum f. narcissi Heterodera punctata Septoria ribis Pestalotia virgatula Phoma persicae PALESTINE: $Lep to sphaeria \cite{theterospora}$ Phoma pomorum
Phyllosticta cacti
Phyllosticta cookei
Phyllosticta gaultheriae
Phyllosticta mortoni
Phyllosticta mortoni PALMYRA ISLAND: Echidnodes cocoes PANAMA: Leprosis Phytosticia morioni
Physalospora camptospora
Physalospora orchidearum
Physoderma pluriannulatum
Puccinia obtecta
Septoria gladioli
Sphaceloma fuvcettii Septoria citri Sphenospora kevorkianii PERU: Heterodera rostochiensis PHILIPPINES: Melanospora zamiae Meloidogyne incognita var. acrita Sphaceloma punicae Stagonospora macrospora Phoma citricarpa Xanthomonas citri Stemphylium botryosum Tylenchus allii Tylenchus putrefaciens PORTUGAL: Colletotrichum lini Cymadothea trifolii Phragmidium disciflorum Pseudomonas seminum Uredo behnickiana Uromyces striatus var. medicaginis MOZAMBIQUE: Phoma citricarpa Sclerotinia minor
PUERTO RICO:
Cercospora lythracearum NATAL: $Phoma\ citricarpa$ Puccinia urbaniana NETHERLANDS: Uredo jatrophicola SALVADOR: Ascochyta ledi Botryosphaeria berengeriana Botrytis gladiolorum Trematosphaerella oryzae SCOTLAND: Cercospora handelii Ceuthospora lunata Heterodera avenae Heterodera punctata Coniothyrium cytisellum Coniothyrium hellebori Heterodera rostochiensis Phyllosticta saccardoi Cryptodiaporthe salicella Cylindrocarpon mali Diaporthe eres Alternaria citri Hainesia lythri Diplodina leucothoes Heterodera avenae Fusarium oxysporum Fusarium oxysporum f. gladiol**i** Heterodera punctata Heterodera rostochiensis Fusicladium pyracanthae Gloeosporium rhododendri Heterodera avenae Phytophthora parasitica Pleospora herbarum Puccinia glumarum Heterodera punctata Puccinia graminis var. tritici Heterodera rostochiensis Leptosphaeria heterospora SWEDEN: Meloidogyne hapla Albugo tragopogonis Phomopsis hellebori Gymnosporangium juniperi Heterodera punctata Phomopsis stictica Phyllosticta lentaginis Heterodera rostochiensis Phyllosticta mahoniicola Monilinia fructigena $Phyllosticta\ os\ manthicola$ "Peony virus" Phyllosticta violae

Countries of Origin and Diseases-Continued

SWITZERLAND: Chrysomyxa rhododendri Heterodera cacti

Puccini arenariae Puccinia gentianae

TAHITI:

Diplodia coccocarpa
Phomopsis cocoes
THAILAND:
Diplodia paraphysaria
Hendersonia importata Phoma citricarpa Xanthomonas citri TRINIDAD:

TRINIDAD:
Diplodia paraphysaria
TURKEY:
Leptosphaeria heterospora
Phleospora pistaciae
Puccinia iridis
Ramularia beticola
Septoria gladioli
Tilletia paradoxa

UNION OF SOUTH AFRICA: Cercospora protearum Heterospora protearum
Heterosporium ornithogali
Macrophomina phaseolina
Meloidogyne incognita var. acrita
Phoma citricarpa
Puccinia ornithogali-thyrsoides
Sclerotium ornithogali
Septoria citri
Tritirachium dependens

UNION OF SOVIET SOCIALISTIC REPUBLICS:

Selenophoma donacis UNKNOWN: Elsinoe australis Heterodera punctata Leprosis URUGUAY:

Elsinoe australis VENEZUELA: Pestalotia psidii

